

ECLIPSE SERIES - CARS, TRUCKS & SUVs - AVAILABLE HI-POLISH, PAINT OR CHROME

Get the stylish look of A MULTI-PIECE WHEEL AT HALF THE PRICE and twice the quality with the new Eclipse Series. ROTARY FORGED billet aluminum. Available in chrome; hi-polish; and midnight black (more colors to come).

TECHNICAL SPECS

- > Multi-piece rotary forged
- > 2200 lb. load rating
- > 33" max tire size
- > Available 4, 5 & 6-lug - almost all car & truck bolt patterns!
- > 60° acorn lug nuts
- > Air sensor compatible

WHEEL FEATURES

- > 3-year structural warranty
- > 1-year chrome, paint warranty
- > Polish wheels do not have bolts, chrome & paint wheels have bolts
- > Currently offering black paint -- add'l colors available upon request
- > Fully machined aluminum cap included

NEW MULTI-PIECE SERIES FOR 2008!

Size	WD Polish	WD Chrm	WD Black	Weight
	NO BOLTS	W/ BOLTS	W/ BOLTS	
20x8.5*	\$649	\$799	\$799	38 lbs
22x9*	\$699	\$849	\$849	45 lbs

*ADDITIONAL WIDTHS AVAILABLE - see bottom of page



561 Black. 562 Chrome with bolts

560 Hi-polish no bolts

566 Black. 567 Chrome with bolts

571 Black. 572 Chrome with bolts

565 Hi-polish - no bolts

570 Hi-polish - no bolts

call for blade & epic photo:
 <----- Hi-polish - no bolts

Call for part numbers:

- > Wheels designed to fit a large variety of cars and trucks.
- > Can build almost all 4, 5 & 6-lug bolt patterns.
- > A range of backsplaces and widths are available.

MILLENNIUM SERIES - TRUCKS & SUVS - AVAILABLE HI-POLISH, CHROME

TECHNICAL SPECS

- > 1-piece rotary forged
- > 2200 lb. load rating
- > 33" max tire size
- > Available 5 & 6-lug
- > 60° acorn lug nuts

WHEEL FEATURES

- > 3-year polish & structural warranty
- > Free curb damage repair & inspection
- > 1-year chrome warranty
- > Billet engraved center cap included
- > Air sensor compatible

Size	WD Polish	+Chrome	Weight
18x8 edge*	\$395	\$100	22 lbs
20x8+offset*	\$475	\$100	28 lbs
20x8.5	\$475	\$100	28 lbs
22x9	\$699	\$120	37 lbs

*only edge comes in 18"; only edge & lexii come in 20x8 hi-offset

Lexii 5-lug

469 Polish. 470 Chrome



Lexii 6-lug

471 Polish. 472 Chrome



Lexii 20x8 +offset only

487 Polish. 488 Chrome



Ace 5-lug

473 Polish. 474 Chrome



Ace 6-lug

475 Polish. 476 Chrome



Edge 5-lug

477 Polish. 478 Chrome



Edge 6-lug

479 Polish. 480 Chrome



Edge 20x8 +offset only

485 Polish. 486 Chrome



Raptor 6-lug shown*

497 Polish. 498 Chrome

*Raptor
5-lug/5 spoke
495 Polish
496 Chrome

Last 7 digits of part number are listed below. Add 3 digit style # to beginning of part #.

Part #	Size	Rearspace	Offset	Bolt Circle	Cap
8806545	18x8	5.0 in	+12mm	5 x 4.5"	CS-157
8806546	18x8	5.0 in	+12mm	5 x 115mm (magnum, 300C/M, charger)	CS-157
8806547	18x8	5.0 in	+12mm	5 x 4.75"	CS-157
8806550	18x8	5.0 in	+12mm	5 x 5.0"	CS-157
8806552	18x8	5.0 in	+12mm	5 x 135mm (hubcentric 5-lug ford)	CS-156
8806557	18x8	5.0 in	+12mm	5 x 5.5" (hubcentric 5-lug dodge 93-newer)	CS-156
8806645	18x8	5.0 in	+12mm	6 x 4.5"	CS-157
8806650	18x8	5.0 in	+12mm	6 x 5.0" (trailblazer, envoy)	CS-157
8806652	18x8	5.0 in	+12mm	6 x 135mm (hubcentric 6-lug ford)	CS-156
8806656	18x8	5.0 in	+12mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	CS-156
8806655	18x8	5.0 in	+12mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
8806657	18x8	5.0 in	+12mm	6 x 5.5" (hummer H3)	CS-156
8806658	18x8	5.0 in	+12mm	6 x 5.5" (hubcentric toyota w/ 106mm hub)	CS-153
2808512	20x8	6.0 in	+38mm	5 x 120mm (honda ridgeline)	CS-153
2808515	20x8	6.0 in	+38mm	5 x 150mm (toyota 07-newer)	CS-153
2808547	20x8	6.0 in	+38mm	5 x 4.75"	CS-153
2808645	20x8	6.0 in	+38mm	6 x 4.5"	CS-153
2808650	20x8	6.0 in	+38mm	6 x 5.0" (trailblazer, envoy)	CS-153
2808656	20x8	6.0 in	+38mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	CS-153
2808655	20x8	6.0 in	+38mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
2856545	20x8.5	5.0 in	+6mm	5 x 4.5"	CS-153
2856546	20x8.5	5.0 in	+6mm	5 x 115mm (magnum, 300C/M, charger)	CS-153
2856547	20x8.5	5.0 in	+6mm	5 x 4.75"	CS-153
2856550	20x8.5	5.0 in	+6mm	5 x 5.0"	CS-153
2856552	20x8.5	5.0 in	+6mm	5 x 135mm (hubcentric 5-lug ford)	CS-153
2856645	20x8.5	5.0 in	+6mm	6 x 4.5"	CS-153
2856652	20x8.5	5.0 in	+6mm	6 x 135mm (hubcentric 6-lug ford)	CS-153
2856656	20x8.5	5.0 in	+6mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	CS-153
2856655	20x8.5	5.0 in	+6mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
2856658	20x8.5	5.0 in	+6mm	6 x 5.5" (hubcentric toyota w/ 106mm hub)	CS-153
2297545	22x9	5.5 in	+12mm	5 x 4.5"	CS-153
2297546	22x9	5.5 in	+12mm	5 x 115mm (magnum, 300C/M, charger)	CS-153
2297547	22x9	5.5 in	+12mm	5 x 4.75"	CS-153
2297550	22x9	5.5 in	+12mm	5 x 5.0"	CS-153
2297552	22x9	5.5 in	+12mm	5 x 135mm (hubcentric 5-lug ford)	CS-153
2297557	22x9	5.5 in	+12mm	5 x 5.5" (hubcentric 5-lug dodge 93-newer)	CS-153
2297645	22x9	5.5 in	+12mm	6 x 4.5"	CS-153
2297652	22x9	5.5 in	+12mm	6 x 135mm (hubcentric 6-lug ford)	CS-153
2297656	22x9	5.5 in	+12mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	CS-153
2297655	22x9	5.5 in	+12mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
2297658	22x9	5.5 in	+12mm	6 x 5.5" (hubcentric toyota w/ 106mm hub)	CS-153

TOMAHAWK SERIES - TRUCKS & SUVs - AVAILABLE HI-POLISH, CHROME

TECHNICAL SPECS

- > 1-piece rotary forged
- > 2200 lb. load rating
- > 33" max tire size
- > Available 5 & 6-lug
- > 60° acorn lug nuts
- > Air sensor compatible

WHEEL FEATURES

- > 3-year polish & structural warranty
- > Free curb damage repair & inspection
- > 1-year chrome warranty
- > Billet engraved center cap included

Size	WD Polish	+Chrome*	Weight
16x8	\$350	\$100	18 lbs
17x8	\$375	\$100	20 lbs
17x8.5	\$425	\$100	26 lbs
18x8	\$395	\$100	22 lbs
20x8	\$440	\$100	26 lbs
20x8.5	\$475	\$100	28 lbs
22x9	\$699	\$120	37 lbs

*add chrome surcharge to your polish price after discount. No discount on chrome.



Stingray III 5&6-lug
201 Polish. 202 Chrome
All Sizes Available!

Champ XL 5&6-lug
203 Polish. 204 Chrome
Not available 32mm hi-offset

Rapid 5&6-lug
205 Polish. 206 Chrome
Not available 32mm hi-offset

Sniper 5&6-lug
207 Polish. 208 Chrome
Not available 32mm hi-offset



Tomcat 5&6-lug
209 Polish. 210 Chrome
20x8.5 & 22x9 only

Escape 5&6-lug
211 Polish. 212 Chrome
All Sizes Available!

Voltage II 5&6-lug
213 Polish. 214 Chrome
Not available 22x9

Tracer II 5&6-lug
215 Polish. 216 Chrome
Not available 22x9



Archer II 5&6-lug
217 Polish. 218 Chrome
Not available 32mm or 22x9

Avenger II 5&6-lug
219 Polish. 220 Chrome
Not available 32mm or 22x9

Smoothie 5&6-lug
529 Polish. 530 Chrome
All Sizes Available!

Crossfire 5&6-lug
150 Polish. 151 Chrome
32mm hi-offset only in 17x8.5 & 20x8.5

Last 7 digits of part number are listed below. Add 3 digit style # to beginning of part #.

Part #	Size	Rearspace	Offset	Bolt Circle	Cap
6806545	16x8	5.0 in	+12mm	5 x 4.5"	CS-157
6806547	16x8	5.0 in	+12mm	5 x 4.75"	CS-157
6806550	16x8	5.0 in	+12mm	5 x 5.0"	CS-157
6806552	16x8	5.0 in	+12mm	5 x 135mm (hubcentric 5-lug ford)	CS-156
6806557	16x8	5.0 in	+12mm	5 x 5.5" (hubcentric 5-lug dodge 93-newer)	CS-156
6806645	16x8	5.0 in	+12mm	6 x 4.5"	CS-157
6806656	16x8	5.0 in	+12mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	CS-156
6806655	16x8	5.0 in	+12mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
6806658	16x8	5.0 in	+12mm	6 x 5.5" (hubcentric toyota w/ 106mm hub)	CS-153
7806545	17x8	5.0 in	+12mm	5 x 4.5"	CS-157
7806547	17x8	5.0 in	+12mm	5 x 4.75"	CS-157
7806550	17x8	5.0 in	+12mm	5 x 5.0"	CS-157
7806552	17x8	5.0 in	+12mm	5 x 135mm (hubcentric 5-lug ford)	CS-156
7806555	17x8	5.0 in	+12mm	5 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
7806557	17x8	5.0 in	+12mm	5 x 5.5" (hubcentric 5-lug dodge 93-newer)	CS-156
7806645	17x8	5.0 in	+12mm	6 x 4.5"	CS-157
7806650	17x8	5.0 in	+12mm	6 x 5.0" (trailblazer, envoy)	CS-157
7806652	17x8	5.0 in	+12mm	6 x 135mm (hubcentric 6-lug ford)	CS-156
7806656	17x8	5.0 in	+12mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	CS-156
7806655	17x8	5.0 in	+12mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
7806657	17x8	5.0 in	+12mm	6 x 5.5" (hummer H3)	CS-156
7806658	17x8	5.0 in	+12mm	6 x 5.5" (hubcentric toyota w/ 106mm hub)	CS-153

TOMAHAWK SERIES - TRUCKS & SUVS - AVAILABLE HI-POLISH, CHROME

Last 7 digits of part number are listed below. Add 3 digit style # to beginning of part #.

Part #	Size	Rearspace	Offset	Bolt Circle	Cap
7858512	17x8.5	6.0 in	+32mm	5 x 120mm (honda ridgeline)	CS-157
7858547	17x8.5	6.0 in	+32mm	5 x 4.75"	CS-157
7858550	17x8.5	6.0 in	+32mm	5 x 5.0"	CS-157
7858645	17x8.5	6.0 in	+32mm	6 x 4.5"	CS-157
7858650	17x8.5	6.0 in	+32mm	6 x 5.0" (trailblazer, envoy)	CS-157
7858652	17x8.5	6.0 in	+32mm	6 x 135mm (hubcentric 6-lug ford)	CS-156
7858655	17x8.5	6.0 in	+32mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
7858656	17x8.5	6.0 in	+32mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	CS-156
7858657	17x8.5	6.0 in	+32mm	6 x 5.5" (hummer H3)	CS-156
8806545	18x8	5.0 in	+12mm	5 x 4.5"	CS-157
8806546	18x8	5.0 in	+12mm	5 x 115mm (magnum, 300C/M, charger)	CS-157
8806547	18x8	5.0 in	+12mm	5 x 4.75"	CS-157
8806550	18x8	5.0 in	+12mm	5 x 5.0"	CS-157
8806552	18x8	5.0 in	+12mm	5 x 135mm (hubcentric 5-lug ford)	CS-156
8806555	18x8	5.0 in	+12mm	5 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
8806557	18x8	5.0 in	+12mm	5 x 5.5" (hubcentric 5-lug dodge 93-newer)	CS-156
8806645	18x8	5.0 in	+12mm	6 x 4.5"	CS-157
8806650	18x8	5.0 in	+12mm	6 x 5.0" (trailblazer, envoy)	CS-157
8806652	18x8	5.0 in	+12mm	6 x 135mm (hubcentric 6-lug ford)	CS-156
8806656	18x8	5.0 in	+12mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	CS-156
8806655	18x8	5.0 in	+12mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
8806657	18x8	5.0 in	+12mm	6 x 5.5" (hummer H3)	CS-156
8806658	18x8	5.0 in	+12mm	6 x 5.5" (hubcentric toyota w/ 106mm hub)	CS-153
2806545	20x8	5.0 in	+12mm	5 x 4.5"	CS-157
2806546	20x8	5.0 in	+12mm	5 x 115mm (magnum, 300C/M, charger)	CS-157
2806547	20x8	5.0 in	+12mm	5 x 4.75"	CS-157
2806550	20x8	5.0 in	+12mm	5 x 5.0"	CS-157
2806552	20x8	5.0 in	+12mm	5 x 135mm (hubcentric 5-lug ford)	CS-156
2806555	20x8	5.0 in	+12mm	5 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
2806557	20x8	5.0 in	+12mm	5 x 5.5" (hubcentric 5-lug dodge 93-newer)	CS-156
2806645	20x8	5.0 in	+12mm	6 x 4.5"	CS-157
2806650	20x8	5.0 in	+12mm	6 x 5.0" (trailblazer, envoy)	CS-157
2806652	20x8	5.0 in	+12mm	6 x 135mm (hubcentric 6-lug ford)	CS-156
2806656	20x8	5.0 in	+12mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	CS-156
2806655	20x8	5.0 in	+12mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
2806657	20x8	5.0 in	+12mm	6 x 5.5" (hummer H3)	CS-156
2806658	20x8	5.0 in	+12mm	6 x 5.5" (hubcentric toyota w/ 106mm hub)	CS-153
2856545	20x8.5	5.0 in	+6mm	5 x 4.5"	CS-157
2856547	20x8.5	5.0 in	+6mm	5 x 4.75"	CS-157
2856546	20x8.5	5.0 in	+6mm	5 x 115mm (magnum, 300C/M, charger)	CS-157
2856550	20x8.5	5.0 in	+6mm	5 x 5.0"	CS-157
2856552	20x8.5	5.0 in	+6mm	5 x 135mm (hubcentric 5-lug ford)	CS-156
2856555	20x8.5	5.0 in	+6mm	5 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
2856557	20x8.5	5.0 in	+6mm	5 x 5.5" (hubcentric 5-lug dodge 93-newer)	CS-156
2856645	20x8.5	5.0 in	+6mm	6 x 4.5"	CS-157
2856652	20x8.5	5.0 in	+6mm	6 x 135mm (hubcentric 6-lug ford)	CS-156
2856656	20x8.5	5.0 in	+6mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	CS-156
2856655	20x8.5	5.0 in	+6mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
2856658	20x8.5	5.0 in	+6mm	6 x 5.5" (hubcentric toyota w/ 106mm hub)	CS-153
2858512	20x8.5	6.0 in	+32mm	5 x 120mm (honda ridgeline)	CS-157
2858515	20x8.5	6.0 in	+32mm	5 x 150mm (toyota 07-newer)	CS-156
2858547	20x8.5	6.0 in	+32mm	5 x 4.75"	CS-157
2858550	20x8.5	6.0 in	+32mm	5 x 5.0"	CS-157
2858645	20x8.5	6.0 in	+32mm	6 x 4.5"	CS-157
2858650	20x8.5	6.0 in	+32mm	6 x 5.0" (trailblazer, envoy)	CS-157
2858652	20x8.5	6.0 in	+32mm	6 x 135mm (hubcentric 6-lug ford)	CS-156
2858655	20x8.5	6.0 in	+32mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
2858656	20x8.5	6.0 in	+32mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	CS-156
2858657	20x8.5	6.0 in	+32mm	6 x 5.5" (hummer H3)	CS-156
2297545	22x9	5.5 in	+12mm	5 x 4.5"	CS-157
2297546	22x9	5.5 in	+12mm	5 x 115mm (magnum, 300C/M, charger)	CS-157
2297547	22x9	5.5 in	+12mm	5 x 4.75"	CS-157
2297550	22x9	5.5 in	+12mm	5 x 5.0"	CS-157
2297552	22x9	5.5 in	+12mm	5 x 135mm (hubcentric 5-lug ford)	CS-156
2297557	22x9	5.5 in	+12mm	5 x 5.5" (hubcentric 5-lug dodge 93-newer)	CS-156
2297645	22x9	5.5 in	+12mm	6 x 4.5"	CS-157
2297652	22x9	5.5 in	+12mm	6 x 135mm (hubcentric 6-lug ford)	CS-156
2297656	22x9	5.5 in	+12mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	CS-156
2297655	22x9	5.5 in	+12mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
2297658	22x9	5.5 in	+12mm	6 x 5.5" (hubcentric toyota w/ 106mm hub)	CS-153

MULTI-PIECE SERIES - TRUCKS & SUVs - AVAILABLE HI-POLISH, CHROME, GRAY, BLACK

Get the stylish look of A MULTI-PIECE WHEEL AT HALF THE PRICE and twice the quality with the new Que wheel. ROTARY FORGED billet aluminum. Available in chrome; hi-polish; and black or gray powder coat finishes.

TECHNICAL SPECS

- > 1-piece rotary forged
- > 2200 lb. load rating
- > 33" max tire size
- > Available 5 & 6-lug
- > 60° acorn lug nuts
- > Air sensor compatible

Size	WD Polish	+Chrome*	WD Gray	WD Black	Weight
20x8.5	\$690	\$100	\$890	\$890	30 lbs
22x9	\$940	\$120	\$1,190	\$1,190	39 lbs

*add chrome surcharge to your polish price after discount. No discount on chrome.

WHEEL FEATURES

- > 3-year polish & structural warranty
- > 1-year chrome, powder coat warranty
- > Billet engraved center cap included

NEW SERIES FOR 2008!



Que 5&6-lug
540 Hi-polish. 541 Chrome



Que 5&6-lug
542 Charcoal Gray



Que 5&6-lug
543 Midnight Black

Last 7 digits of part number are listed below. Add 3 digit style # to beginning of part #.

Part #	Size	Rearspace	Offset	Bolt Circle	Cap
2856545	20x8.5	5.0 in	+6mm	5 x 4.5"	C-40
2856546	20x8.5	5.0 in	+6mm	5 x 115mm (magnum, 300C/M, charger)	C-40
2856547	20x8.5	5.0 in	+6mm	5 x 4.75"	C-40
2856550	20x8.5	5.0 in	+6mm	5 x 5.0"	C-40
2856552	20x8.5	5.0 in	+6mm	5 x 135mm (hubcentric 5-lug ford)	C-40
2856557	20x8.5	5.0 in	+6mm	5 x 5.5" (hubcentric 5-lug dodge 93-newer)	C-40
2856645	20x8.5	5.0 in	+6mm	6 x 4.5"	C-40
2856652	20x8.5	5.0 in	+6mm	6 x 135mm (hubcentric 6-lug ford)	C-40
2856656	20x8.5	5.0 in	+6mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	C-40
2856655	20x8.5	5.0 in	+6mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	C-40
2297545	22x9	5.5 in	+12mm	5 x 4.5"	C-40
2297546	22x9	5.5 in	+12mm	5 x 115mm (magnum, 300C/M, charger)	C-40
2297547	22x9	5.5 in	+12mm	5 x 4.75"	C-40
2297550	22x9	5.5 in	+12mm	5 x 5.0"	C-40
2297552	22x9	5.5 in	+12mm	5 x 135mm (hubcentric 5-lug ford)	C-40
2297557	22x9	5.5 in	+12mm	5 x 5.5" (hubcentric 5-lug dodge 93-newer)	C-40
2297645	22x9	5.5 in	+12mm	6 x 4.5"	C-40
2297652	22x9	5.5 in	+12mm	6 x 135mm (hubcentric 6-lug ford)	C-40
2297656	22x9	5.5 in	+12mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	C-40
2297655	22x9	5.5 in	+12mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	C-40

INTERNAL BEADLOCK SERIES - TRUCKS & SUVS - AVAILABLE BRUSHED SATIN, CHROME

PATENT PENDING BEADLOCK TECHNOLOGY

- > Street legal, DOT-approved beadlock
- > Run flat 20 miles over rough terrain at low speeds
- > Rollover and blowout protection
- > New inner beadlock (no bolts req.) - off road and street
- > Tire mounting: do it yourself without machines
- > No special tire required. Uses conventional tires
- > Fully forged to bulletproof specs. No casting
- > Wheel uses a Centering Element that extends to the inner reaches of the tire's air chamber allowing for an internal beadlock.

Based on Center Line's Military Tactical Wheel:
Awarded SEMA's *BEST ENGINEERED PRODUCT*

TECHNICAL SPECS

- > Rotary Forged aluminum wheel
- > 3200 lb. load rating for 8-lug
- > 2200 lb. load rating for 6-lug
- > 35" max tire size
- > Available 5, 6 & 8-lug
- > 60° acorn lug nuts
- > Air sensor compatible

WHEEL FEATURES

- > 3-year structural warranty
- > 1-year chrome warranty
- > All wheels include engraved push-thru center cap as shown
- > Rubber valve stem included

Size	WD Satin	WD Chrm	Weight
17x9	\$675	\$675	48 lbs



I.C.E. 5,6,8-lug
988 Brushed Satin. 990 Chrome

Last 7 digits of part number are listed below. Add 3 digit style # to beginning of part #.

Part #	Size	Rearspace	Offset	Bolt Circle	Cap
7905545	17x9	4.5 in	-12mm	5 x 4.5"	RF-3.187CAP
7905552	17x9	4.5 in	-12mm	5 x 135mm	RF-3.505CAP
7905555	17x9	4.5 in	-12mm	5 x 5.5" (large 4.25" hub)	RF-4.250CAP
7905645	17x9	4.5 in	-12mm	6 x 4.5"	RF-3.187CAP
7905652	17x9	4.5 in	-12mm	6 x 135mm	RF-3.505CAP
7905655	17x9	4.5 in	-12mm	6 x 5.5" (large 4.25" hub)	RF-4.250CAP
7905750	17x9	4.5 in	-12mm	7 x 150mm (7-lug ford)	RF-4.250CAP
7905865	17x9	4.5 in	-12mm	8 x 6.5"	RF-5.125CAP
7905870	17x9	4.5 in	-12mm	8 x 170mm	RF-5.125CAP
7906545	17x9	5.0 in	0mm	5 x 4.5"	RF-3.187CAP
7906552	17x9	5.0 in	0mm	5 x 135mm	RF-3.505CAP
7906555	17x9	5.0 in	0mm	5 x 5.5" (large 4.25" hub)	RF-4.250CAP
7906645	17x9	5.0 in	0mm	6 x 4.5"	RF-3.187CAP
7906652	17x9	5.0 in	0mm	6 x 135mm	RF-3.505CAP
7906655	17x9	5.0 in	0mm	6 x 5.5" (large 4.25" hub)	RF-4.250CAP
7906750	17x9	5.0 in	0mm	7 x 150mm (7-lug ford)	RF-4.250CAP
7906865	17x9	5.0 in	0mm	8 x 6.5"	RF-5.125CAP
7906870	17x9	5.0 in	0mm	8 x 170mm	RF-5.125CAP

WILDERNESS SERIES-OFFROAD/LIFTED TRUCKS-AVAILABLE HI-POLISH, CHROME

TECHNICAL SPECS

- > 1-piece rotary forged
- > 3200 lb. load rating!
- > 44" max tire size
- > Available 5, 6 & 8-lug
- > 60° acorn lug nuts
- > Air sensor compatible

WHEEL FEATURES

- > 3-yr polish & structural warranty
- > Free curb damage repair
- > 1-year chrome warranty
- > 5 & 6-lug wheels include exposed lug caps. 8-lug wheels do not include center caps.
- > Optional beadlock ring
- All wheels available w/ the beadlock ring. Flint & 8-Ball are photographed below.

OPTIONAL CAPS



Size	WD Polish	+Chrome	+Beadlock	Weight
16x8	\$365	\$100	\$100	22 lbs
16x10	\$380	\$100	\$100	25 lbs
16.5x10	\$380	\$100	\$100	25 lbs
17x8	\$395	\$100	\$100	26 lbs
17x8.5	\$425	\$100	na	28 lbs
17x9	\$430	\$100	\$100	27 lbs
18x9	\$435	\$100	\$100	30 lbs
20x8.5	\$495	\$100	\$100	33 lbs
20x10	\$525	\$100	\$100	36 lbs
20x12	\$560	\$100	\$100	40 lbs
22x9	\$699	\$120	na	37 lbs

*add chrome surcharge to your polish price after discount. No discount on chrome.

- Cap on front left: P/N CS-105 -- 2" tall, closed end for 5&6-lug
- Cap on back left: P/N CS-106 -- 2" tall, open end for 5&6-lug
- Cap on front middle: P/N CS-107 -- 3-1/2" tall, closed end for 8-lug
- Cap on back right: P/N CS-108 -- 3-1/2" tall, open end for 8-lug
- Cap on front right: P/N CS-109 -- 5" tall, closed end for 8-lug
- Add "C" to end of P/N for chrome caps

NEW FOR '08



Eclipse 5,6,8-lug
649 Polish. 650 Chrome
all sizes: push-thru cap only
8-lug eclipse shown: 5-lug = 5 spokes, 6-lug = 6 spokes

NEW FOR '08



Grizzly 5,6,8-lug
653 Polish. 654 Chrome
all sizes: push-thru cap only

NEW FOR '08



Turbine 5,6,8-lug
657 Polish. 658 Chrome
all sizes: push-thru cap only

NEW FOR '08



Patriot 5,6,8-lug
655 Polish. 656 Chrome
all sizes: push-thru cap only

NEW FOR '08



Smoothie 5,6,8-lug
529 Polish. 530 Chrome
all sizes: push-thru cap only



Wildcat 5,6,8-lug
619 Polish. 620 Chrome



8-Ball 5,6,8-lug
633 Polish. 634 Chrome
8-lug uses push-thru cap only



8-Ball Beadlock
Add "8" to end of p/n



Flint 5,6,8-lug
627 Polish. 628 Chrome
8-lug uses push-thru cap only



Flint Beadlock
Add "8" to end of p/n



Falcon 5,6,8-lug
629 Polish. 630 Chrome



Octane 5,6,8-lug
631 Polish. 632 Chrome



Blackfoot 5,6,8-lug
625 Polish. 626 Chrome



Dorsal II 5,6,8-lug
641 Polish. 642 Chrome



Tracker II 5,6,8-lug
635 Polish. 636 Chrome



Vector II 5,6,8-lug
637 Polish. 638 Chrome



Bullet II 5,6,8-lug
639 Polish. 640 Chrome



Scout 5,6,8-lug
623 Polish. 624 Chrome



Wolverine 5,6,8-lug
643 Polish. 644 Chrome



Crossfire 8-lug
150 Polish. 151 Chrome

WILDERNESS SERIES-OFFROAD/LIFTED TRUCKS-AVAILABLE HI-POLISH, CHROME

Last 7 digits of part number are listed below. Add 3 digit style # to beginning of part #.

Part #	Size	Rearspace	Offset	Bolt Circle	Cap
6805552	16x8	4.5 in	0mm	5 x 135mm	CS-21 (push-thru, exposed lug); CS-105 (covered lug)
6805545	16x8	4.5 in	0mm	5 x 4.5"	CS-70 (push-thru, exposed lug); CS-105 (covered lug)
6805555	16x8	4.5 in	0mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
6805655	16x8	4.5 in	0mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
6805750	16x8	4.5 in	0mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
6805865	16x8	4.5 in	0mm	8 x 6.5"	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
6805870	16x8	4.5 in	0mm	8 x 170mm	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
6105552	16x10	4.5 in	-25mm	5 x 135mm	CS-21 (push-thru, exposed lug); CS-105 (covered lug)
6105545	16x10	4.5 in	-25mm	5 x 4.5"	CS-70 (push-thru, exposed lug); CS-105 (covered lug)
6105555	16x10	4.5 in	-25mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
6105655	16x10	4.5 in	-25mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
6105750	16x10	4.5 in	-25mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
6105865	16x10	4.5 in	-25mm	8 x 6.5"	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
6105870	16x10	4.5 in	-25mm	8 x 170mm	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
6515552	16.5x10	4.5 in	-25mm	5 x 135mm	CS-21 (push-thru, exposed lug); CS-105 (covered lug)
6515555	16.5x10	4.5 in	-25mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
6515655	16.5x10	4.5 in	-25mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
6515865	16.5x10	4.5 in	-25mm	8 x 6.5"	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
6515870	16.5x10	4.5 in	-25mm	8 x 170mm	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
7805545	17x8	4.5 in	0mm	5 x 4.5"	CS-153 (pop-in oring cap). No covered lug cap option!
7805552	17x8	4.5 in	0mm	5 x 135mm	CS-153 (pop-in oring cap). No covered lug cap option!
7805555	17x8	4.5 in	0mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); No covered lug option!
7805645	17x8	4.5 in	0mm	6 x 4.5"	CS-153 (pop-in oring cap). No covered lug cap option!
7805652	17x8	4.5 in	0mm	6 x 135mm	CS-153 (pop-in oring cap). No covered lug cap option!
7805655	17x8	4.5 in	0mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); No covered lug option!
7805750	17x8	4.5 in	0mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); No covered lug option!
7805865	17x8	4.5 in	0mm	8 x 6.5"	CS-210 (short); CS-211 (regular); CS-213 (open). No cvrd lug!
7805870	17x8	4.5 in	0mm	8 x 170mm	CS-210 (short); CS-211 (regular); CS-213 (open). No cvrd lug!
7858512	17x8.5	6.0 in	+32mm	5 x 120mm	CS-153 (pop-in oring cap). No covered lug cap option!
7858550	17x8.5	6.0 in	+32mm	5 x 5.0"	CS-153 (pop-in oring cap). No covered lug cap option!
7858645	17x8.5	6.0 in	+32mm	6 x 4.5"	CS-153 (pop-in oring cap). No covered lug cap option!
7858652	17x8.5	6.0 in	+32mm	6 x 135mm	CS-153 (pop-in oring cap). No covered lug cap option!
7858655	17x8.5	6.0 in	+32mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); No covered lug option!
7858750	17x8.5	6.0 in	+32mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); No covered lug option!
7858865	17x8.5	6.0 in	+32mm	8 x 6.5"	CS-210 (short); CS-211 (regular); CS-213 (open). No cvrd lug!
7858870	17x8.5	6.0 in	+32mm	8 x 170mm	CS-210 (short); CS-211 (regular); CS-213 (open). No cvrd lug!
7905552	17x9	4.5 in	-12mm	5 x 135mm	CS-21 (push-thru, exposed lug); CS-105 (covered lug)
7905545	17x9	4.5 in	-12mm	5 x 4.5"	CS-70 (push-thru, exposed lug); CS-105 (covered lug)
7905555	17x9	4.5 in	-12mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
7905652	17x9	4.5 in	-12mm	6 x 135mm	CS-21 (push-thru, exposed lug); CS-105 (covered lug)
7905655	17x9	4.5 in	-12mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
7905750	17x9	4.5 in	-12mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
7905865	17x9	4.5 in	-12mm	8 x 6.5"	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
7905870	17x9	4.5 in	-12mm	8 x 170mm	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
7907545	17x9	5.25 in	+6mm	5 x 4.5"	CS-153 (pop-in oring cap). No covered lug cap option!
7907552	17x9	5.25 in	+6mm	5 x 135mm	CS-153 (pop-in oring cap). No covered lug cap option!
7907555	17x9	5.25 in	+6mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); No covered lug option!
7907645	17x9	5.25 in	+6mm	6 x 4.5"	CS-153 (pop-in oring cap). No covered lug cap option!
7907652	17x9	5.25 in	+6mm	6 x 135mm	CS-153 (pop-in oring cap). No covered lug cap option!
7907655	17x9	5.25 in	+6mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); No covered lug option!
7907750	17x9	5.25 in	+6mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); No covered lug option!
7907865	17x9	5.25 in	+6mm	8 x 6.5"	CS-210 (short); CS-211 (regular); CS-213 (open). No cvrd lug!
7907870	17x9	5.25 in	+6mm	8 x 170mm	CS-210 (short); CS-211 (regular); CS-213 (open). No cvrd lug!

WILDERNESS SERIES-OFFROAD/LIFTED TRUCKS-AVAILABLE HI-POLISH, CHROME

Last 7 digits of part number are listed below. Add 3 digit style # to beginning of part #.

Part #	Size	Rearspace	Offset	Bolt Circle	Cap
8905545	18x9	4.5 in	-12mm	5 x 4.5"	CS-70 (push-thru, exposed lug); CS-105 (covered lug)
8905552	18x9	4.5 in	-12mm	5 x 135mm	CS-21 (push-thru, exposed lug); CS-105 (covered lug)
8905555	18x9	4.5 in	-12mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
8905652	18x9	4.5 in	-12mm	6 x 135mm	CS-21 (push-thru, exposed lug); CS-105 (covered lug)
8905655	18x9	4.5 in	-12mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
8905750	18x9	4.5 in	-12mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
8905865	18x9	4.5 in	-12mm	8 x 6.5"	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
8905870	18x9	4.5 in	-12mm	8 x 170mm	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
8907545	18x9	5.25 in	+6mm	5 x 4.5"	CS-153 (pop-in oring cap). No covered lug cap option!
8907552	18x9	5.25 in	+6mm	5 x 135mm	CS-153 (pop-in oring cap). No covered lug cap option!
8907555	18x9	5.25 in	+6mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); No covered lug option!
8907645	18x9	5.25 in	+6mm	6 x 4.5"	CS-153 (pop-in oring cap). No covered lug cap option!
8907652	18x9	5.25 in	+6mm	6 x 135mm	CS-153 (pop-in oring cap). No covered lug cap option!
8907655	18x9	5.25 in	+6mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); No covered lug option!
8907750	18x9	5.25 in	+6mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); No covered lug option!
8907865	18x9	5.25 in	+6mm	8 x 6.5"	CS-210 (short); CS-211 (regular); CS-213 (open). No cvrd lug!
8907870	18x9	5.25 in	+6mm	8 x 170mm	CS-210 (short); CS-211 (regular); CS-213 (open). No cvrd lug!
2856545	20x8.5	5.0 in	+6mm	5 x 4.5"	CS-153 (pop-in oring cap). No covered lug cap option!
2856552	20x8.5	5.0 in	+6mm	5 x 135mm	CS-153 (pop-in oring cap). No covered lug cap option!
2856555	20x8.5	5.0 in	+6mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); No covered lug option!
2856645	20x8.5	5.0 in	+6mm	6 x 4.5"	CS-153 (pop-in oring cap). No covered lug cap option!
2856652	20x8.5	5.0 in	+6mm	6 x 135mm	CS-153 (pop-in oring cap). No covered lug cap option!
2856655	20x8.5	5.0 in	+6mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); No covered lug option!
2856750	20x8.5	5.0 in	+6mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); No covered lug option!
2856865	20x8.5	5.0 in	+6mm	8 x 6.5"	CS-210 (short); CS-211 (regular); CS-213 (open). No cvrd lug!
2856870	20x8.5	5.0 in	+6mm	8 x 170mm	CS-210 (short); CS-211 (regular); CS-213 (open). No cvrd lug!
2858512	20x8.5	6.0 in	+32mm	5 x 120mm	CS-153 (pop-in oring cap). No covered lug cap option!
2858515	20x8.5	6.0 in	+32mm	5 x 150mm (toyota 07-newer)	tbd
2858550	20x8.5	6.0 in	+32mm	5 x 5.0"	CS-153 (pop-in oring cap). No covered lug cap option!
2858645	20x8.5	6.0 in	+32mm	6 x 4.5"	CS-153 (pop-in oring cap). No covered lug cap option!
2858652	20x8.5	6.0 in	+32mm	6 x 135mm	CS-153 (pop-in oring cap). No covered lug cap option!
2858655	20x8.5	6.0 in	+32mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); No covered lug option!
2858750	20x8.5	6.0 in	+32mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); No covered lug option!
2858865	20x8.5	6.0 in	+32mm	8 x 6.5"	CS-210 (short); CS-211 (regular); CS-213 (open). No cvrd lug!
2858870	20x8.5	6.0 in	+32mm	8 x 170mm	CS-210 (short); CS-211 (regular); CS-213 (open). No cvrd lug!
2105545	20x10	4.5 in	-25mm	5 x 4.5"	CS-70 (push-thru, exposed lug); CS-105 (covered lug)
2105552	20x10	4.5 in	-25mm	5 x 135mm	CS-21 (push-thru, exposed lug); CS-105 (covered lug)
2105555	20x10	4.5 in	-25mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
2105652	20x10	4.5 in	-25mm	6 x 135mm	CS-21 (push-thru, exposed lug); CS-105 (covered lug)
2105655	20x10	4.5 in	-25mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
2105750	20x10	4.5 in	-25mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
2105865	20x10	4.5 in	-25mm	8 x 6.5"	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
2105870	20x10	4.5 in	-25mm	8 x 170mm	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
2125545	20x12	4.5 in	-51mm	5 x 4.5"	CS-153 (pop-in cap, exposed lug); CS-105 (covered lug)
2125552	20x12	4.5 in	-51mm	5 x 135mm	CS-153 (pop-in cap, exposed lug); CS-105 (covered lug)
2125555	20x12	4.5 in	-51mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
2125652	20x12	4.5 in	-51mm	6 x 135mm	CS-153 (pop-in cap, exposed lug); CS-105 (covered lug)
2125655	20x12	4.5 in	-51mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
2125750	20x12	4.5 in	-51mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
2125865	20x12	4.5 in	-51mm	8 x 6.5"	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
2125870	20x12	4.5 in	-51mm	8 x 170mm	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
2127545	20x12	5.5 in	-25mm	5 x 4.5"	CS-153 (pop-in cap, exposed lug); CS-105 (covered lug)
2127552	20x12	5.5 in	-25mm	5 x 135mm	CS-153 (pop-in cap, exposed lug); CS-105 (covered lug)
2127555	20x12	5.5 in	-25mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
2127652	20x12	5.5 in	-25mm	6 x 135mm	CS-153 (pop-in cap, exposed lug); CS-105 (covered lug)
2127655	20x12	5.5 in	-25mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
2127750	20x12	5.5 in	-25mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
2127865	20x12	5.5 in	-25mm	8 x 6.5"	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
2127870	20x12	5.5 in	-25mm	8 x 170mm	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
2297552	22x9	5.5 in	+12mm	5 x 135mm	CS-21 (push-thru, exposed lug); CS-105 (covered lug)
2297555	22x9	5.5 in	+12mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
2297652	22x9	5.5 in	+12mm	6 x 135mm	CS-21 (push-thru, exposed lug); CS-105 (covered lug)
2297655	22x9	5.5 in	+12mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
2297865	22x9	5.5 in	+12mm	8 x 6.5"	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
2297870	22x9	5.5 in	+12mm	8 x 170mm	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)

MONSOON SERIES - SPORT COMPACT CARS - AVAILABLE HI-POLISH, CHROME

TECHNICAL SPECS

- > 1-piece rotary forged
- > 1200 lb. load rating
- > 26" max tire size
- > Available 4 & 5-lug
- > 60° acorn lug nuts
- > Air sensor compatible

WHEEL FEATURES

- > 3-year polish & structural warranty
- > Free curb damage repair & inspection
- > 1-year chrome warranty
- > Center cap included
- > Hubrings suggested

Size	WD Polish	+Chrome*	Weight
15x7*	\$330	\$100	13.5 lbs
17x7	\$415	\$100	15 lbs
18x7	\$445	\$100	17 lbs
19x7.5	\$475	\$100	18 lbs

*add chrome surcharge to your polish price after discount.

Viking 4&5-lug

341 Hi-polish. 342 Chrome



Piranha 4&5-lug

343 Hi-polish. 344 Chrome



Neutron 4&5-lug

345 Hi-polish. 346 Chrome



Storm 4&5-lug

347 Hi-polish. 348 Chrome



RPM II 4&5-lug

349 Hi-polish. 350 Chrome
available 17" & larger



Excel II 4&5-lug

353 Hi-polish. 354 Chrome
available 17" & larger

Last 7 digits of part number are listed below. Add 3 digit style # to beginning of part #.

Part #	Size	Offset	Bolt Circle	Centerbore	Cap	RPM/Excel
5707439	15x7	+42mm	4 x 100mm	72.62mm	CS-152	--
5707442	15x7	+42mm	4 x 4.25" (same as 4 x 108mm)	72.62mm	CS-152	--
5707445	15x7	+42mm	4 x 4.5" (same as 4 x 114.3mm)	72.62mm	CS-152	--
5707539	15x7	+42mm	5 x 100mm	72.62mm	CS-152	--
5707542	15x7	+42mm	5 x 4.25" (same as 5 x 108mm)	72.62mm	CS-152	--
5707543	15x7	+42mm	5 x 110mm	72.62mm	CS-152	--
5707545	15x7	+42mm	5 x 4.5" (same as 5 x 114.3mm)	72.62mm	CS-152	--
7707439	17x7	+42mm	4 x 100mm	72.62mm	CS-152	CS-150
7707442	17x7	+42mm	4 x 4.25" (same as 4 x 108mm)	72.62mm	CS-152	CS-150
7707445	17x7	+42mm	4 x 4.5" (same as 4 x 114.3mm)	72.62mm	CS-152	CS-150
7707539	17x7	+42mm	5 x 100mm	72.62mm	CS-152	CS-151
7707542	17x7	+42mm	5 x 4.25" (same as 5 x 108mm)	72.62mm	CS-152	CS-151
7707543	17x7	+42mm	5 x 110mm	72.62mm	CS-152	CS-151
7707544	17x7	+42mm	5 x 112mm	72.62mm	CS-152	CS-151
7707545	17x7	+42mm	5 x 4.5" (same as 5 x 114.3mm)	72.62mm	CS-152	CS-151
7707546	17x7	+42mm	5 x 115mm	72.62mm	CS-152	CS-151
8708439	18x7	+42mm	4 x 100mm	72.62mm	CS-152	CS-150
8708442	18x7	+42mm	4 x 4.25" (same as 4 x 108mm)	72.62mm	CS-152	CS-150
8708445	18x7	+42mm	4 x 4.5" (same as 4 x 114.3mm)	72.62mm	CS-152	CS-150
8708539	18x7	+42mm	5 x 100mm	72.62mm	CS-152	CS-151
8708542	18x7	+42mm	5 x 4.25" (same as 5 x 108mm)	72.62mm	CS-152	CS-151
8708543	18x7	+42mm	5 x 110mm	72.62mm	CS-152	CS-151
8708544	18x7	+42mm	5 x 112mm	72.62mm	CS-152	CS-151
8708545	18x7	+42mm	5 x 4.5" (same as 5 x 114.3mm)	72.62mm	CS-152	CS-151
8708546	18x7	+42mm	5 x 115mm	72.62mm	CS-152	CS-151
9758439	19x7.5	+42mm	4 x 100mm	72.62mm	CS-152	CS-150
9758442	19x7.5	+42mm	4 x 4.25" (same as 4 x 108mm)	72.62mm	CS-152	CS-150
9758445	19x7.5	+42mm	4 x 4.5" (same as 4 x 114.3mm)	72.62mm	CS-152	CS-150
9758539	19x7.5	+42mm	5 x 100mm	72.62mm	CS-152	CS-151
9758542	19x7.5	+42mm	5 x 4.25" (same as 5 x 108mm)	72.62mm	CS-152	CS-151
9758543	19x7.5	+42mm	5 x 110mm	72.62mm	CS-152	CS-151
9758544	19x7.5	+42mm	5 x 112mm	72.62mm	CS-152	CS-151
9758545	19x7.5	+42mm	5 x 4.5" (same as 5 x 114.3mm)	72.62mm	CS-152	CS-151
9758546	19x7.5	+42mm	5 x 115mm	72.62mm	CS-152	CS-151

LEGEND SERIES - CUSTOM BUILT 2-PIECE WHEELS - AVAILABLE HI-POLISH

Featuring classic designs available in a range of sizes.
 This is a ROTARY FORGED billet aluminum wheel manufactured by welding the center section into an outer rim enabling you to customize the rearspace & width.

New size: 20x15 NOW AVAILABLE in various styles!!

TECHNICAL SPECS

- > 2-piece rotary forged
- > 1625 lb. load rating
- > 32" max tire size
- > Available in 5-lug only
- > 60° acorn lug nuts
- > Air sensor compatible

WHEEL FEATURES

- > 3-year polish & structural warranty
- > Wheel specs can be customized
- > Center cap included (see individual wheel descriptions for center cap part numbers)

**16"-20"
NEW
SIZES**

Size	WD Polish	Weight	Rearspace Range	
			Min	Max
15x4	\$360	11 lbs	1-5/8 in	1-5/8 in
15x6	\$370	12 lbs	3.5 in	4.0 in
15x7	\$395	13 lbs	3.5 in	5.0 in
15x8	\$425	15 lbs	3.5 in	5.5 in
15x10	\$450	16 lbs	3.5 in	7.0 in
16x7	\$460	17 lbs	3.5 in	5.0 in
16x8	\$465	18 lbs	3.5 in	5.5 in
16x9.5	\$495	20 lbs	4.0 in	7.0 in
17x7	\$495	19 lbs	3.5 in	5.0 in
17x8	\$505	20 lbs	3.5 in	5.75 in
17x9.5	\$550	21 lbs	4.0 in	7.0 in
18x8	\$670	21 lbs	3.5 in	5.75 in
18x9.5	\$695	22 lbs	4.0 in	7.0 in
20x8	\$770	26 lbs	3.5 in	5.75 in
20x9.5	\$795	28 lbs	4.0 in	7.0 in
20x15	\$1,280	call	4.5 in	6.0 in

Rearspace available in 1/2" increments.



Telstar 5-lug
13 Hi-polish finish
 Available 15", 16", 17", 18", 20"
 Chrome steel cap p/n CS-70
 (except 5-5.0" bolt = CS-21)



Champ 506 5-lug
19 Hi-polish finish
 Available 17", 18"
 3-bar spinner cap p/n CS-35



Saber II 5-lug
21 Hi-polish finish
 Available 17", 18"
 Chrome steel cap p/n CS-70
 (except 5-5.0" bolt = CS-21)



Auto Drag III 5-lug
17 Hi-polish finish. **18** Brushed satin
 Available 15", 16", 17", 18", 20"
 Chrome steel cap p/n CS-70
 (except 5-5.0" bolt = CS-21)



Lazer 5-lug
919 Hi-polish finish
 Available 17", 18", 20"
 Billet engraved cap p/n CS-153



Retro 5-lug
915 Hi-polish finish
 Available 15", 16", 17", 18", 20"
 Billet engraved cap p/n CS-153



Retro 5-lug, 20x15
915 Hi-polish finish
 Actual photo of 20x15 wheel with 4.5" rearspace

← NEW: 20x15

These are the most common part numbers. Add'l configurations as long as they fall within the rearspace & width ranges listed in the chart above
Last 7 digits of part number are listed below. Add 2-3 digit style # to beginning of part #.

Part #	Size	Rearspace	Offset	Bolt Circle	Part #	Size	Rearspace	Offset	Bolt Circle
5401545	15x4	1-5/8	na	5 x 4.5"	5803550	15x8	3.5 in	-25mm	5 x 5.0"
5401547	15x4	1-5/8	na	5 x 4.75"	5804545	15x8	4.0 in	-12mm	5 x 4.5"
5603545	15x6	3.5 in	0mm	5 x 4.5"	5804547	15x8	4.0 in	-12mm	5 x 4.75"
5603547	15x6	3.5 in	0mm	5 x 4.75"	5804550	15x8	4.0 in	-12mm	5 x 5.0"
5603550	15x6	3.5 in	0mm	5 x 5.0"	5805545	15x8	4.5 in	0mm	5 x 4.5"
5604545	15x6	4.0 in	+12mm	5 x 4.5"	5805547	15x8	4.5 in	0mm	5 x 4.75"
5604547	15x6	4.0 in	+12mm	5 x 4.75"	5805550	15x8	4.5 in	0mm	5 x 5.0"
5703545	15x7	3.5 in	-12mm	5 x 4.5"	5806547	15x8	5.0 in	+12mm	5 x 4.75"
5703547	15x7	3.5 in	-12mm	5 x 4.75"	5806550	15x8	5.0 in	+12mm	5 x 5.0"
5704545	15x7	4.0 in	0mm	5 x 4.5"	5807547	15x8	5.5 in	+25mm	5 x 4.75"
5704547	15x7	4.0 in	0mm	5 x 4.75"	5807550	15x8	5.5 in	+25mm	5 x 5.0"
5704550	15x7	4.0 in	0mm	5 x 5.0"	5103545	15x10	3.5 in	-51mm	5 x 4.5"
5705547	15x7	4.5 in	+12mm	5 x 4.75"	5103550	15x10	3.5 in	-51mm	5 x 5.0"
5706545	15x7	5.0 in	+25mm	5 x 4.5"	5104545	15x10	4.0 in	-38mm	5 x 4.5"
5706547	15x7	5.0 in	+25mm	5 x 4.75"	5104547	15x10	4.0 in	-38mm	5 x 4.75"
5803545	15x8	3.5 in	-25mm	5 x 4.5"	5104550	15x10	4.0 in	-38mm	5 x 5.0"
5803547	15x8	3.5 in	-25mm	5 x 4.75"	5105545	15x10	4.5 in	-25mm	5 x 4.5"

LEGEND SERIES - CUSTOM BUILT 2-PIECE WHEELS - AVAILABLE HI-POLISH

Last 7 digits of part number are listed below. Add 2-3 digit style # to beginning of part #.

Part #	Size	Rearspace	Offset	Bolt Circle	Part #	Size	Rearspace	Offset	Bolt Circle
5105547	15x10	4.5 in	-25mm	5 x 4.75"	7954545	17x9.5	4.0 in	-32mm	5 x 4.5"
5105550	15x10	4.5 in	-25mm	5 x 5.0"	7954547	17x9.5	4.0 in	-32mm	5 x 4.75"
5106545	15x10	5.0 in	-12mm	5 x 4.5"	7955545	17x9.5	4.5 in	-19mm	5 x 4.5"
5106547	15x10	5.0 in	-12mm	5 x 4.75"	7955547	17x9.5	4.5 in	-19mm	5 x 4.75"
5106550	15x10	5.0 in	-12mm	5 x 5.0"	7955550	17x9.5	4.5 in	-19mm	5 x 5.0"
5107545	15x10	5.5 in	0mm	5 x 4.5"	7956545	17x9.5	5.0 in	-6mm	5 x 4.5"
5107547	15x10	5.5 in	0mm	5 x 4.75"	7956547	17x9.5	5.0 in	-6mm	5 x 4.75"
5107550	15x10	5.5 in	0mm	5 x 5.0"	7956550	17x9.5	5.0 in	-6mm	5 x 5.0"
5108545	15x10	6.0 in	+12mm	5 x 4.5"	7957545	17x9.5	5.5 in	+6mm	5 x 4.5"
5108547	15x10	6.0 in	+12mm	5 x 4.75"	7957547	17x9.5	5.5 in	+6mm	5 x 4.75"
5108550	15x10	6.0 in	+12mm	5 x 5.0"	7957550	17x9.5	5.5 in	+6mm	5 x 5.0"
5109545	15x10	6.5 in	+12mm	5 x 4.5"	7958545	17x9.5	6.0 in	+19mm	5 x 4.5"
5109547	15x10	6.5 in	+12mm	5 x 4.75"	7958547	17x9.5	6.0 in	+19mm	5 x 4.75"
5109550	15x10	6.5 in	+12mm	5 x 5.0"	7958550	17x9.5	6.0 in	+19mm	5 x 5.0"
6703545	16x7	3.5 in	-12mm	5 x 4.5"	7959547	17x9.5	6.5 in	+19mm	5 x 4.75"
6703547	16x7	3.5 in	-12mm	5 x 4.75"	7959545	17x9.5	6.5 in	+19mm	5 x 4.5"
6703550	16x7	3.5 in	-12mm	5 x 5.0"	7951547	17x9.5	7.0 in	na	5 x 4.75"
6704545	16x7	4.0 in	0mm	5 x 4.5"	7951545	17x9.5	7.0 in	na	5 x 4.5"
6704547	16x7	4.0 in	0mm	5 x 4.75"	8803545	18x8	3.5 in	-25mm	5 x 4.5"
6704550	16x7	4.0 in	0mm	5 x 5.0"	8803547	18x8	3.5 in	-25mm	5 x 4.75"
6705545	16x7	4.5 in	+12mm	5 x 4.5"	8803550	18x8	3.5 in	-25mm	5 x 5.0"
6705547	16x7	4.5 in	+12mm	5 x 4.75"	8804545	18x8	4.0 in	-12mm	5 x 4.5"
6705550	16x7	4.5 in	+12mm	5 x 5.0"	8804547	18x8	4.0 in	-12mm	5 x 4.75"
6706547	16x7	5.0 in	+25mm	5 x 4.75"	8804550	18x8	4.0 in	-12mm	5 x 5.0"
6706545	16x7	5.0 in	+25mm	5 x 4.5"	8805545	18x8	4.5 in	0mm	5 x 4.5"
6803545	16x8	3.5 in	-25mm	5 x 4.5"	8805547	18x8	4.5 in	0mm	5 x 4.75"
6803547	16x8	3.5 in	-25mm	5 x 4.75"	8805550	18x8	4.5 in	0mm	5 x 5.0"
6803550	16x8	3.5 in	-25mm	5 x 5.0"	8806545	18x8	5.0 in	+12mm	5 x 4.5"
6804545	16x8	4.0 in	-12mm	5 x 4.5"	8806547	18x8	5.0 in	+12mm	5 x 4.75"
6804547	16x8	4.0 in	-12mm	5 x 4.75"	8807545	18x8	5.5 in	+25mm	5 x 4.5"
6804550	16x8	4.0 in	-12mm	5 x 5.0"	8807547	18x8	5.5 in	+25mm	5 x 4.75"
6805545	16x8	4.5 in	0mm	5 x 4.5"	8801545	18x8	5.75 in	+32mm	5 x 4.5"
6805547	16x8	4.5 in	0mm	5 x 4.75"	8954545	18x9.5	4.0 in	-32mm	5 x 4.5"
6805550	16x8	4.5 in	0mm	5 x 5.0"	8954547	18x9.5	4.0 in	-32mm	5 x 4.75"
6806545	16x8	5.0 in	+12mm	5 x 4.5"	8955545	18x9.5	4.5 in	-19mm	5 x 4.5"
6806547	16x8	5.0 in	+12mm	5 x 4.75"	8955547	18x9.5	4.5 in	-19mm	5 x 4.75"
6807545	16x8	5.5 in	+25mm	5 x 4.5"	8955550	18x9.5	4.5 in	-19mm	5 x 5.0"
6807547	16x8	5.5 in	+25mm	5 x 4.75"	8956545	18x9.5	5.0 in	-6mm	5 x 4.5"
6954545	16x9.5	4.0 in	-32mm	5 x 4.5"	8956547	18x9.5	5.0 in	-6mm	5 x 4.75"
6954547	16x9.5	4.0 in	-32mm	5 x 4.75"	8956550	18x9.5	5.0 in	-6mm	5 x 5.0"
6955545	16x9.5	4.5 in	-19mm	5 x 4.5"	8957545	18x9.5	5.5 in	+6mm	5 x 4.5"
6955547	16x9.5	4.5 in	-19mm	5 x 4.75"	8957547	18x9.5	5.5 in	+6mm	5 x 4.75"
6955550	16x9.5	4.5 in	-19mm	5 x 5.0"	8957550	18x9.5	5.5 in	+6mm	5 x 5.0"
6956545	16x9.5	5.0 in	-6mm	5 x 4.5"	8958545	18x9.5	6.0 in	+19mm	5 x 4.5"
6956547	16x9.5	5.0 in	-6mm	5 x 4.75"	8958547	18x9.5	6.0 in	+19mm	5 x 4.75"
6956550	16x9.5	5.0 in	-6mm	5 x 5.0"	8958550	18x9.5	6.0 in	+19mm	5 x 5.0"
6957545	16x9.5	5.5 in	+6mm	5 x 4.5"	8959547	18x9.5	6.5 in	+19mm	5 x 4.75"
6957547	16x9.5	5.5 in	+6mm	5 x 4.75"	8959545	18x9.5	6.5 in	+19mm	5 x 4.5"
6957550	16x9.5	5.5 in	+6mm	5 x 5.0"	8951547	18x9.5	7.0 in	na	5 x 4.75"
6958545	16x9.5	6.0 in	+19mm	5 x 4.5"	8951545	18x9.5	7.0 in	na	5 x 4.5"
6958547	16x9.5	6.0 in	+19mm	5 x 4.75"	2803545	20x8	3.5 in	-25mm	5 x 4.5"
6958550	16x9.5	6.0 in	+19mm	5 x 5.0"	2803547	20x8	3.5 in	-25mm	5 x 4.75"
6959547	16x9.5	6.5 in	+19mm	5 x 4.75"	2803550	20x8	3.5 in	-25mm	5 x 5.0"
6959545	16x9.5	6.5 in	+19mm	5 x 4.5"	2804545	20x8	4.0 in	-12mm	5 x 4.5"
6951547	16x9.5	7.0 in	na	5 x 4.75"	2804547	20x8	4.0 in	-12mm	5 x 4.75"
6951545	16x9.5	7.0 in	na	5 x 4.5"	2804550	20x8	4.0 in	-12mm	5 x 5.0"
7703545	17x7	3.5 in	-12mm	5 x 4.5"	2805545	20x8	4.5 in	0mm	5 x 4.5"
7703547	17x7	3.5 in	-12mm	5 x 4.75"	2805547	20x8	4.5 in	0mm	5 x 4.75"
7703550	17x7	3.5 in	-12mm	5 x 5.0"	2805550	20x8	4.5 in	0mm	5 x 5.0"
7704545	17x7	4.0 in	0mm	5 x 4.5"	2806545	20x8	5.0 in	+12mm	5 x 4.5"
7704547	17x7	4.0 in	0mm	5 x 4.75"	2806547	20x8	5.0 in	+12mm	5 x 4.75"
7704550	17x7	4.0 in	0mm	5 x 5.0"	2807545	20x8	5.5 in	+25mm	5 x 4.5"
7705545	17x7	4.5 in	+12mm	5 x 4.5"	2807547	20x8	5.5 in	+25mm	5 x 4.75"
7705547	17x7	4.5 in	+12mm	5 x 4.75"	2801545	20x8	5.75 in	+32mm	5 x 4.5"
7705550	17x7	4.5 in	+12mm	5 x 5.0"	2954545	20x9.5	4.0 in	-32mm	5 x 4.5"
7706547	17x7	5.0 in	+25mm	5 x 4.75"	2954547	20x9.5	4.0 in	-32mm	5 x 4.75"
7706545	17x7	5.0 in	+25mm	5 x 4.5"	2955545	20x9.5	4.5 in	-19mm	5 x 4.5"
7803545	17x8	3.5 in	-25mm	5 x 4.5"	2955547	20x9.5	4.5 in	-19mm	5 x 4.75"
7803547	17x8	3.5 in	-25mm	5 x 4.75"	2955550	20x9.5	4.5 in	-19mm	5 x 5.0"
7803550	17x8	3.5 in	-25mm	5 x 5.0"	2956545	20x9.5	5.0 in	-6mm	5 x 4.5"
7804545	17x8	4.0 in	-12mm	5 x 4.5"	2956547	20x9.5	5.0 in	-6mm	5 x 4.75"
7804550	17x8	4.0 in	-12mm	5 x 5.0"	2957545	20x9.5	5.5 in	+6mm	5 x 4.5"
7805545	17x8	4.5 in	0mm	5 x 4.5"	2957547	20x9.5	5.5 in	+6mm	5 x 4.75"
7805547	17x8	4.5 in	0mm	5 x 4.75"	2957550	20x9.5	5.5 in	+6mm	5 x 5.0"
7805550	17x8	4.5 in	0mm	5 x 5.0"	2958545	20x9.5	6.0 in	+19mm	5 x 4.5"
7806545	17x8	5.0 in	+12mm	5 x 4.5"	2958547	20x9.5	6.0 in	+19mm	5 x 4.75"
7806547	17x8	5.0 in	+12mm	5 x 4.75"	2958550	20x9.5	6.0 in	+19mm	5 x 5.0"
7807545	17x8	5.5 in	+25mm	5 x 4.5"	2959547	20x9.5	6.5 in	+19mm	5 x 4.75"
7807547	17x8	5.5 in	+25mm	5 x 4.75"	2959545	20x9.5	6.5 in	+19mm	5 x 4.5"
7801545	17x8	5.75 in	+32mm	5 x 4.5"	2951547	20x9.5	7.0 in	na	5 x 4.75"
					2951545	20x9.5	7.0 in	na	5 x 4.5"
					2154545	20x15	4.0 in	deep dish	5 x 4.5"
					2154547	20x15	4.0 in	deep dish	5 x 4.75"
					2154550	20x15	4.0 in	deep dish	5 x 5.0"

BILLET SERIES - CUSTOM BUILT 2-PIECE WHEELS - AVAILABLE HI-POLISH

This is a ROTARY FORGED billet aluminum wheel manufactured by welding the center section into an outer rim enabling you to customize the rearspace & width.

TECHNICAL SPECS

- > 2-piece rotary forged
- > 1625 lb. load rating
- > 32" max tire size
- > 4, 5 & 6-lug versions
- > 60° acorn lug nuts
- > Air sensor compatible

WHEEL FEATURES

- > 3-year polish & structural warranty
- > Wheel specs can be customized
- > Billet engraved covered-lug center cap included:
 - 2-screw cap is part # CS-123 (open version is CS-27)
 - 1-screw cap is part # CS-136 (open version is CS-135)

Size	WD Polish	Weight	Rearspace Range	
			Min	Max
15x6	\$400	14 lbs	3.5 in	4.0 in
15x7	\$420	15 lbs	3.5 in	5.0 in
15x8	\$435	16 lbs	3.5 in	5.5 in
15x10	\$450	18 lbs	3.5 in	7.0 in
16x7	\$460	17 lbs	3.5 in	5.0 in
16x8	\$465	18 lbs	3.5 in	5.5 in
16x9.5	\$495	20 lbs	4.0 in	7.0 in
17x7	\$495	19 lbs	3.5 in	5.0 in
17x8	\$505	20 lbs	3.5 in	5.75 in
17x9.5	\$550	21 lbs	4.0 in	7.0 in
18x8	\$670	21 lbs	3.5 in	5.75 in
18x9.5	\$695	22 lbs	4.0 in	7.0 in
20x8	\$770	26 lbs	3.5 in	5.75 in
20x9.5	\$795	28 lbs	4.0 in	7.0 in

Rearspace available in 1/2" increments.



Mojave
817 Hi-polish finish
Available 15", 16", 17", 18", 20"



Ventura
880 Hi-polish finish
Available 15", 16", 17", 18"



Corona
813 Hi-polish finish
Available 15", 16", 17", 18", 20"



Thruster
806 Hi-polish finish
Available 15", 16", 17", 18"



Trigon
802 Hi-polish finish
Available 15", 16", 17", 18"



Razor
814 Hi-polish finish
Available 15", 16", 17", 18"



Fluted Hawk
192 Hi-polish finish
Available 15", 16", 17"



Scorpion
91 Hi-polish finish
Available 15", 16", 17"



Star
74 Hi-polish finish
Available 15", 16", 17"



Hammer
78 Hi-polish finish
Available 15", 16", 17"



Billet GN
89 Hi-polish finish
Available 15", 16", 17"



Stealth
77 Hi-polish finish
Available 15", 16", 17"

BILLET SERIES - CUSTOM BUILT 2-PIECE WHEELS - AVAILABLE HI-POLISH

These are the most common part numbers. It is possible to build add'l configurations as long as they fall within the rearspace & width ranges listed in the pricing chart on the previous page. Can build almost any 4-lug, 5-lug or 6-lug pattern in these wheels.

Last 7 digits of part number are listed below. Add 2 or 3 digit style # to beginning of part #.

Part #	Size	Rearspace	Offset	Bolt Circle	Part #	Size	Rearspace	Offset	Bolt Circle
5603507	15x6	3.5 in	0mm	5 x 4.5", 4.75"	7704507	17x7	4.0 in	0mm	5 x 4.5", 4.75"
5604507	15x6	4.0 in	+12mm	5 x 4.5", 4.75"	7705425	17x7	4.5 in	+12mm	4 x 4.25", 4.5"
5603505	15x6	3.5 in	0mm	5 x 5.0", 5.5"	7705507	17x7	4.5 in	+12mm	5 x 4.5", 4.75"
5703507	15x7	3.5 in	-12mm	5 x 4.5", 4.75"	7705505	17x7	4.5 in	+12mm	5 x 5.0", 5.5"
5703505	15x7	3.5 in	-12mm	5 x 5.0", 5.5"	7706655	17x7	5.0 in	+25mm	6 x 5.5"
5704507	15x7	4.0 in	0mm	5 x 4.5", 4.75"	7804507	17x8	4.0 in	-12mm	5 x 4.5", 4.75"
5704505	15x7	4.0 in	0mm	5 x 5.0", 5.5"	7804505	17x8	4.0 in	-12mm	5 x 5.0", 5.5"
5705425	15x7	4.5 in	+12mm	4 x 4.25", 4.5"	7805507	17x8	4.5 in	0mm	5 x 4.5", 4.75"
5705507	15x7	4.5 in	+12mm	5 x 4.5", 4.75"	7805505	17x8	4.5 in	0mm	5 x 5.0", 5.5"
5705655	15x7	4.5 in	+12mm	6 x 5.5"	7805552	17x8	4.5 in	0mm	5 x 135mm h.c.
5706507	15x7	5.0 in	+25mm	5 x 4.5", 4.75"	7805655	17x8	4.5 in	0mm	6 x 5.5"
5706655	15x7	5.0 in	+25mm	6 x 5.5"	7805656	17x8	4.5 in	0mm	6 x 5.5" h.c.
5803507	15x8	3.5 in	-25mm	5 x 4.5", 4.75"	7806425	17x8	5.0 in	+12mm	4 x 4.25", 4.5"
5803505	15x8	3.5 in	-25mm	5 x 5.0", 5.5"	7806507	17x8	5.0 in	+12mm	5 x 4.5", 4.75"
5803555	15x8	3.5 in	-25mm	5 x 5.5"	7806505	17x8	5.0 in	+12mm	5 x 5.0", 5.5"
5803655	15x8	3.5 in	-25mm	6 x 5.5"	7806552	17x8	5.0 in	+12mm	5 x 135mm h.c.
5804507	15x8	4.0 in	-12mm	5 x 4.5", 4.75"	7806655	17x8	5.0 in	+12mm	6 x 5.5"
5804505	15x8	4.0 in	-12mm	5 x 5.0", 5.5"	7806656	17x8	5.0 in	+12mm	6 x 5.5" h.c.
5804655	15x8	4.0 in	-12mm	6 x 5.5"	7807507	17x8	5.5 in	+25mm	5 x 4.5", 4.75"
5805507	15x8	4.5 in	0mm	5 x 4.5", 4.75"	7807645	17x8	5.5 in	+25mm	6 x 4.5"
5805505	15x8	4.5 in	0mm	5 x 5.0", 5.5"	7956507	17x9.5	5.0 in	-6mm	5 x 4.5", 4.75"
5806425	15x8	5.0 in	+12mm	4 x 4.25", 4.5"	7956505	17x9.5	5.0 in	-6mm	5 x 5.0", 5.5"
5806507	15x8	5.0 in	+12mm	5 x 4.5", 4.75"	7956552	17x9.5	5.0 in	-6mm	5 x 135mm h.c.
5806505	15x8	5.0 in	+12mm	5 x 5.0", 5.5"	7956656	17x9.5	5.0 in	-6mm	6 x 5.5" h.c.
5807507	15x8	5.5 in	+25mm	5 x 4.5", 4.75"	7957507	17x9.5	5.5 in	+6mm	5 x 4.5", 4.75"
5807645	15x8	5.5 in	+25mm	6 x 4.5"	7957505	17x9.5	5.5 in	+6mm	5 x 5.0", 5.5"
5103507	15x10	3.5 in	-51mm	5 x 4.5", 4.75"	7957656	17x9.5	5.5 in	+6mm	6 x 5.5" h.c.
5103505	15x10	3.5 in	-51mm	5 x 5.0", 5.5"	7958507	17x9.5	6.0 in	+19mm	5 x 4.5", 4.75"
5103555	15x10	3.5 in	-51mm	5 x 5.5"	7958505	17x9.5	6.0 in	+19mm	5 x 5.0", 5.5"
5103655	15x10	3.5 in	-51mm	6 x 5.5"	7951507	17x9.5	7.0 in	na	5 x 4.5", 4.75"
5104507	15x10	4.0 in	-38mm	5 x 4.5", 4.75"	8804507	18x8	4.0 in	-12mm	5 x 4.5", 4.75"
5104505	15x10	4.0 in	-38mm	5 x 5.0", 5.5"	8805507	18x8	4.5 in	0mm	5 x 4.5", 4.75"
5104655	15x10	4.0 in	-38mm	6 x 5.5"	8805505	18x8	4.5 in	0mm	5 x 5.0", 5.5"
5105507	15x10	4.5 in	-25mm	5 x 4.5", 4.75"	8805656	18x8	4.5 in	0mm	6 x 5.5" h.c.
5105505	15x10	4.5 in	-25mm	5 x 5.0", 5.5"	8806507	18x8	5.0 in	+12mm	5 x 4.5", 4.75"
5106507	15x10	5.0 in	-12mm	5 x 4.5", 4.75"	8806505	18x8	5.0 in	+12mm	5 x 5.0", 5.5"
5106505	15x10	5.0 in	-12mm	5 x 5.0", 5.5"	8806552	18x8	5.0 in	+12mm	5 x 135mm h.c.
5108505	15x10	6.0 in	+12mm	5 x 5.0", 5.5"	8806656	18x8	5.0 in	+12mm	6 x 5.5" h.c.
6704507	16x7	4.0 in	0mm	5 x 4.5", 4.75"	8807507	18x8	5.5 in	+25mm	5 x 4.5", 4.75"
6704505	16x7	4.0 in	0mm	5 x 5.0", 5.5"	8807645	18x8	5.5 in	+25mm	6 x 4.5"
6705425	16x7	4.5 in	+12mm	4 x 4.25", 4.5"	8956507	18x9.5	5.0 in	-6mm	5 x 4.5", 4.75"
6705507	16x7	4.5 in	+12mm	5 x 4.5", 4.75"	8956505	18x9.5	5.0 in	-6mm	5 x 5.0", 5.5"
6705505	16x7	4.5 in	+12mm	5 x 5.0", 5.5"	8956552	18x9.5	5.0 in	-6mm	5 x 135mm h.c.
6706507	16x7	5.0 in	+25mm	5 x 4.5", 4.75"	8956656	18x9.5	5.0 in	-6mm	6 x 5.5" h.c.
6706655	16x7	5.0 in	+25mm	6 x 5.5"	8957507	18x9.5	5.5 in	+6mm	5 x 4.5", 4.75"
6804507	16x8	4.0 in	-12mm	5 x 4.5", 4.75"	8957505	18x9.5	5.5 in	+6mm	5 x 5.0", 5.5"
6804505	16x8	4.0 in	-12mm	5 x 5.0", 5.5"	8958507	18x9.5	6.0 in	+19mm	5 x 4.5", 4.75"
6804655	16x8	4.0 in	-12mm	6 x 5.5"	8958505	18x9.5	6.0 in	+19mm	5 x 5.0", 5.5"
6804656	16x8	4.0 in	-12mm	6 x 5.5" h.c.	8958656	18x9.5	6.0 in	+19mm	6 x 5.5" h.c.
6805507	16x8	4.5 in	0mm	5 x 4.5", 4.75"	8951507	18x9.5	7.0 in	na	5 x 4.5", 4.75"
6805505	16x8	4.5 in	0mm	5 x 5.0", 5.5"	2805507	20x8	4.5 in	0mm	5 x 4.5", 4.75"
6805552	16x8	4.5 in	0mm	5 x 135mm h.c.	2805505	20x8	4.5 in	0mm	5 x 5.0", 5.5"
6805655	16x8	4.5 in	0mm	6 x 5.5"	2805656	20x8	4.5 in	0mm	6 x 5.5" h.c.
6805656	16x8	4.5 in	0mm	6 x 5.5" h.c.	2806507	20x8	5.0 in	+12mm	5 x 4.5", 4.75"
6806425	16x8	5.0 in	+12mm	4 x 4.25", 4.5"	2806505	20x8	5.0 in	+12mm	5 x 5.0", 5.5"
6806507	16x8	5.0 in	+12mm	5 x 4.5", 4.75"	2806552	20x8	5.0 in	+12mm	5 x 135mm h.c.
6806505	16x8	5.0 in	+12mm	5 x 5.0", 5.5"	2806656	20x8	5.0 in	+12mm	6 x 5.5" h.c.
6806655	16x8	5.0 in	+12mm	6 x 5.5"	2807507	20x8	5.5 in	+25mm	5 x 4.5", 4.75"
6806656	16x8	5.0 in	+12mm	6 x 5.5" h.c.	2807645	20x8	5.5 in	+25mm	6 x 4.5"
6807507	16x8	5.5 in	+25mm	5 x 4.5", 4.75"	2956505	20x9.5	5.0 in	-6mm	5 x 5.0", 5.5"
6807645	16x8	5.5 in	+25mm	6 x 4.5"	2956552	20x9.5	5.0 in	-6mm	5 x 135mm h.c.
6955656	16x9.5	4.5 in	-19mm	6 x 5.5" h.c.	2956656	20x9.5	5.0 in	-6mm	6 x 5.5" h.c.
6956507	16x9.5	5.0 in	-6mm	5 x 4.5", 4.75"	2957507	20x9.5	5.5 in	+6mm	5 x 4.5", 4.75"
6956505	16x9.5	5.0 in	-6mm	5 x 5.0", 5.5"	2957505	20x9.5	5.5 in	+6mm	5 x 5.0", 5.5"
6956655	16x9.5	5.0 in	-6mm	6 x 5.5"	2957656	20x9.5	5.5 in	+6mm	6 x 5.5" h.c.
6956656	16x9.5	5.0 in	-6mm	6 x 5.5" h.c.	2958507	20x9.5	6.0 in	+19mm	5 x 4.5", 4.75"
6957505	16x9.5	5.5 in	+6mm	5 x 5.0", 5.5"	2958505	20x9.5	6.0 in	+19mm	5 x 5.0", 5.5"
6958505	16x9.5	6.0 in	+19mm	5 x 5.0", 5.5"	2958656	20x9.5	6.0 in	+19mm	6 x 5.5" h.c.
6958507	16x9.5	6.0 in	+19mm	5 x 4.5", 4.75"					
6959507	16x9.5	6.5 in	+19mm	5 x 4.5", 4.75"					
6951507	16x9.5	7.0 in	na	5 x 4.5", 4.75"					

SUNDANCE SERIES - CUSTOM BUILT 2-PIECE WHEELS - AVAILABLE HI-POLISH*

This is a ROTARY FORGED billet aluminum wheel manufactured by welding the center section into an outer rim enabling you to customize the rear space & width.

New size: 20x15 NOW AVAILABLE in various styles!!

TECHNICAL SPECS

- > 2-piece rotary forged
- > 1625 lb. load rating
- > 32" max tire size
- > Available 5 & 6-lug
- > 60° acorn lug nuts
- > Air sensor compatible

WHEEL FEATURES

- > 3-year polish & structural warranty
- > Wheel specs can be customized
- > Billet engraved center cap included - part # CS-153
- > *All styles come hi-polish, except Boulevard which has a brush satin finish

Size	WD Polish	Weight	Rearspace Range	
			Min	Max
16x7	\$460	17 lbs	3.5 in	5.0 in
16x8	\$465	18 lbs	3.5 in	5.5 in
16x9.5	\$495	20 lbs	4.0 in	7.0 in
17x7	\$495	19 lbs	3.5 in	5.0 in
17x8	\$505	20 lbs	3.5 in	5.75 in
17x9.5	\$550	21 lbs	4.0 in	7.0 in
18x8	\$670	21 lbs	3.5 in	5.75 in
18x9.5	\$695	22 lbs	4.0 in	7.0 in
20x8	\$770	26 lbs	3.5 in	5.75 in
20x9.5	\$795	28 lbs	4.0 in	7.0 in
20x15	\$1,280	call	4.5 in	6.0 in

Rearspace available in 1/2" increments.

Galaxy 5-lug
901 Hi-polish finish
Available 16", 17", 18", 20"

Meteor 5-lug
905 Hi-polish finish
Available 16", 17", 18"

Sunray 5-lug
907 Hi-polish finish
Available 16", 17", 18"

Matrix 5-lug
911 Hi-polish finish
Available 16", 17", 18", 20"

New 20x15 siz: available in
Galaxy, Martix, Dagger, Blvd,
Soft Tail

Dagger 5-lug
912 Hi-polish finish
Available 16", 17", 18", 20"

Boulevard 5-lug
918 Brushed satin finish
Available 17", 18", 20"

Soft Tail 5-lug
925 Hi-polish finish
Available 17", 18", 20"

Galaxy II 6-lug
906 Hi-polish finish
Available 16", 17", 18", 20"

Meteor II 6-lug
908 Hi-polish finish
Available 16", 17", 18"

Dagger II 6-lug
914 Hi-polish finish
Available 16", 17", 18", 20"

Last 7 digits of part number are listed below. Add 3 digit style # to beginning of part #.

6-lug Part #	Size	Rearspace	Offset	Bolt Circle	6-lug Part #	Size	Rearspace	Offset	Bolt Circle
6804656	16x8	4.0 in	-12mm	6 x 5.5" h.c.	8805656	18x8	4.5 in	0mm	6 x 5.5" h.c.
6805656	16x8	4.5 in	0mm	6 x 5.5" h.c.	8806656	18x8	5.0 in	+12mm	6 x 5.5" h.c.
6807645	16x8	5.5 in	+25mm	6 x 4.5"	8956656	18x9.5	5.0 in	-6mm	6 x 5.5" h.c.
6956656	16x9.5	5.0 in	-6mm	6 x 5.5" h.c.	8957656	18x9.5	5.5 in	+6mm	6 x 5.5" h.c.
7805656	17x8	4.5 in	0mm	6 x 5.5" h.c.	2805656	20x8	4.5 in	0mm	6 x 5.5" h.c.
7806656	17x8	5.0 in	+12mm	6 x 5.5" h.c.	2806656	20x8	5.0 in	+12mm	6 x 5.5" h.c.
7807645	17x8	5.5 in	+25mm	6 x 4.5"	2807645	20x8	5.5 in	+25mm	6 x 4.5"
7957656	17x9.5	5.5 in	+6mm	6 x 5.5" h.c.	2957656	20x9.5	5.5 in	+6mm	6 x 5.5" h.c.
7958656	17x9.5	6.0 in	+19mm	6 x 5.5" h.c.	2958656	20x9.5	6.0 in	+19mm	6 x 5.5" h.c.

5-lug part numbers continued on next page...

page 15

SUNDANCE SERIES - CUSTOM BUILT 2-PIECE WHEELS - AVAILABLE HI-POLISH*

Last 7 digits of part number are listed below. Add 3 digit style # to beginning of part #.

5-lug Part #	Size	Rearspace	Offset	Bolt Circle	5-lug Part #	Size	Rearspace	Offset	Bolt Circle
6703545	16x7	3.5 in	-12mm	5 x 4.5"	7957552	17x9.5	5.5 in	+6mm	5 x 135mm h.c.
6703547	16x7	3.5 in	-12mm	5 x 4.75"	7958545	17x9.5	6.0 in	+19mm	5 x 4.5"
6703550	16x7	3.5 in	-12mm	5 x 5.0"	7958547	17x9.5	6.0 in	+19mm	5 x 4.75"
6704545	16x7	4.0 in	0mm	5 x 4.5"	7958550	17x9.5	6.0 in	+19mm	5 x 5.0"
6704547	16x7	4.0 in	0mm	5 x 4.75"	7959547	17x9.5	6.5 in	+19mm	5 x 4.75"
6704550	16x7	4.0 in	0mm	5 x 5.0"	7959545	17x9.5	6.5 in	+19mm	5 x 4.5"
6705545	16x7	4.5 in	+12mm	5 x 4.5"	7951547	17x9.5	7.0 in	na	5 x 4.75"
6705547	16x7	4.5 in	+12mm	5 x 4.75"	7951545	17x9.5	7.0 in	na	5 x 4.5"
6705550	16x7	4.5 in	+12mm	5 x 5.0"	8803545	18x8	3.5 in	-25mm	5 x 4.5"
6706547	16x7	5.0 in	+25mm	5 x 4.75"	8803547	18x8	3.5 in	-25mm	5 x 4.75"
6706545	16x7	5.0 in	+25mm	5 x 4.5"	8803550	18x8	3.5 in	-25mm	5 x 5.0"
6803545	16x8	3.5 in	-25mm	5 x 4.5"	8804545	18x8	4.0 in	-12mm	5 x 4.5"
6803547	16x8	3.5 in	-25mm	5 x 4.75"	8804547	18x8	4.0 in	-12mm	5 x 4.75"
6803550	16x8	3.5 in	-25mm	5 x 5.0"	8804550	18x8	4.0 in	-12mm	5 x 5.0"
6804545	16x8	4.0 in	-12mm	5 x 4.5"	8805545	18x8	4.5 in	0mm	5 x 4.5"
6804547	16x8	4.0 in	-12mm	5 x 4.75"	8805547	18x8	4.5 in	0mm	5 x 4.75"
6804550	16x8	4.0 in	-12mm	5 x 5.0"	8805550	18x8	4.5 in	0mm	5 x 5.0"
6805545	16x8	4.5 in	0mm	5 x 4.5"	8805552	18x8	4.5 in	0mm	5 x 135mm h.c.
6805547	16x8	4.5 in	0mm	5 x 4.75"	8805557	18x8	4.5 in	0mm	5 x 5.5" h.c.
6805550	16x8	4.5 in	0mm	5 x 5.0"	8806545	18x8	5.0 in	+12mm	5 x 4.5"
6805552	16x8	4.5 in	0mm	5 x 135mm h.c.	8806547	18x8	5.0 in	+12mm	5 x 4.75"
6805557	16x8	4.5 in	0mm	5 x 5.5" h.c.	8806557	18x8	5.0 in	+12mm	5 x 5.5" h.c.
6806545	16x8	5.0 in	+12mm	5 x 4.5"	8807545	18x8	5.5 in	+25mm	5 x 4.5"
6806547	16x8	5.0 in	+12mm	5 x 4.75"	8807547	18x8	5.5 in	+25mm	5 x 4.75"
6806557	16x8	5.0 in	+12mm	5 x 5.5" h.c.	8801545	18x8	5.8 in	+32mm	5 x 4.5"
6807545	16x8	5.5 in	+25mm	5 x 4.5"	8954545	18x9.5	4.0 in	-32mm	5 x 4.5"
6807547	16x8	5.5 in	+25mm	5 x 4.75"	8954547	18x9.5	4.0 in	-32mm	5 x 4.75"
6954545	16x9.5	4.0 in	-32mm	5 x 4.5"	8955545	18x9.5	4.5 in	-19mm	5 x 4.5"
6954547	16x9.5	4.0 in	-32mm	5 x 4.75"	8955547	18x9.5	4.5 in	-19mm	5 x 4.75"
6955545	16x9.5	4.5 in	-19mm	5 x 4.5"	8955550	18x9.5	4.5 in	-19mm	5 x 5.0"
6955547	16x9.5	4.5 in	-19mm	5 x 4.75"	8956545	18x9.5	5.0 in	-6mm	5 x 4.5"
6955550	16x9.5	4.5 in	-19mm	5 x 5.0"	8956547	18x9.5	5.0 in	-6mm	5 x 4.75"
6956545	16x9.5	5.0 in	-6mm	5 x 4.5"	8956550	18x9.5	5.0 in	-6mm	5 x 5.0"
6956547	16x9.5	5.0 in	-6mm	5 x 4.75"	8956552	18x9.5	5.0 in	-6mm	5 x 135mm h.c.
6956550	16x9.5	5.0 in	-6mm	5 x 5.0"	8957545	18x9.5	5.5 in	+6mm	5 x 4.5"
6957545	16x9.5	5.5 in	+6mm	5 x 4.5"	8957547	18x9.5	5.5 in	+6mm	5 x 4.75"
6957547	16x9.5	5.5 in	+6mm	5 x 4.75"	8957550	18x9.5	5.5 in	+6mm	5 x 5.0"
6957550	16x9.5	5.5 in	+6mm	5 x 5.0"	8957552	18x9.5	5.5 in	+6mm	5 x 135mm h.c.
6958545	16x9.5	6.0 in	+19mm	5 x 4.5"	8958545	18x9.5	6.0 in	+19mm	5 x 4.5"
6958547	16x9.5	6.0 in	+19mm	5 x 4.75"	8958547	18x9.5	6.0 in	+19mm	5 x 4.75"
6958550	16x9.5	6.0 in	+19mm	5 x 5.0"	8958550	18x9.5	6.0 in	+19mm	5 x 5.0"
6959547	16x9.5	6.5 in	+19mm	5 x 4.75"	8959547	18x9.5	6.5 in	+19mm	5 x 4.75"
6959545	16x9.5	6.5 in	+19mm	5 x 4.5"	8959545	18x9.5	6.5 in	+19mm	5 x 4.5"
6951547	16x9.5	7.0 in	na	5 x 4.75"	8951547	18x9.5	7.0 in	na	5 x 4.75"
6951545	16x9.5	7.0 in	na	5 x 4.5"	8951545	18x9.5	7.0 in	na	5 x 4.5"
7703545	17x7	3.5 in	-12mm	5 x 4.5"	2803545	20x8	3.5 in	-25mm	5 x 4.5"
7703547	17x7	3.5 in	-12mm	5 x 4.75"	2803547	20x8	3.5 in	-25mm	5 x 4.75"
7703550	17x7	3.5 in	-12mm	5 x 5.0"	2803550	20x8	3.5 in	-25mm	5 x 5.0"
7704545	17x7	4.0 in	0mm	5 x 4.5"	2804545	20x8	4.0 in	-12mm	5 x 4.5"
7704547	17x7	4.0 in	0mm	5 x 4.75"	2804547	20x8	4.0 in	-12mm	5 x 4.75"
7704550	17x7	4.0 in	0mm	5 x 5.0"	2804550	20x8	4.0 in	-12mm	5 x 5.0"
7705545	17x7	4.5 in	+12mm	5 x 4.5"	2805545	20x8	4.5 in	0mm	5 x 4.5"
7705547	17x7	4.5 in	+12mm	5 x 4.75"	2805547	20x8	4.5 in	0mm	5 x 4.75"
7705550	17x7	4.5 in	+12mm	5 x 5.0"	2805550	20x8	4.5 in	0mm	5 x 5.0"
7706547	17x7	5.0 in	+25mm	5 x 4.75"	2805552	20x8	4.5 in	0mm	5 x 135mm h.c.
7706545	17x7	5.0 in	+25mm	5 x 4.5"	2805557	20x8	4.5 in	0mm	5 x 5.5" h.c.
7803545	17x8	3.5 in	-25mm	5 x 4.5"	2806545	20x8	5.0 in	+12mm	5 x 4.5"
7803547	17x8	3.5 in	-25mm	5 x 4.75"	2806547	20x8	5.0 in	+12mm	5 x 4.75"
7803550	17x8	3.5 in	-25mm	5 x 5.0"	2806557	20x8	5.0 in	+12mm	5 x 5.5" h.c.
7804545	17x8	4.0 in	-12mm	5 x 4.5"	2807545	20x8	5.5 in	+25mm	5 x 4.5"
7804547	17x8	4.0 in	-12mm	5 x 4.75"	2807547	20x8	5.5 in	+25mm	5 x 4.75"
7804550	17x8	4.0 in	-12mm	5 x 5.0"	2801545	20x8	5.8 in	+32mm	5 x 4.5"
7805545	17x8	4.5 in	0mm	5 x 4.5"	2954545	20x9.5	4.0 in	-32mm	5 x 4.5"
7805547	17x8	4.5 in	0mm	5 x 4.75"	2954547	20x9.5	4.0 in	-32mm	5 x 4.75"
7805550	17x8	4.5 in	0mm	5 x 5.0"	2955545	20x9.5	4.5 in	-19mm	5 x 4.5"
7805552	17x8	4.5 in	0mm	5 x 135mm h.c.	2955547	20x9.5	4.5 in	-19mm	5 x 4.75"
7805557	17x8	4.5 in	0mm	5 x 5.5" h.c.	2955550	20x9.5	4.5 in	-19mm	5 x 5.0"
7806545	17x8	5.0 in	+12mm	5 x 4.5"	2956545	20x9.5	5.0 in	-6mm	5 x 4.5"
7806547	17x8	5.0 in	+12mm	5 x 4.75"	2956547	20x9.5	5.0 in	-6mm	5 x 4.75"
7806557	17x8	5.0 in	+12mm	5 x 5.5" h.c.	2956550	20x9.5	5.0 in	-6mm	5 x 5.0"
7807545	17x8	5.5 in	+25mm	5 x 4.5"	2956552	20x9.5	5.0 in	-6mm	5 x 135mm h.c.
7807547	17x8	5.5 in	+25mm	5 x 4.75"	2957545	20x9.5	5.5 in	+6mm	5 x 4.5"
7801545	17x8	5.8 in	+32mm	5 x 4.5"	2957547	20x9.5	5.5 in	+6mm	5 x 4.75"
7954547	17x9.5	4.0 in	-32mm	5 x 4.75"	2957550	20x9.5	5.5 in	+6mm	5 x 5.0"
7955545	17x9.5	4.5 in	-19mm	5 x 4.5"	2958545	20x9.5	6.0 in	+19mm	5 x 4.5"
7955547	17x9.5	4.5 in	-19mm	5 x 4.75"	2958547	20x9.5	6.0 in	+19mm	5 x 4.75"
7955550	17x9.5	4.5 in	-19mm	5 x 5.0"	2958550	20x9.5	6.0 in	+19mm	5 x 5.0"
7956545	17x9.5	5.0 in	-6mm	5 x 4.5"	2959547	20x9.5	6.5 in	+19mm	5 x 4.75"
7956547	17x9.5	5.0 in	-6mm	5 x 4.75"	2959545	20x9.5	6.5 in	+19mm	5 x 4.5"
7956550	17x9.5	5.0 in	-6mm	5 x 5.0"	2951547	20x9.5	7.0 in	na	5 x 4.75"
7956552	17x9.5	5.0 in	-6mm	5 x 135mm h.c.	2951545	20x9.5	7.0 in	na	5 x 4.5"
7957545	17x9.5	5.5 in	+6mm	5 x 4.5"	2154545	20x15	4.0 in	deep dish	5 x 4.5"
7957547	17x9.5	5.5 in	+6mm	5 x 4.75"	2154547	20x15	4.0 in	deep dish	5 x 4.75"
7957550	17x9.5	5.5 in	+6mm	5 x 5.0"	2154550	20x15	4.0 in	deep dish	5 x 5.0"

COMPETITION SERIES - FOR STREET & TRACK - AVAILABLE HI-POLISH, BRUSHED SATIN

Center Line's new Competition Series wheels are designed and field tested for the true racer and street performance enthusiast. These wheels are approximately 30% lighter than conventional casting. That's a proven increase in performance, gas mileage, acceleration and cornering.

TECHNICAL SPECS

- > Modular forged wheel
- > 1625 lb. load rating
- > 30" max tire size. OK to run taller drag slicks.
- > 5-lug only
- > 60° acorn lug nuts
- > Air sensor compatible

WHEEL FEATURES

- > 3-year structural warranty
- > Styled for muscle cars - look & fit
- > All 3 styles offered in hi-polish or brushed satin
- > Center cap included (chrome steel push-thru cap)
 - p/n CS-70 for 5-4.5" & 5-4.75" bolt patterns
 - p/n CS-21 for 5-5.0" bolt pattern

NEW SERIES FOR 2008!

Size	WD Satin	WD Polish	Rearspace Range		Weight
			Min	Max	
15x4	\$200	\$200	1-3/4 in	1-3/4 in	10 lbs
15x6	\$215	\$215	3.5 in	4.0 in	12 lbs
15x7	\$220	\$220	3.5 in	4.5 in	13 lbs
15x8	\$230	\$230	3.5 in	4.5 in	14 lbs
15x10	\$260	\$260	3.5 in	5.0 in	16 lbs

approx 30% lighter than conventional casting!

Rearspace available in 1/2" increments.



Modstar
710 Brushed satin finish (as shown)
711 Hi-polish finish



Sportsman
712 Brushed satin finish
713 Hi-polish finish (as shown)



Elite
714 Brushed satin finish (as shown)
715 Hi-polish finish

Last 7 digits of part number are listed below. Add 3 digit style # from above to beginning of part #.

Part #	Size	Rearspace	Offset	Bolt Circle	Part #	Size	Rearspace	Offset	Bolt Circle
5401545	15x4	1-3/4	na	5 x 4.5"	5103545	15x10	3.5 in	-51mm	5 x 4.5"
5401547	15x4	1-3/4	na	5 x 4.75"	5103547	15x10	3.5 in	-51mm	5 x 4.75"
5603545	15x6	3.5 in	0mm	5 x 4.5"	5103550	15x10	3.5 in	-51mm	5 x 5.0"
5603547	15x6	3.5 in	0mm	5 x 4.75"	5104545	15x10	4.0 in	-38mm	5 x 4.5"
5603550	15x6	3.5 in	0mm	5 x 5.0"	5104547	15x10	4.0 in	-38mm	5 x 4.75"
5604545	15x6	4.0 in	+12mm	5 x 4.5"	5104550	15x10	4.0 in	-38mm	5 x 5.0"
5604547	15x6	4.0 in	+12mm	5 x 4.75"	5105545	15x10	4.5 in	-25mm	5 x 4.5"
5604550	15x6	4.0 in	+12mm	5 x 5.0"	5105547	15x10	4.5 in	-25mm	5 x 4.75"
5703545	15x7	3.5 in	-12mm	5 x 4.5"	5105550	15x10	4.5 in	-25mm	5 x 5.0"
5703547	15x7	3.5 in	-12mm	5 x 4.75"	5106545	15x10	5.0 in	-12mm	5 x 4.5"
5703550	15x7	3.5 in	-12mm	5 x 5.0"	5106547	15x10	5.0 in	-12mm	5 x 4.75"
5704545	15x7	4.0 in	0mm	5 x 4.5"	5106550	15x10	5.0 in	-12mm	5 x 5.0"
5704547	15x7	4.0 in	0mm	5 x 4.75"					
5704550	15x7	4.0 in	0mm	5 x 5.0"					
5705545	15x7	4.5 in	+12mm	5 x 4.5"					
5705547	15x7	4.5 in	+12mm	5 x 4.75"					
5705550	15x7	4.5 in	+12mm	5 x 5.0"					
5803545	15x8	3.5 in	-25mm	5 x 4.5"					
5803547	15x8	3.5 in	-25mm	5 x 4.75"					
5803550	15x8	3.5 in	-25mm	5 x 5.0"					
5804545	15x8	4.0 in	-12mm	5 x 4.5"					
5804547	15x8	4.0 in	-12mm	5 x 4.75"					
5804550	15x8	4.0 in	-12mm	5 x 5.0"					
5805545	15x8	4.5 in	0mm	5 x 4.5"					
5805547	15x8	4.5 in	0mm	5 x 4.75"					
5805550	15x8	4.5 in	0mm	5 x 5.0"					

AUTO DRAG - MODULAR WHEELS FOR CARS & DRAG RACING / STEET PERFORMANCE

Featuring Center Line's classic steet & racing wheel w/ the solid face. Comes in hi-polish or satin finish. This is a modular aluminum wheel manufactured by riveting 2 wheel halves together. Wheels are light-weight. Designed for performance on the steet & track.

TECHNICAL SPECS

- > 1125 lb. load rating
- > 30" max tire size. OK to run taller drag slicks.
- > 4 & 5-lug versions
- > Uses 3/4" mag shank lugs (15x3.5" requires 1.30" shank length)

WHEEL FEATURES

- > 3-year structural warranty
- > Sizes 15x4 thru 15x12 come w/ center cap
- > Sizes 15x14 & larger do not come w/ cap
- > Auto Drag is offered in Satin or Hi-Polish (note: satin is a machine finish; similar to the bottom of a soda can)

Size	WD Satin	WD Polish	Weight
14x6	\$355	\$375	11 lbs
14x7	\$360	\$380	11 lbs
15x3.5	\$340	\$360	11 lbs
15x5.5	\$350	\$370	12 lbs
15x7	\$360	\$380	13 lbs
15x8.5	\$370	\$390	14 lbs
15x9	\$380	\$400	14 lbs
15x10	\$390	\$415	15 lbs
15x11	\$415	\$435	16 lbs
15x12	\$435	\$460	17 lbs
15x14	\$495	\$520	18 lbs
15x15	\$500	\$525	19 lbs



Auto Drag

- 05** Brushed satin finish
- 06** Hi-polish finish

Last 7 digits of part number are listed below. Add 2 digit style # to beginning of part #.

Part #	Size	Rearspc (in)	Bolt Circle	Cap	Part #	Size	Rearspc (in)	Bolt Circle	Cap
4603545	14x6	3-5/16	5 x 4.5"	C-70	5854440	15x8.5	4-7/8	4-4.0"	C-20
4603547	14x6	3-5/16	5 x 4.75"	C-70	5854442	15x8.5	4-7/8	4 x 4.25"	C-20
4703545	14x7	3-5/16	5 x 4.5"	C-70	5854445	15x8.5	4-7/8	4 x 4.5"	C-70
4703547	14x7	3-5/16	5 x 4.75"	C-70	5854451	15x8.5	4-7/8	4 x 130mm	C-70
5351440	15x3.5	1-5/8	4-4.0"	C-20	5854540	15x8.5	4-7/8	5 x 4"	C-20
5351442	15x3.5	1-5/8	4 x 4.25"	C-20	5854507	15x8.5	4-7/8	5 x 4.5", 4.75"	C-70
5351445	15x3.5	1-5/8	4 x 4.5"	C-70	5854545	15x8.5	4-7/8	5 x 4.5"	C-70
5351451	15x3.5	1-5/8	4 x 130mm	C-70	5854547	15x8.5	4-7/8	5 x 4.75"	C-70
5351540	15x3.5	1-5/8	5 x 4"	C-20	5907507	15x9	7-1/4	5 x 4.5", 4.75"	C-70
5351507	15x3.5	1-5/8	5 x 4.5", 4.75"	C-70	5907545	15x9	7-1/4	5 x 4.5"	C-70
5351545	15x3.5	1-5/8	5 x 4.5"	C-70	5907547	15x9	7-1/4	5 x 4.75"	C-70
5351547	15x3.5	1-5/8	5 x 4.75"	C-70	5103507	15x10	3-5/16	5 x 4.5", 4.75"	C-70
5553440	15x5.5	3-5/16	4-4.0"	C-20	5103545	15x10	3-5/16	5 x 4.5"	C-70
5553442	15x5.5	3-5/16	4 x 4.25"	C-20	5103547	15x10	3-5/16	5 x 4.75"	C-70
5553445	15x5.5	3-5/16	4 x 4.5"	C-70	5104507	15x10	4-7/8	5 x 4.5", 4.75"	C-70
5553451	15x5.5	3-5/16	4 x 130mm	C-70	5104545	15x10	4-7/8	5 x 4.5"	C-70
5553540	15x5.5	3-5/16	5 x 4"	C-20	5104547	15x10	4-7/8	5 x 4.75"	C-70
5553507	15x5.5	3-5/16	5 x 4.5", 4.75"	C-70	5117507	15x11	7-1/4	5 x 4.5", 4.75"	C-70
5553545	15x5.5	3-5/16	5 x 4.5"	C-70	5117545	15x11	7-1/4	5 x 4.5"	C-70
5553547	15x5.5	3-5/16	5 x 4.75"	C-70	5117547	15x11	7-1/4	5 x 4.75"	C-70
5703440	15x7	3-5/16	4-4.0"	C-20	5123507	15x12	3-5/16	5 x 4.5", 4.75"	C-70
5703442	15x7	3-5/16	4 x 4.25"	C-20	5123545	15x12	3-5/16	5 x 4.5"	C-70
5703445	15x7	3-5/16	4 x 4.5"	C-70	5123547	15x12	3-5/16	5 x 4.75"	C-70
5703451	15x7	3-5/16	4 x 130mm	C-70	5124507	15x12	4-7/8	5 x 4.5", 4.75"	C-70
5703540	15x7	3-5/16	5 x 4"	C-20	5124545	15x12	4-7/8	5 x 4.5"	C-70
5703507	15x7	3-5/16	5 x 4.5", 4.75"	C-70	5124547	15x12	4-7/8	5 x 4.75"	C-70
5703545	15x7	3-5/16	5 x 4.5"	C-70	5127540	15x12	7-1/4	5 x 4"	C-20
5703547	15x7	3-5/16	5 x 4.75"	C-70	5127507	15x12	7-1/4	5 x 4.5", 4.75"	C-70
5704442	15x7	4-7/8	4 x 4.25"	C-20	5127547	15x12	7-1/4	5 x 4.75"	C-70
5704445	15x7	4-7/8	4 x 4.5"	C-70	5143507	15x14	3-5/16	5 x 4.5", 4.75"	C-70
5704451	15x7	4-7/8	4 x 130mm	C-70	5143547	15x14	3-5/16	5 x 4.75"	C-70
5704507	15x7	4-7/8	5 x 4.5", 4.75"	C-70	5144507	15x14	4-7/8	5 x 4.5", 4.75"	C-70
5704547	15x7	4-7/8	5 x 4.75"	C-70	5144545	15x14	4-7/8	5 x 4.5"	C-70
5853442	15x8.5	3-5/16	4 x 4.25"	C-20	5147507	15x14	7-1/4	5 x 4.5", 4.75"	C-70
5853445	15x8.5	3-5/16	4 x 4.5"	C-70	5154507	15x15	4-7/8	5 x 4.5", 4.75"	C-70
5853451	15x8.5	3-5/16	4 x 130mm	C-70	5154545	15x15	4-7/8	5 x 4.5"	C-70
5853540	15x8.5	3-5/16	5 x 4"	C-20	5154547	15x15	4-7/8	5 x 4.75"	C-70
5853507	15x8.5	3-5/16	5 x 4.5", 4.75"	C-70	5157507	15x15	7-1/4	5 x 4.5", 4.75"	C-70
5853545	15x8.5	3-5/16	5 x 4.5"	C-70	5157545	15x15	7-1/4	5 x 4.5"	C-70
5853547	15x8.5	3-5/16	5 x 4.75"	C-70	5157547	15x15	7-1/4	5 x 4.75"	C-70

CONVO SERIES - MODULAR WHEELS FOR CARS & DRAG RACING / STREET PERFORMANCE

Featuring Center Line's classic steel & racing wheels

w/ the convoluted outer rim. This is a modular aluminum wheel manufactured by riveting 2 wheel halves together.

Wheels are light-weight. Designed for performance on the street & track.

TECHNICAL SPECS

- > 1525 lb. load rating
- > 30" max tire size. OK to run taller drag slicks.
- > 4 & 5-lug versions
- > Uses 1/2" mag shank lugs, unless bland nut is required

WHEEL FEATURES

- > 3-year structural warranty
- > Sizes 15x4 thru 15x12 come w/ center cap
- > Sizes 15x14 & larger do not come w/ cap
- > Convo pro is a satin center w/ polished outer
- > Convo Fuel & Convo ET comes in hi-polish finish -- both face & outer

CONVO PRO COMES IN ALL SIZES LISTED.

CONVO FUEL & CONVO ET NOT OFFERED IN 15x3.5, 16x16, 17x2.5

	Size	WD Price	Weight
<i>tested to 15.2 spec</i>	15x3.5 spindle mount	\$555	12 lbs
	15x4	\$350	9 lbs
	15x6	\$360	10 lbs
	15x7	\$375	11 lbs
	15x7.5	\$380	11 lbs
	15x8	\$385	12 lbs
	15x8.5	\$385	13 lbs
	15x9	\$390	13 lbs
	15x10	\$435	14 lbs
	15x12	\$465	16 lbs
	15x14	\$500	17 lbs
<i>tested to 15.3 spec</i>	15x15	\$530	18 lbs
<i>tested to 15.3 spec</i>	16x16	\$599	19 lbs
<i>tested to 15.3 spec</i>	16x16 beadlock #08	\$1,780	27 lbs
	17x2.5 spindle mount	\$530	12 lbs
	FSPNDL02C	\$125	Spindle
	FSPNDL02S	\$125	Spindle

NEW FOR '08



Convo Fuel

04 Hi-polish finish

Convo Pro Med Offset

00 Satin cntr, polish out

Convo Pro Deep Rear

00 Satin cntr, polish out

Convo Pro Racing

15" spindle mount whl

Convo ET

03 Hi-polish finish

Last 7 digits of part number are listed below. Add 2 digit style # to beginning of part #.

Part #	Size	Rearspc (in)	Bolt Circle	Cap	Part #	Size	Rearspc (in)	Bolt Circle	Cap
53500002	15x3.5	na	Anglia Spindle	CS-8301	5755442	15x7.5	5	4 x 4.25"	CS-20
53500001	15x3.5	na	Strng Spindle	CS-8302	5755445	15x7.5	5	4 x 4.5"	CS-70
5401442	15x4	1-3/4	4 x 4.25"	CS-20	5755540	15x7.5	5	5 x 4"	CS-20
5401445	15x4	1-3/4	4 x 4.5"	CS-70	5755542	15x7.5	5	5 x 4.25"	CS-20
5401540	15x4	1-3/4	5 x 4"	CS-20	5755507	15x7.5	5	5 x 4.5", 4.75"	CS-70
5401542	15x4	1-3/4	5 x 4.25"	CS-20	5755545	15x7.5	5	5 x 4.5"	CS-70
5401507	15x4	1-3/4	5 x 4.5", 4.75"	CS-70	5755547	15x7.5	5	5 x 4.75"	CS-70
5401545	15x4	1-3/4	5 x 4.5"	CS-70	5804442	15x8	4-1/2	4 x 4.25"	CS-20
5401547	15x4	1-3/4	5 x 4.75"	CS-70	5804445	15x8	4-1/2	4 x 4.5"	CS-70
5402442	15x4	2-5/16	4 x 4.25"	CS-20	5804540	15x8	4-1/2	5 x 4"	CS-20
5402445	15x4	2-5/16	4 x 4.5"	CS-70	5804542	15x8	4-1/2	5 x 4.25"	CS-20
5402540	15x4	2-5/16	5 x 4"	CS-20	5804507	15x8	4-1/2	5 x 4.5", 4.75"	CS-70
5402542	15x4	2-5/16	5 x 4.25"	CS-20	5804545	15x8	4-1/2	5 x 4.5"	CS-70
5402507	15x4	2-5/16	5 x 4.5", 4.75"	CS-70	5804547	15x8	4-1/2	5 x 4.75"	CS-70
5402545	15x4	2-5/16	5 x 4.5"	CS-70	5804550	15x8	4-1/2	5 x 5.0"	CS-21
5402547	15x4	2-5/16	5 x 4.75"	CS-70	5853442	15x8.5	3-3/8	4 x 4.25"	CS-20
5603442	15x6	3-3/8	4 x 4.25"	CS-20	5853445	15x8.5	3-3/8	4 x 4.5"	CS-70
5603445	15x6	3-3/8	4 x 4.5"	CS-70	5853540	15x8.5	3-3/8	5 x 4"	CS-20
5603540	15x6	3-3/8	5 x 4"	CS-20	5853542	15x8.5	3-3/8	5 x 4.25"	CS-20
5603542	15x6	3-3/8	5 x 4.25"	CS-20	5853507	15x8.5	3-3/8	5 x 4.5", 4.75"	CS-70
5603507	15x6	3-3/8	5 x 4.5", 4.75"	CS-70	5853545	15x8.5	3-3/8	5 x 4.5"	CS-70
5603545	15x6	3-3/8	5 x 4.5"	CS-70	5853547	15x8.5	3-3/8	5 x 4.75"	CS-70
5603547	15x6	3-3/8	5 x 4.75"	CS-70	5853550	15x8.5	3-3/8	5 x 5.0"	CS-21
5703442	15x7	3-3/8	4 x 4.25"	CS-20	5855445	15x8.5	5	4 x 4.5"	CS-70
5703445	15x7	3-3/8	4 x 4.5"	CS-70	5855540	15x8.5	5	5 x 4"	CS-20
5703540	15x7	3-3/8	5 x 4"	CS-20	5855507	15x8.5	5	5 x 4.5", 4.75"	CS-70
5703542	15x7	3-3/8	5 x 4.25"	CS-20	5855545	15x8.5	5	5 x 4.5"	CS-70
5703545	15x7	3-3/8	5 x 4.5"	CS-70	5855547	15x8.5	5	5 x 4.75"	CS-70
5703550	15x7	3-3/8	5 x 5.0"	CS-21	5907540	15x9	6-1/2	5 x 4"	CS-20
					5907542	15x9	6-1/2	5 x 4.25"	CS-20
					5907507	15x9	6-1/2	5 x 4.5", 4.75"	CS-70
					5907545	15x9	6-1/2	5 x 4.5"	CS-70
					5907547	15x9	6-1/2	5 x 4.75"	CS-70
					5907550	15x9	6-1/2	5 x 5.0"	CS-21

5 on 5 bolt pattern is for RACE trucks/cars only.

This is a light-duty wheel. DO NOT run on trucks that carry a load.

Wheel can be built w/ links in the 5 on 5 bolt pattern for add'l strength.

For links, add a "1" to the end of the part number.

CONVO SERIES - MODULAR WHEELS FOR CARS & DRAG RACING / STREET PERFORMANCE

Last 7 digits of part number are listed below. Add 2 digit style # to beginning of part #.

Part #	Size	Rearspc (in)	Bolt Circle	Cap	Part #	Size	Rearspc (in)	Bolt Circle	Cap
5103540	15x10	3-3/8	5 x 4"	CS-20	5143507	15x14	3-3/8	5 x 4.5", 4.75"	CS-70
5103507	15x10	3-3/8	5 x 4.5", 4.75"	CS-70	5143545	15x14	3-3/8	5 x 4.5"	CS-70
5103545	15x10	3-3/8	5 x 4.5"	CS-70	5143547	15x14	3-3/8	5 x 4.75"	CS-70
5103547	15x10	3-3/8	5 x 4.75"	CS-70	5143550	15x14	3-3/8	5 x 5.0"	CS-21
5103550	15x10	3-3/8	5 x 5.0"	CS-21	5145507	15x14	4-5/8	5 x 4.5", 4.75"	CS-70
5105540	15x10	5	5 x 4"	CS-20	5145545	15x14	4-5/8	5 x 4.5"	CS-70
5105507	15x10	5	5 x 4.5", 4.75"	CS-70	5145547	15x14	4-5/8	5 x 4.75"	CS-70
5105545	15x10	5	5 x 4.5"	CS-70	5145550	15x14	4-5/8	5 x 5.0"	CS-21
5105547	15x10	5	5 x 4.75"	CS-70	5146507	15x14	5-1/4	5 x 4.5", 4.75"	CS-70
5105550	15x10	5	5 x 5.0"	CS-21	5146545	15x14	5-1/4	5 x 4.5"	CS-70
5107540	15x10	6-1/2	5 x 4"	CS-20	5146547	15x14	5-1/4	5 x 4.75"	CS-70
5107507	15x10	6-1/2	5 x 4.5", 4.75"	CS-70	5146550	15x14	5-1/4	5 x 5.0"	CS-21
5107545	15x10	6-1/2	5 x 4.5"	CS-70	5155507	15x15	4-5/8	5 x 4.5", 4.75"	CS-70
5107547	15x10	6-1/2	5 x 4.75"	CS-70	5155545	15x15	4-5/8	5 x 4.5"	CS-70
5107550	15x10	6-1/2	5 x 5.0"	CS-21	5155547	15x15	4-5/8	5 x 4.75"	CS-70
5123507	15x12	3-3/8	5 x 4.5", 4.75"	CS-70	5155550	15x15	4-5/8	5 x 5.0"	CS-21
5123545	15x12	3-3/8	5 x 4.5"	CS-70	5156507	15x15	5-1/4	5 x 4.5", 4.75"	CS-70
5123547	15x12	3-3/8	5 x 4.75"	CS-70	5156545	15x15	5-1/4	5 x 4.5"	CS-70
5123550	15x12	3-3/8	5 x 5.0"	CS-21	5156547	15x15	5-1/4	5 x 4.75"	CS-70
5125507	15x12	5	5 x 4.5", 4.75"	CS-70	5156550	15x15	5-1/4	5 x 5.0"	CS-21
5125545	15x12	5	5 x 4.5"	CS-70	5157507	15x15	6-1/4	5 x 4.5", 4.75"	CS-70
5125547	15x12	5	5 x 4.75"	CS-70	5157545	15x15	6-1/4	5 x 4.5"	CS-70
5125550	15x12	5	5 x 5.0"	CS-21	5157547	15x15	6-1/4	5 x 4.75"	CS-70
5126507	15x12	5-3/8	5 x 4.5", 4.75"	CS-70	5157550	15x15	6-1/4	5 x 5.0"	CS-21
5126547	15x12	5-3/8	5 x 4.75"	CS-70	61655473	16x16	5	5 x 4.75"	na
5126545	15x12	5-3/8	5 x 4.5"	CS-70	61655503	16x16	5	5 x 5.0"	na
5126550	15x12	5-3/8	5 x 5.0"	CS-21	61655553	16x16	5	5 x 5.5"	na
on the above 3 p/n, use style #00 for non-beadlock or style #08 for beadlock.									
7250000	17x2.5	na	na	na					

G-2 - MODULAR WHEEL FOR CARS & DRAG RACING / STREET RACING

TECHNICAL SPECS

- > 1125 lb. load rating
- > 30" max tire size. OK to run taller drag slicks.
- > 4 & 5-lug versions
- > Uses 1/2" mag shank lugs, unless bland nut is required
- > For cars or drag racing only

WHEEL FEATURES

- > 3-year structural warranty
- > Sizes 15x4 thru 15x10 come w/ center cap
- > Other sizes do not come w/ cap
- > G-2 comes in hi-polish finish -- both face & outer
- > 15x15 & 16x16 ARE BEADLOCK ONLY



G-2
09 Hi-polish finish



G-2 Spindle Mount front
09 Hi-polish finish

tested to 15.2 spec

tested to 15.3 spec

tested to 15.3 spec

Size	WD Polish	Weight
15x3.5 spindle mount	\$555	12 lbs
15x4	\$350	9 lbs
15x8.5	\$385	12 lbs
15x10	\$435	14 lbs
15x15 beadlock (3)	\$1,049	24 lbs
16x16 beadlock (2, 3)	\$1,780	27 lbs
17x2.5	\$1,059	12 lbs

"2 or 3" at end of p/n represents beadlock wheels.

Last 7 digits of part number are listed below. Add 2 digit style # to beginning of part #.

Part #	Size	Rearspc (in)	Bolt Circle	Cap	Part #	Size	Rearspc (in)	Bolt Circle	Cap
53500002	15x3.5	na	Anglia Spindle	CS-8301	5103507	15x10	3-3/8	5 x 4.5", 4.75"	CS-70
5350001	15x3.5	na	Strng Spindle	CS-8302	5103545	15x10	3-3/8	5 x 4.5"	CS-70
5401442	15x4	1-3/4	4 x 4.25"	CS-20	5103547	15x10	3-3/8	5 x 4.75"	CS-70
5401445	15x4	1-3/4	4 x 4.5"	CS-70	5105507	15x10	5	5 x 4.5", 4.75"	CS-70
5401507	15x4	1-3/4	5 x 4.5", 4.75"	CS-70	5105545	15x10	5	5 x 4.5"	CS-70
5401545	15x4	1-3/4	5 x 4.5"	CS-70	5105547	15x10	5	5 x 4.75"	CS-70
5401547	15x4	1-3/4	5 x 4.75"	CS-70	51555073	15x15	4-5/8	5 x 4.5", 4.75"	na
5853442	15x8.5	3-3/8	4 x 4.25"	CS-20	51555453	15x15	4-5/8	5 x 4.5"	na
5853445	15x8.5	3-3/8	4 x 4.5"	CS-70	51555473	15x15	4-5/8	5 x 4.75"	na
5853507	15x8.5	3-3/8	5 x 4.5", 4.75"	CS-70	51555503	15x15	4-5/8	5 x 5.0"	na
5853545	15x8.5	3-3/8	5 x 4.5"	CS-70	61655502	16x16	5	5 x 5.0"	na
5853547	15x8.5	3-3/8	5 x 4.75"	CS-70	61655553	16x16	5	5 x 5.5"	na
5855442	15x8.5	5	4 x 4.25"	CS-20	7250000	17x2.5	na	na	na
5855445	15x8.5	5	4 x 4.5"	CS-70					
5855507	15x8.5	5	5 x 4.5", 4.75"	CS-70					
5855545	15x8.5	5	5 x 4.5"	CS-70					
5855547	15x8.5	5	5 x 4.75"	CS-70					

WARRIOR - MODULAR WHEELS FOR CARS & DRAG RACING / STREET PERFORMANCE

Featuring Center Line's classic steet & racing wheels.
 The Warrior wheel uses a smooth outer, not convoluted.
 This is a modular aluminum wheel manufactured
 by riveting 2 wheel halves together.
 This is the LIGHTEST WEIGHT steet / race wheel CL manufactures.

Size	WD Price	Weight
15x3.5 spindle mount	\$555	12 lbs
15x4	\$350	9 lbs
15x5.5	\$360	10 lbs
15x7	\$375	11 lbs
15x8	\$385	12 lbs
15x8.5	\$385	12 lbs
15x9	\$390	12 lbs
15x10	\$435	13 lbs
15x12	\$465	15 lbs
15x14	\$500	16 lbs
15x15	\$530	17 lbs
15x16	\$599	17 lbs

TECHNICAL SPECS

- > 1375 lb. load rating
- > 30" max tire size. OK to run taller drag slicks.
- > 4 & 5-lug versions
- > Uses 1/2" mag shank lugs, unless bland nut is required

WHEEL FEATURES

- > 3-year structural warranty
- > Sizes 15x4 thru 15x12 come w/ center cap
- > Sizes 15x14 & larger do not come w/ cap
- > Warrior comes in hi-polish finish -- both face & outer



Warrior Med Offset
07 Hi-polish finish



Warrior Deep Rear
07 Hi-polish finish

Last 7 digits of part number are listed below. Add 2 digit style # to beginning of part #.

Part #	Size	Rearspc (in)	Bolt Circle	Cap	Part #	Size	Rearspc (in)	Bolt Circle	Cap
53500002	15x3.5	na	Anglia Spindle	CS-8301	5904545	15x9	4-1/2	5 x 4.5"	CS-70
53500001	15x3.5	na	Strng Spindle	CS-8302	5904547	15x9	4-1/2	5 x 4.75"	CS-70
5401442	15x4	1-3/4	4 x 4.25"	CS-20	5904507	15x9	4-1/2	5 x 4.5", 4.75"	CS-70
5401507	15x4	1-3/4	5 x 4.5", 4.75"	CS-70	5103507	15x10	3-3/8	5 x 4.5", 4.75"	CS-70
5401545	15x4	1-3/4	5 x 4.5"	CS-70	5103547	15x10	3-3/8	5 x 4.75"	CS-70
5401547	15x4	1-3/4	5 x 4.75"	CS-70	5103545	15x10	3-3/8	5 x 4.5"	CS-70
5402442	15x4	2-5/16	4 x 4.25"	CS-20	5104545	15x10	4-1/2	5 x 4.5"	CS-70
5402545	15x4	2-5/16	5 x 4.5"	CS-70	5104547	15x10	4-1/2	5 x 4.75"	CS-70
5402547	15x4	2-5/16	5 x 4.75"	CS-70	5104507	15x10	4-1/2	5 x 4.5", 4.75"	CS-70
5402507	15x4	2-5/16	5 x 4.5", 4.75"	CS-70	5105545	15x10	5	5 x 4.5"	CS-70
5553545	15x5.5	3-3/8	5 x 4.5"	CS-70	5105547	15x10	5	5 x 4.75"	CS-70
5553547	15x5.5	3-3/8	5 x 4.75"	CS-70	5105507	15x10	5	5 x 4.5", 4.75"	CS-70
5553507	15x5.5	3-3/8	5 x 4.5", 4.75"	CS-70	5106545	15x10	6-1/2	5 x 4.5"	CS-70
5703545	15x7	3-3/8	5 x 4.5"	CS-70	5106547	15x10	6-1/2	5 x 4.75"	CS-70
5703547	15x7	3-3/8	5 x 4.75"	CS-70	5123507	15x12	3-3/8	5 x 4.5", 4.75"	CS-70
5703507	15x7	3-3/8	5 x 4.5", 4.75"	CS-70	5123545	15x12	3-3/8	5 x 4.5"	CS-70
5705442	15x7	5	4 x 4.25"	CS-20	5123547	15x12	3-3/8	5 x 4.75"	CS-70
5705545	15x7	5	5 x 4.5"	CS-70	5143507	15x14	3-3/8	5 x 4.5", 4.75"	CS-70
5705547	15x7	5	5 x 4.75"	CS-70	5143550	15x14	3-3/8	5 x 5.0"	CS-21
5705507	15x7	5	5 x 4.5", 4.75"	CS-70	5145507	15x14	4-5/8	5 x 4.5", 4.75"	CS-70
5804545	15x8	4-1/2	5 x 4.5"	CS-70	5146507	15x14	6-3/8	5 x 4.5", 4.75"	CS-70
5804547	15x8	4-1/2	5 x 4.75"	CS-70	5146550	15x14	6-3/8	5 x 5.0"	CS-21
5804507	15x8	4-1/2	5 x 4.5", 4.75"	CS-70	5155507	15x15	4-5/8	5 x 4.5", 4.75"	CS-70
5853545	15x8.5	3-3/8	5 x 4.5"	CS-70	5155550	15x15	4-5/8	5 x 5.0"	CS-21
5853547	15x8.5	3-3/8	5 x 4.75"	CS-70	5156507	15x15	6-1/4	5 x 4.5", 4.75"	CS-70
5853507	15x8.5	3-3/8	5 x 4.5", 4.75"	CS-70	5161507	15x16	5-1/4	5 x 4.5", 4.75"	CS-70
5855545	15x8.5	5	5 x 4.5"	CS-70	5166507	15x16	6-1/4	5 x 4.5", 4.75"	CS-70
5855547	15x8.5	5	5 x 4.75"	CS-70					
5855507	15x8.5	5	5 x 4.5", 4.75"	CS-70					

EARLY STYLE VW - MODULAR WHEEL FOR PRE-68 "WIDE 5" VW (5X205MM)

TECHNICAL SPECS

- > For pre-1968 VW's w/ 5x205mm bolt circle - "wide 5"
- > Ball seat lug nut OEM. Stock bolts

WHEEL FEATURES

- > 3-year structural warranty
- > Wheels do not come w/ center caps
- > Chrome steel caps (CS-22) available at additional charge
- > Wheels are offered in Hi-Polish or Brushed Satin finish
 - see individual wheel pics for description of finish

Size	WD Satin	WD Polish	Weight
15x3.5	\$315	\$335	11 lbs
15x4	\$325	\$345	11 lbs
15x5	\$330	\$350	12 lbs
15x6	\$335	\$355	12 lbs
15x7	\$340	\$360	13 lbs
15x7.5	\$340	\$360	13 lbs
15x8	\$345	\$365	14 lbs
15x8.5	\$345	\$365	14 lbs
15x10	\$360	\$380	15 lbs
15x12	\$370	\$390	17 lbs
16x4	\$345	\$365	10 lbs

2 NEW STYLES FOR 2008!



Early Style VW Classic
 11 Hi-polish finish
 10 Brushed satin finish



VW Star
 12 Hi-polish finish
 22 Brushed satin finish



VW Convo Star
 14 Hi-polish finish
 24 Brushed satin center, polish outer

Last 7 digits of part number are listed below. Add 2 digit style # to beginning of part #.

Part #	Size	Rearspc (in)	Bolt Circle	Optional Cap	Part #	Size	Rearspc (in)	Bolt Circle	Optional Cap
5352580	15x3.5	2	5 x 205mm	CS-22	5752580	15x7.5	2	5 x 205mm	CS-22
5353580	15x3.5	3-1/2	5 x 205mm	CS-22	5802580	15x8	2	5 x 205mm	CS-22
5402580	15x4	2	5 x 205mm	CS-22	5853580	15x8.5	3-3/8	5 x 205mm	CS-22
5502580	15x5	2	5 x 205mm	CS-22	5103580	15x10	3-3/8	5 x 205mm	CS-22
5503580	15x5	3-3/8	5 x 205mm	CS-22	5104580	15x10	4-3/8	5 x 205mm	CS-22
5602580	15x6	2	5 x 205mm	CS-22	5123580	15x12	3-3/8	5 x 205mm	CS-22
5603580	15x6	3-3/8	5 x 205mm	CS-22	5124580	15x12	4-3/8	5 x 205mm	CS-22
5604580	15x6	4-3/8	5 x 205mm	CS-22	6402580	16x4	2	5 x 205mm	CS-22
5703580	15x7	3-3/8	5 x 205mm	CS-22					
5704580	15x7	4-3/8	5 x 205mm	CS-22					

LUG NUTS & ACCESSORIES

Part #	Description	Price	Part #	Description	Price
L-2900	Standard chrome valve stem (card of 4)	\$16	C-47	2 allens & wrench, 2" screws	\$10
L-2902	5/16" Chrome valve stem - billet whls (card of 2)	\$16	C-49	3" Hellcat screw (2 per bag)	\$10
L-5000	Lug nut - closed end (pack of 5) 1/2" RH - .750" shank	\$18	C-62	1/4-20, 2-12" long screw (extreme cap)	\$10
L-5002	Lug nut - closed end (pack of 5) 7/16" RH - .750" shank	\$18	C-20	Chrome plactic pop-in cap for 2.750" hub bore	\$20
L-5005	Lug-nut - closed end (pack 5) 12mm x 1.5 RH - .750"shank	\$18	C-70	Chrome plactic pop-in cap for 3.187" hub bore	\$20
L-5010	Lug nut - open end (pack of 5) 1/2" RH - .750" shank	\$18	CS-20	Chrome steel cap for 2.750" hub bore	\$20
L-5012	Lug nut - open end (pack of 5) 7/16" RH - .750" shank	\$18	CS-21	Chrome steel cap for 3.505" hub bore	\$20
L-5015	Lug-nut - open end (pack 5) 12mm x 1.5 RH - .750"shank	\$18	CS-22	Chrome steel cap for VW - 5x205mm bolt circle	\$35
L-5100	Convo Pro lug nut - closed end (pack of 5) 1/2"RH - .500" shank	\$18	CS-27	Billet cap assembly 2-screw (open end)	\$35
L-5102	Convo Pro lug nut - closed end (pack of 5) 7/16"RH - .500" shank	\$18	CS-35	3-bar spinner with emblem for Champ 506 wheel	\$35
L-5105	Convo Pro lug nut - closed end (pack of 5) 12mm x 1.5 RH - .500"shank	\$18	CS-70	Chrome steel cap for 3.187" hub bore	\$20
L-5110	Convo Pro lug nut - open end (pack of 5) 1/2"RH - .500" shank	\$18	CS-71	Chrome steel cap (open end) for 3.187" hub bore	\$20
L-5112	Convo Pro lug nut - open end (pack of 5) 7/16"RH - .500" shank	\$18	CS-101	Short chrome steel cap for 4.250" hub bore (closed end) -used in Tomahawk, Millennium, California Series	\$20
L-5115	Convo Pro lug nut - open end (pack of 5) 12mm x 1.5 RH - .500"shank	\$18	CS-102	Chrome steel cap for 4.250" hub bore (closed end)	\$20
L-5120	Lug nut - closed end (pack of 5) 1/2" RH - 1.30 shank	\$18	CS-104	Chrome steel cap for 4.250" hub bore (open end)	\$20
L-5122	Lug nut - closed end (pack of 5) 7/16" RH - 1.30 shank	\$18	CS-105	Wilderness Series - 2" tall, closed end for 5&6-lug	\$44
L-5120-0	Lug nut - open end (pack of 5) 1/2" RH - 1.30 shank	\$18	CS-105C	Wilderness Series - 2" tall, closed end for 5&6-lug chrome	\$68
L-5122-0	Lug nut - open end (pack of 5) 7/16" RH - 1.30 shank	\$18	CS-106	Wilderness Series - 2" tall, open end for 5&6-lug	\$44
L-5250	Duplex acorn lug nuts - 1/2" RH - Long (pack of 4)	\$18	CS-106C	Wilderness Series - 2" tall, open end for 5&6-lug chrome	\$68
L-5258	Duplex acorn lug nuts - 9/16" RH - X-Long (pack of 4)	\$18	CS-107	Wilderness Series - 3-1/2" tall, closed end for 8-lug	\$44
L-5264	Duplex acorn lug nuts - 14mm x 1.5 RH - Long (pack 4)	\$18	CS-107C	Wilderness Series - 3-1/2" tall, closed end for 8-lug chrome	\$68
L-5300	Acorn lug nut - closed end (pack 5) 1/2" RH - 60d taper	\$18	CS-108	Wilderness Series - 3-1/2" tall, open end for 8-lug	\$44
L-5302	Acorn lug nut-closed end (pack 5) 7/16" RH - 60d taper	\$18	CS-108C	Wilderness Series - 3-1/2" tall, open end for 8-lug chrome	\$68
CS-8301	Cover for anglia spindle mount	\$20	CS-109	Wilderness Series - 5" tall, closed end for 8-lug	\$44
CS-8302	Cover for strange spindle mount	\$20	CS-109C	Wilderness Series - 5" tall, closed end for 8-lug chrome	\$68
FS-8303	Anglia spindle bearing kit	\$300	CS-123	Billet cap assembly 2-screw (closed end)	\$35
FS-8404	Strange spindle bearing kit	\$300	CS-135	Billet cap assembly 1-screw (open end)	\$35
			CS-136	Billet cap assembly 1-screw (closed end)	\$35
			CS-150	FWD cap & bolts - 4-lug	\$35
			CS-151	FWD cap & bolts - 5-lug	\$35
			CS-152	Monsoon Series plastic pop-in cap	\$20
			CS-153	Millennium, Sundance aluminum cap	\$35
			CS-153C	Millennium, Sundance aluminum cap chrome	\$45
			CS-156	Tomahawk, California aluminum cap large	\$35
			CS-156C	Tomahawk, California aluminum cap large chrome	\$45
			CS-157	Tomahawk, California aluminum cap small	\$35
			CS-157C	Tomahawk, California aluminum cap small chrome	\$45
			CS-210	Wilderness Series short push thru for HI-OFFSET wheels	\$25
			CS-211	Wilderness 3-1/2" tall -std chrome steel push-thru cap	\$25
			CS-212	Wilderness 5" tall - chrome steel push-thru cap	\$25
			CS-213	Wilderness 3-1/2" tall - chrome steel push-thru cap (open)	\$25
			O-Ringkit	O-ring kit to fit all caps (package of 4)	\$20

Price List effective November 1, 2007
Center Line Wheel Corp.

Office address (for accounting and sales):

13521 Freeway Drive
Santa Fe Springs, CA 90670

Shipping address (for will call orders or return wheels):

13563 Freeway Drive
Santa Fe Springs, CA 90670
Local: 562-921-9637
Toll Free: 800-345-8671 x4
Toll Free: 800-345-8671 x4
Toll Free: 800-345-8671 x4