

# ECLIPSE SERIES - CARS, TRUCKS & SUVs - AVAILABLE HI-POLISH, PAINT OR CHROME

Get the stylish look of A MULTI-PIECE WHEEL AT HALF THE PRICE and twice the quality with the new Eclipse Series. ROTARY FORGED billet aluminum. Available in chrome; hi-polish; and midnight black (more colors to come).

## TECHNICAL SPECS

- > Multi-piece rotary forged
- > 2200 lb. load rating
- > 33" max tire size
- > Available 4, 5 & 6-lug - almost all car & truck bolt patterns!
- > 60° acorn lug nuts
- > Air sensor compatible

## WHEEL FEATURES

- > 3-year structural warranty
- > 1-year chrome, paint warranty
- > Polish wheels do not have bolts, chrome & paint wheels have bolts
- > Currently offering black paint -- add'l colors available upon request
- > Fully machined aluminum cap included

## NEW MULTI-PIECE SERIES FOR 2008!

Size	WD Polish	WD Chrm	WD Black	Weight
	NO BOLTS	W/ BOLTS	W/ BOLTS	
20x8.5*	<b>\$649</b>	<b>\$799</b>	<b>\$799</b>	38 lbs
22x9*	<b>\$699</b>	<b>\$849</b>	<b>\$849</b>	45 lbs

\*ADDITIONAL WIDTHS AVAILABLE - see bottom of page



**561 Black. 562 Chrome with bolts**

**560 Hi-polish no bolts**

**566 Black. 567 Chrome with bolts**

**571 Black. 572 Chrome with bolts**

**565 Hi-polish - no bolts**

**570 Hi-polish - no bolts**

call for blade & epic photo:  
 <----- Hi-polish - no bolts

### Call for part numbers:

- > Wheels designed to fit a large variety of cars and trucks.
- > Can build almost all 4, 5 & 6-lug bolt patterns.
- > A range of backspsaces and widths are available.

## MILLENNIUM SERIES - TRUCKS & SUVS - AVAILABLE HI-POLISH, CHROME

### TECHNICAL SPECS

- > 1-piece rotary forged
- > 2200 lb. load rating
- > 33" max tire size
- > Available 5 & 6-lug
- > 60° acorn lug nuts

### WHEEL FEATURES

- > 3-year polish & structural warranty
- > Free curb damage repair & inspection
- > 1-year chrome warranty
- > Billet engraved center cap included
- > Air sensor compatible

Size	WD Polish	+Chrome	Weight
18x8 edge*	<b>\$395</b>	<b>\$100</b>	22 lbs
20x8+offset*	<b>\$475</b>	<b>\$100</b>	28 lbs
20x8.5	<b>\$475</b>	<b>\$100</b>	28 lbs
22x9	<b>\$699</b>	<b>\$120</b>	37 lbs

\*only edge comes in 18"; only edge & lexii come in 20x8 hi-offset

#### Lexii 5-lug

469 Polish. 470 Chrome



#### Lexii 6-lug

471 Polish. 472 Chrome



#### Lexii 20x8 +offset only

487 Polish. 488 Chrome



#### Ace 5-lug

473 Polish. 474 Chrome



#### Ace 6-lug

475 Polish. 476 Chrome



#### Edge 5-lug

477 Polish. 478 Chrome



#### Edge 6-lug

479 Polish. 480 Chrome



#### Edge 20x8 +offset only

485 Polish. 486 Chrome



#### Raptor 6-lug shown\*

497 Polish. 498 Chrome

\*Raptor  
5-lug/5 spoke  
495 Polish  
496 Chrome

**Last 7 digits of part number are listed below. Add 3 digit style # to beginning of part #.**

Part #	Size	Rearspace	Offset	Bolt Circle	Cap
8806545	18x8	5.0 in	+12mm	5 x 4.5"	CS-157
8806546	18x8	5.0 in	+12mm	5 x 115mm (magnum, 300C/M, charger)	CS-157
8806547	18x8	5.0 in	+12mm	5 x 4.75"	CS-157
8806550	18x8	5.0 in	+12mm	5 x 5.0"	CS-157
8806552	18x8	5.0 in	+12mm	5 x 135mm (hubcentric 5-lug ford)	CS-156
8806557	18x8	5.0 in	+12mm	5 x 5.5" (hubcentric 5-lug dodge 93-newer)	CS-156
8806645	18x8	5.0 in	+12mm	6 x 4.5"	CS-157
8806650	18x8	5.0 in	+12mm	6 x 5.0" (trailblazer, envoy)	CS-157
8806652	18x8	5.0 in	+12mm	6 x 135mm (hubcentric 6-lug ford)	CS-156
8806656	18x8	5.0 in	+12mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	CS-156
8806655	18x8	5.0 in	+12mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
8806657	18x8	5.0 in	+12mm	6 x 5.5" (hummer H3)	CS-156
8806658	18x8	5.0 in	+12mm	6 x 5.5" (hubcentric toyota w/ 106mm hub)	CS-153
2808512	20x8	6.0 in	+38mm	5 x 120mm (honda ridgeline)	CS-153
2808515	20x8	6.0 in	+38mm	5 x 150mm (toyota 07-newer)	CS-153
2808547	20x8	6.0 in	+38mm	5 x 4.75"	CS-153
2808645	20x8	6.0 in	+38mm	6 x 4.5"	CS-153
2808650	20x8	6.0 in	+38mm	6 x 5.0" (trailblazer, envoy)	CS-153
2808656	20x8	6.0 in	+38mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	CS-153
2808655	20x8	6.0 in	+38mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
2856545	20x8.5	5.0 in	+6mm	5 x 4.5"	CS-153
2856546	20x8.5	5.0 in	+6mm	5 x 115mm (magnum, 300C/M, charger)	CS-153
2856547	20x8.5	5.0 in	+6mm	5 x 4.75"	CS-153
2856550	20x8.5	5.0 in	+6mm	5 x 5.0"	CS-153
2856552	20x8.5	5.0 in	+6mm	5 x 135mm (hubcentric 5-lug ford)	CS-153
2856645	20x8.5	5.0 in	+6mm	6 x 4.5"	CS-153
2856652	20x8.5	5.0 in	+6mm	6 x 135mm (hubcentric 6-lug ford)	CS-153
2856656	20x8.5	5.0 in	+6mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	CS-153
2856655	20x8.5	5.0 in	+6mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
2856658	20x8.5	5.0 in	+6mm	6 x 5.5" (hubcentric toyota w/ 106mm hub)	CS-153
2297545	22x9	5.5 in	+12mm	5 x 4.5"	CS-153
2297546	22x9	5.5 in	+12mm	5 x 115mm (magnum, 300C/M, charger)	CS-153
2297547	22x9	5.5 in	+12mm	5 x 4.75"	CS-153
2297550	22x9	5.5 in	+12mm	5 x 5.0"	CS-153
2297552	22x9	5.5 in	+12mm	5 x 135mm (hubcentric 5-lug ford)	CS-153
2297557	22x9	5.5 in	+12mm	5 x 5.5" (hubcentric 5-lug dodge 93-newer)	CS-153
2297645	22x9	5.5 in	+12mm	6 x 4.5"	CS-153
2297652	22x9	5.5 in	+12mm	6 x 135mm (hubcentric 6-lug ford)	CS-153
2297656	22x9	5.5 in	+12mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	CS-153
2297655	22x9	5.5 in	+12mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
2297658	22x9	5.5 in	+12mm	6 x 5.5" (hubcentric toyota w/ 106mm hub)	CS-153

## TOMAHAWK SERIES - TRUCKS & SUVs - AVAILABLE HI-POLISH, CHROME

### TECHNICAL SPECS

- > 1-piece rotary forged
- > 2200 lb. load rating
- > 33" max tire size
- > Available 5 & 6-lug
- > 60° acorn lug nuts
- > Air sensor compatible

### WHEEL FEATURES

- > 3-year polish & structural warranty
- > Free curb damage repair & inspection
- > 1-year chrome warranty
- > Billet engraved center cap included

Size	WD Polish	+Chrome*	Weight
16x8	<b>\$350</b>	<b>\$100</b>	18 lbs
17x8	<b>\$375</b>	<b>\$100</b>	20 lbs
17x8.5	<b>\$425</b>	<b>\$100</b>	26 lbs
18x8	<b>\$395</b>	<b>\$100</b>	22 lbs
20x8	<b>\$440</b>	<b>\$100</b>	26 lbs
20x8.5	<b>\$475</b>	<b>\$100</b>	28 lbs
22x9	<b>\$699</b>	<b>\$120</b>	37 lbs

\*add chrome surcharge to your polish price after discount. No discount on chrome.



**Stingray III 5&6-lug**  
201 Polish. 202 Chrome  
All Sizes Available!

**Champ XL 5&6-lug**  
203 Polish. 204 Chrome  
Not available 32mm hi-offset

**Rapid 5&6-lug**  
205 Polish. 206 Chrome  
Not available 32mm hi-offset

**Sniper 5&6-lug**  
207 Polish. 208 Chrome  
Not available 32mm hi-offset



**Tomcat 5&6-lug**  
209 Polish. 210 Chrome  
20x8.5 & 22x9 only

**Escape 5&6-lug**  
211 Polish. 212 Chrome  
All Sizes Available!

**Voltage II 5&6-lug**  
213 Polish. 214 Chrome  
Not available 22x9

**Tracer II 5&6-lug**  
215 Polish. 216 Chrome  
Not available 22x9



**Archer II 5&6-lug**  
217 Polish. 218 Chrome  
Not available 32mm or 22x9

**Avenger II 5&6-lug**  
219 Polish. 220 Chrome  
Not available 32mm or 22x9

**Smoothie 5&6-lug**  
529 Polish. 530 Chrome  
All Sizes Available!

**Crossfire 5&6-lug**  
150 Polish. 151 Chrome  
32mm hi-offset only in 17x8.5 & 20x8.5

**Last 7 digits of part number are listed below. Add 3 digit style # to beginning of part #.**

Part #	Size	Rearspace	Offset	Bolt Circle	Cap
6806545	16x8	5.0 in	+12mm	5 x 4.5"	CS-157
6806547	16x8	5.0 in	+12mm	5 x 4.75"	CS-157
6806550	16x8	5.0 in	+12mm	5 x 5.0"	CS-157
6806552	16x8	5.0 in	+12mm	5 x 135mm (hubcentric 5-lug ford)	CS-156
6806557	16x8	5.0 in	+12mm	5 x 5.5" (hubcentric 5-lug dodge 93-newer)	CS-156
6806645	16x8	5.0 in	+12mm	6 x 4.5"	CS-157
6806656	16x8	5.0 in	+12mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	CS-156
6806655	16x8	5.0 in	+12mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
6806658	16x8	5.0 in	+12mm	6 x 5.5" (hubcentric toyota w/ 106mm hub)	CS-153
7806545	17x8	5.0 in	+12mm	5 x 4.5"	CS-157
7806547	17x8	5.0 in	+12mm	5 x 4.75"	CS-157
7806550	17x8	5.0 in	+12mm	5 x 5.0"	CS-157
7806552	17x8	5.0 in	+12mm	5 x 135mm (hubcentric 5-lug ford)	CS-156
7806555	17x8	5.0 in	+12mm	5 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
7806557	17x8	5.0 in	+12mm	5 x 5.5" (hubcentric 5-lug dodge 93-newer)	CS-156
7806645	17x8	5.0 in	+12mm	6 x 4.5"	CS-157
7806650	17x8	5.0 in	+12mm	6 x 5.0" (trailblazer, envoy)	CS-157
7806652	17x8	5.0 in	+12mm	6 x 135mm (hubcentric 6-lug ford)	CS-156
7806656	17x8	5.0 in	+12mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	CS-156
7806655	17x8	5.0 in	+12mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
7806657	17x8	5.0 in	+12mm	6 x 5.5" (hummer H3)	CS-156
7806658	17x8	5.0 in	+12mm	6 x 5.5" (hubcentric toyota w/ 106mm hub)	CS-153

## TOMAHAWK SERIES - TRUCKS & SUVS - AVAILABLE HI-POLISH, CHROME

*Last 7 digits of part number are listed below. Add 3 digit style # to beginning of part #.*

Part #	Size	Rearspace	Offset	Bolt Circle	Cap
7858512	17x8.5	6.0 in	+32mm	5 x 120mm (honda ridgeline)	CS-157
7858547	17x8.5	6.0 in	+32mm	5 x 4.75"	CS-157
7858550	17x8.5	6.0 in	+32mm	5 x 5.0"	CS-157
7858645	17x8.5	6.0 in	+32mm	6 x 4.5"	CS-157
7858650	17x8.5	6.0 in	+32mm	6 x 5.0" (trailblazer, envoy)	CS-157
7858652	17x8.5	6.0 in	+32mm	6 x 135mm (hubcentric 6-lug ford)	CS-156
7858655	17x8.5	6.0 in	+32mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
7858656	17x8.5	6.0 in	+32mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	CS-156
7858657	17x8.5	6.0 in	+32mm	6 x 5.5" (hummer H3)	CS-156
8806545	18x8	5.0 in	+12mm	5 x 4.5"	CS-157
8806546	18x8	5.0 in	+12mm	5 x 115mm (magnum, 300C/M, charger)	CS-157
8806547	18x8	5.0 in	+12mm	5 x 4.75"	CS-157
8806550	18x8	5.0 in	+12mm	5 x 5.0"	CS-157
8806552	18x8	5.0 in	+12mm	5 x 135mm (hubcentric 5-lug ford)	CS-156
8806555	18x8	5.0 in	+12mm	5 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
8806557	18x8	5.0 in	+12mm	5 x 5.5" (hubcentric 5-lug dodge 93-newer)	CS-156
8806645	18x8	5.0 in	+12mm	6 x 4.5"	CS-157
8806650	18x8	5.0 in	+12mm	6 x 5.0" (trailblazer, envoy)	CS-157
8806652	18x8	5.0 in	+12mm	6 x 135mm (hubcentric 6-lug ford)	CS-156
8806656	18x8	5.0 in	+12mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	CS-156
8806655	18x8	5.0 in	+12mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
8806657	18x8	5.0 in	+12mm	6 x 5.5" (hummer H3)	CS-156
8806658	18x8	5.0 in	+12mm	6 x 5.5" (hubcentric toyota w/ 106mm hub)	CS-153
2806545	20x8	5.0 in	+12mm	5 x 4.5"	CS-157
2806546	20x8	5.0 in	+12mm	5 x 115mm (magnum, 300C/M, charger)	CS-157
2806547	20x8	5.0 in	+12mm	5 x 4.75"	CS-157
2806550	20x8	5.0 in	+12mm	5 x 5.0"	CS-157
2806552	20x8	5.0 in	+12mm	5 x 135mm (hubcentric 5-lug ford)	CS-156
2806555	20x8	5.0 in	+12mm	5 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
2806557	20x8	5.0 in	+12mm	5 x 5.5" (hubcentric 5-lug dodge 93-newer)	CS-156
2806645	20x8	5.0 in	+12mm	6 x 4.5"	CS-157
2806650	20x8	5.0 in	+12mm	6 x 5.0" (trailblazer, envoy)	CS-157
2806652	20x8	5.0 in	+12mm	6 x 135mm (hubcentric 6-lug ford)	CS-156
2806656	20x8	5.0 in	+12mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	CS-156
2806655	20x8	5.0 in	+12mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
2806657	20x8	5.0 in	+12mm	6 x 5.5" (hummer H3)	CS-156
2806658	20x8	5.0 in	+12mm	6 x 5.5" (hubcentric toyota w/ 106mm hub)	CS-153
2856545	20x8.5	5.0 in	+6mm	5 x 4.5"	CS-157
2856547	20x8.5	5.0 in	+6mm	5 x 4.75"	CS-157
2856546	20x8.5	5.0 in	+6mm	5 x 115mm (magnum, 300C/M, charger)	CS-157
2856550	20x8.5	5.0 in	+6mm	5 x 5.0"	CS-157
2856552	20x8.5	5.0 in	+6mm	5 x 135mm (hubcentric 5-lug ford)	CS-156
2856555	20x8.5	5.0 in	+6mm	5 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
2856557	20x8.5	5.0 in	+6mm	5 x 5.5" (hubcentric 5-lug dodge 93-newer)	CS-156
2856645	20x8.5	5.0 in	+6mm	6 x 4.5"	CS-157
2856652	20x8.5	5.0 in	+6mm	6 x 135mm (hubcentric 6-lug ford)	CS-156
2856656	20x8.5	5.0 in	+6mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	CS-156
2856655	20x8.5	5.0 in	+6mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
2856658	20x8.5	5.0 in	+6mm	6 x 5.5" (hubcentric toyota w/ 106mm hub)	CS-153
2858512	20x8.5	6.0 in	+32mm	5 x 120mm (honda ridgeline)	CS-157
2858515	20x8.5	6.0 in	+32mm	5 x 150mm (toyota 07-newer)	CS-156
2858547	20x8.5	6.0 in	+32mm	5 x 4.75"	CS-157
2858550	20x8.5	6.0 in	+32mm	5 x 5.0"	CS-157
2858645	20x8.5	6.0 in	+32mm	6 x 4.5"	CS-157
2858650	20x8.5	6.0 in	+32mm	6 x 5.0" (trailblazer, envoy)	CS-157
2858652	20x8.5	6.0 in	+32mm	6 x 135mm (hubcentric 6-lug ford)	CS-156
2858655	20x8.5	6.0 in	+32mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
2858656	20x8.5	6.0 in	+32mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	CS-156
2858657	20x8.5	6.0 in	+32mm	6 x 5.5" (hummer H3)	CS-156
2297545	22x9	5.5 in	+12mm	5 x 4.5"	CS-157
2297546	22x9	5.5 in	+12mm	5 x 115mm (magnum, 300C/M, charger)	CS-157
2297547	22x9	5.5 in	+12mm	5 x 4.75"	CS-157
2297550	22x9	5.5 in	+12mm	5 x 5.0"	CS-157
2297552	22x9	5.5 in	+12mm	5 x 135mm (hubcentric 5-lug ford)	CS-156
2297557	22x9	5.5 in	+12mm	5 x 5.5" (hubcentric 5-lug dodge 93-newer)	CS-156
2297645	22x9	5.5 in	+12mm	6 x 4.5"	CS-157
2297652	22x9	5.5 in	+12mm	6 x 135mm (hubcentric 6-lug ford)	CS-156
2297656	22x9	5.5 in	+12mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	CS-156
2297655	22x9	5.5 in	+12mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	CS-101
2297658	22x9	5.5 in	+12mm	6 x 5.5" (hubcentric toyota w/ 106mm hub)	CS-153

## MULTI-PIECE SERIES - TRUCKS & SUVs - AVAILABLE HI-POLISH, CHROME, GRAY, BLACK

Get the stylish look of A MULTI-PIECE WHEEL AT HALF THE PRICE and twice the quality with the new Que wheel. ROTARY FORGED billet aluminum. Available in chrome; hi-polish; and black or gray powder coat finishes.

### TECHNICAL SPECS

- > 1-piece rotary forged
- > 2200 lb. load rating
- > 33" max tire size
- > Available 5 & 6-lug
- > 60° acorn lug nuts
- > Air sensor compatible

Size	WD Polish	+Chrome*	WD Gray	WD Black	Weight
20x8.5	\$690	\$100	\$890	\$890	30 lbs
22x9	\$940	\$120	\$1,190	\$1,190	39 lbs

\*add chrome surcharge to your polish price after discount. No discount on chrome.

### WHEEL FEATURES

- > 3-year polish & structural warranty
- > 1-year chrome, powder coat warranty
- > Billet engraved center cap included

**NEW SERIES FOR 2008!**



**Que 5&6-lug**  
**540 Hi-polish. 541 Chrome**



**Que 5&6-lug**  
**542 Charcoal Gray**



**Que 5&6-lug**  
**543 Midnight Black**

*Last 7 digits of part number are listed below. Add 3 digit style # to beginning of part #.*

Part #	Size	Rearspace	Offset	Bolt Circle	Cap
2856545	20x8.5	5.0 in	+6mm	5 x 4.5"	C-40
2856546	20x8.5	5.0 in	+6mm	5 x 115mm (magnum, 300C/M, charger)	C-40
2856547	20x8.5	5.0 in	+6mm	5 x 4.75"	C-40
2856550	20x8.5	5.0 in	+6mm	5 x 5.0"	C-40
2856552	20x8.5	5.0 in	+6mm	5 x 135mm (hubcentric 5-lug ford)	C-40
2856557	20x8.5	5.0 in	+6mm	5 x 5.5" (hubcentric 5-lug dodge 93-newer)	C-40
2856645	20x8.5	5.0 in	+6mm	6 x 4.5"	C-40
2856652	20x8.5	5.0 in	+6mm	6 x 135mm (hubcentric 6-lug ford)	C-40
2856656	20x8.5	5.0 in	+6mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	C-40
2856655	20x8.5	5.0 in	+6mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	C-40
2297545	22x9	5.5 in	+12mm	5 x 4.5"	C-40
2297546	22x9	5.5 in	+12mm	5 x 115mm (magnum, 300C/M, charger)	C-40
2297547	22x9	5.5 in	+12mm	5 x 4.75"	C-40
2297550	22x9	5.5 in	+12mm	5 x 5.0"	C-40
2297552	22x9	5.5 in	+12mm	5 x 135mm (hubcentric 5-lug ford)	C-40
2297557	22x9	5.5 in	+12mm	5 x 5.5" (hubcentric 5-lug dodge 93-newer)	C-40
2297645	22x9	5.5 in	+12mm	6 x 4.5"	C-40
2297652	22x9	5.5 in	+12mm	6 x 135mm (hubcentric 6-lug ford)	C-40
2297656	22x9	5.5 in	+12mm	6 x 5.5" (hubcentric 6-lug chevy 99-newer)	C-40
2297655	22x9	5.5 in	+12mm	6 x 5.5" (large 4.25" hub w/ push-thru cap)	C-40

# INTERNAL BEADLOCK SERIES - TRUCKS & SUVS - AVAILABLE BRUSHED SATIN, CHROME

## PATENT PENDING BEADLOCK TECHNOLOGY

- > Street legal, DOT-approved beadlock
- > Run flat 20 miles over rough terrain at low speeds
- > Rollover and blowout protection
- > New inner beadlock (no bolts req.) - off road and street
- > Tire mounting: do it yourself without machines
- > No special tire required. Uses conventional tires
- > Fully forged to bulletproof specs. No casting
- > Wheel uses a Centering Element that extends to the inner reaches of the tire's air chamber allowing for an internal beadlock.

Based on Center Line's Military Tactical Wheel:  
Awarded SEMA's \*BEST ENGINEERED PRODUCT\*

## TECHNICAL SPECS

- > Rotary Forged aluminum wheel
- > 3200 lb. load rating for 8-lug
- > 2200 lb. load rating for 6-lug
- > 35" max tire size
- > Available 5, 6 & 8-lug
- > 60° acorn lug nuts
- > Air sensor compatible

## WHEEL FEATURES

- > 3-year structural warranty
- > 1-year chrome warranty
- > All wheels include engraved push-thru center cap as shown
- > Rubber valve stem included

Size	WD Satin	WD Chrm	Weight
17x9	\$675	\$675	48 lbs



I.C.E. 5,6,8-lug  
988 Brushed Satin. 990 Chrome

**Last 7 digits of part number are listed below. Add 3 digit style # to beginning of part #.**

Part #	Size	Rearspace	Offset	Bolt Circle	Cap
7905545	17x9	4.5 in	-12mm	5 x 4.5"	RF-3.187CAP
7905552	17x9	4.5 in	-12mm	5 x 135mm	RF-3.505CAP
7905555	17x9	4.5 in	-12mm	5 x 5.5" (large 4.25" hub)	RF-4.250CAP
7905645	17x9	4.5 in	-12mm	6 x 4.5"	RF-3.187CAP
7905652	17x9	4.5 in	-12mm	6 x 135mm	RF-3.505CAP
7905655	17x9	4.5 in	-12mm	6 x 5.5" (large 4.25" hub)	RF-4.250CAP
7905750	17x9	4.5 in	-12mm	7 x 150mm (7-lug ford)	RF-4.250CAP
7905865	17x9	4.5 in	-12mm	8 x 6.5"	RF-5.125CAP
7905870	17x9	4.5 in	-12mm	8 x 170mm	RF-5.125CAP
7906545	17x9	5.0 in	0mm	5 x 4.5"	RF-3.187CAP
7906552	17x9	5.0 in	0mm	5 x 135mm	RF-3.505CAP
7906555	17x9	5.0 in	0mm	5 x 5.5" (large 4.25" hub)	RF-4.250CAP
7906645	17x9	5.0 in	0mm	6 x 4.5"	RF-3.187CAP
7906652	17x9	5.0 in	0mm	6 x 135mm	RF-3.505CAP
7906655	17x9	5.0 in	0mm	6 x 5.5" (large 4.25" hub)	RF-4.250CAP
7906750	17x9	5.0 in	0mm	7 x 150mm (7-lug ford)	RF-4.250CAP
7906865	17x9	5.0 in	0mm	8 x 6.5"	RF-5.125CAP
7906870	17x9	5.0 in	0mm	8 x 170mm	RF-5.125CAP

# WILDERNESS SERIES-OFFROAD/LIFTED TRUCKS-AVAILABLE HI-POLISH, CHROME

## TECHNICAL SPECS

- > 1-piece rotary forged
- > 3200 lb. load rating!
- > 44" max tire size
- > Available 5, 6 & 8-lug
- > 60° acorn lug nuts
- > Air sensor compatible

## WHEEL FEATURES

- > 3-yr polish & structural warranty
- > Free curb damage repair
- > 1-year chrome warranty
- > 5 & 6-lug wheels include exposed lug caps. 8-lug wheels do not include center caps.
- > Optional beadlock ring
- All wheels available w/ the beadlock ring. Flint & 8-Ball are photographed below.

## OPTIONAL CAPS



Size	WD Polish	+Chrome	+Beadlock	Weight
16x8	\$365	\$100	\$100	22 lbs
16x10	\$380	\$100	\$100	25 lbs
16.5x10	\$380	\$100	\$100	25 lbs
17x8	\$395	\$100	\$100	26 lbs
17x8.5	\$425	\$100	na	28 lbs
17x9	\$430	\$100	\$100	27 lbs
18x9	\$435	\$100	\$100	30 lbs
20x8.5	\$495	\$100	\$100	33 lbs
20x10	\$525	\$100	\$100	36 lbs
20x12	\$560	\$100	\$100	40 lbs
22x9	\$699	\$120	na	37 lbs

\*add chrome surcharge to your polish price after discount. No discount on chrome.

- Cap on front left: P/N CS-105 -- 2" tall, closed end for 5&6-lug
- Cap on back left: P/N CS-106 -- 2" tall, open end for 5&6-lug
- Cap on front middle: P/N CS-107 -- 3-1/2" tall, closed end for 8-lug
- Cap on back right: P/N CS-108 -- 3-1/2" tall, open end for 8-lug
- Cap on front right: P/N CS-109 -- 5" tall, closed end for 8-lug
- Add "C" to end of P/N for chrome caps

### NEW FOR '08



**Eclipse 5,6,8-lug**  
649 Polish. 650 Chrome  
all sizes: push-thru cap only  
8-lug eclipse shown: 5-lug = 5 spokes, 6-lug = 6 spokes

### NEW FOR '08



**Grizzly 5,6,8-lug**  
653 Polish. 654 Chrome  
all sizes: push-thru cap only

### NEW FOR '08



**Turbine 5,6,8-lug**  
657 Polish. 658 Chrome  
all sizes: push-thru cap only

### NEW FOR '08



**Patriot 5,6,8-lug**  
655 Polish. 656 Chrome  
all sizes: push-thru cap only

### NEW FOR '08



**Smoothie 5,6,8-lug**  
529 Polish. 530 Chrome  
all sizes: push-thru cap only



**Wildcat 5,6,8-lug**  
619 Polish. 620 Chrome



**8-Ball 5,6,8-lug**  
633 Polish. 634 Chrome  
8-lug uses push-thru cap only



**8-Ball Beadlock**  
Add "8" to end of p/n



**Flint 5,6,8-lug**  
627 Polish. 628 Chrome  
8-lug uses push-thru cap only



**Flint Beadlock**  
Add "8" to end of p/n



**Falcon 5,6,8-lug**  
629 Polish. 630 Chrome



**Octane 5,6,8-lug**  
631 Polish. 632 Chrome



**Blackfoot 5,6,8-lug**  
625 Polish. 626 Chrome



**Dorsal II 5,6,8-lug**  
641 Polish. 642 Chrome



**Tracker II 5,6,8-lug**  
635 Polish. 636 Chrome



**Vector II 5,6,8-lug**  
637 Polish. 638 Chrome



**Bullet II 5,6,8-lug**  
639 Polish. 640 Chrome



**Scout 5,6,8-lug**  
623 Polish. 624 Chrome



**Wolverine 5,6,8-lug**  
643 Polish. 644 Chrome



**Crossfire 8-lug**  
150 Polish. 151 Chrome

## WILDERNESS SERIES-OFFROAD/LIFTED TRUCKS-AVAILABLE HI-POLISH, CHROME

**Last 7 digits of part number are listed below. Add 3 digit style # to beginning of part #.**

Part #	Size	Rearspace	Offset	Bolt Circle	Cap
6805552	16x8	4.5 in	0mm	5 x 135mm	CS-21 (push-thru, exposed lug); CS-105 (covered lug)
6805545	16x8	4.5 in	0mm	5 x 4.5"	CS-70 (push-thru, exposed lug); CS-105 (covered lug)
6805555	16x8	4.5 in	0mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
6805655	16x8	4.5 in	0mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
6805750	16x8	4.5 in	0mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
6805865	16x8	4.5 in	0mm	8 x 6.5"	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
6805870	16x8	4.5 in	0mm	8 x 170mm	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
6105552	16x10	4.5 in	-25mm	5 x 135mm	CS-21 (push-thru, exposed lug); CS-105 (covered lug)
6105545	16x10	4.5 in	-25mm	5 x 4.5"	CS-70 (push-thru, exposed lug); CS-105 (covered lug)
6105555	16x10	4.5 in	-25mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
6105655	16x10	4.5 in	-25mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
6105750	16x10	4.5 in	-25mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
6105865	16x10	4.5 in	-25mm	8 x 6.5"	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
6105870	16x10	4.5 in	-25mm	8 x 170mm	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
6515552	16.5x10	4.5 in	-25mm	5 x 135mm	CS-21 (push-thru, exposed lug); CS-105 (covered lug)
6515555	16.5x10	4.5 in	-25mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
6515655	16.5x10	4.5 in	-25mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
6515865	16.5x10	4.5 in	-25mm	8 x 6.5"	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
6515870	16.5x10	4.5 in	-25mm	8 x 170mm	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
7805545	17x8	4.5 in	0mm	5 x 4.5"	CS-153 (pop-in oring cap). No covered lug cap option!
7805552	17x8	4.5 in	0mm	5 x 135mm	CS-153 (pop-in oring cap). No covered lug cap option!
7805555	17x8	4.5 in	0mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); No covered lug option!
7805645	17x8	4.5 in	0mm	6 x 4.5"	CS-153 (pop-in oring cap). No covered lug cap option!
7805652	17x8	4.5 in	0mm	6 x 135mm	CS-153 (pop-in oring cap). No covered lug cap option!
7805655	17x8	4.5 in	0mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); No covered lug option!
7805750	17x8	4.5 in	0mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); No covered lug option!
7805865	17x8	4.5 in	0mm	8 x 6.5"	CS-210 (short); CS-211 (regular); CS-213 (open). No cvrd lug!
7805870	17x8	4.5 in	0mm	8 x 170mm	CS-210 (short); CS-211 (regular); CS-213 (open). No cvrd lug!
7858512	17x8.5	6.0 in	+32mm	5 x 120mm	CS-153 (pop-in oring cap). No covered lug cap option!
7858550	17x8.5	6.0 in	+32mm	5 x 5.0"	CS-153 (pop-in oring cap). No covered lug cap option!
7858645	17x8.5	6.0 in	+32mm	6 x 4.5"	CS-153 (pop-in oring cap). No covered lug cap option!
7858652	17x8.5	6.0 in	+32mm	6 x 135mm	CS-153 (pop-in oring cap). No covered lug cap option!
7858655	17x8.5	6.0 in	+32mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); No covered lug option!
7858750	17x8.5	6.0 in	+32mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); No covered lug option!
7858865	17x8.5	6.0 in	+32mm	8 x 6.5"	CS-210 (short); CS-211 (regular); CS-213 (open). No cvrd lug!
7858870	17x8.5	6.0 in	+32mm	8 x 170mm	CS-210 (short); CS-211 (regular); CS-213 (open). No cvrd lug!
7905552	17x9	4.5 in	-12mm	5 x 135mm	CS-21 (push-thru, exposed lug); CS-105 (covered lug)
7905545	17x9	4.5 in	-12mm	5 x 4.5"	CS-70 (push-thru, exposed lug); CS-105 (covered lug)
7905555	17x9	4.5 in	-12mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
7905652	17x9	4.5 in	-12mm	6 x 135mm	CS-21 (push-thru, exposed lug); CS-105 (covered lug)
7905655	17x9	4.5 in	-12mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
7905750	17x9	4.5 in	-12mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
7905865	17x9	4.5 in	-12mm	8 x 6.5"	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
7905870	17x9	4.5 in	-12mm	8 x 170mm	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
7907545	17x9	5.25 in	+6mm	5 x 4.5"	CS-153 (pop-in oring cap). No covered lug cap option!
7907552	17x9	5.25 in	+6mm	5 x 135mm	CS-153 (pop-in oring cap). No covered lug cap option!
7907555	17x9	5.25 in	+6mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); No covered lug option!
7907645	17x9	5.25 in	+6mm	6 x 4.5"	CS-153 (pop-in oring cap). No covered lug cap option!
7907652	17x9	5.25 in	+6mm	6 x 135mm	CS-153 (pop-in oring cap). No covered lug cap option!
7907655	17x9	5.25 in	+6mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); No covered lug option!
7907750	17x9	5.25 in	+6mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); No covered lug option!
7907865	17x9	5.25 in	+6mm	8 x 6.5"	CS-210 (short); CS-211 (regular); CS-213 (open). No cvrd lug!
7907870	17x9	5.25 in	+6mm	8 x 170mm	CS-210 (short); CS-211 (regular); CS-213 (open). No cvrd lug!

# WILDERNESS SERIES-OFFROAD/LIFTED TRUCKS-AVAILABLE HI-POLISH, CHROME

**Last 7 digits of part number are listed below. Add 3 digit style # to beginning of part #.**

Part #	Size	Rearspace	Offset	Bolt Circle	Cap
8905545	18x9	4.5 in	-12mm	5 x 4.5"	CS-70 (push-thru, exposed lug); CS-105 (covered lug)
8905552	18x9	4.5 in	-12mm	5 x 135mm	CS-21 (push-thru, exposed lug); CS-105 (covered lug)
8905555	18x9	4.5 in	-12mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
8905652	18x9	4.5 in	-12mm	6 x 135mm	CS-21 (push-thru, exposed lug); CS-105 (covered lug)
8905655	18x9	4.5 in	-12mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
8905750	18x9	4.5 in	-12mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
8905865	18x9	4.5 in	-12mm	8 x 6.5"	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
8905870	18x9	4.5 in	-12mm	8 x 170mm	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
8907545	18x9	5.25 in	+6mm	5 x 4.5"	CS-153 (pop-in oring cap). No covered lug cap option!
8907552	18x9	5.25 in	+6mm	5 x 135mm	CS-153 (pop-in oring cap). No covered lug cap option!
8907555	18x9	5.25 in	+6mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); No covered lug option!
8907645	18x9	5.25 in	+6mm	6 x 4.5"	CS-153 (pop-in oring cap). No covered lug cap option!
8907652	18x9	5.25 in	+6mm	6 x 135mm	CS-153 (pop-in oring cap). No covered lug cap option!
8907655	18x9	5.25 in	+6mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); No covered lug option!
8907750	18x9	5.25 in	+6mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); No covered lug option!
8907865	18x9	5.25 in	+6mm	8 x 6.5"	CS-210 (short); CS-211 (regular); CS-213 (open). No cvrd lug!
8907870	18x9	5.25 in	+6mm	8 x 170mm	CS-210 (short); CS-211 (regular); CS-213 (open). No cvrd lug!
2856545	20x8.5	5.0 in	+6mm	5 x 4.5"	CS-153 (pop-in oring cap). No covered lug cap option!
2856552	20x8.5	5.0 in	+6mm	5 x 135mm	CS-153 (pop-in oring cap). No covered lug cap option!
2856555	20x8.5	5.0 in	+6mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); No covered lug option!
2856645	20x8.5	5.0 in	+6mm	6 x 4.5"	CS-153 (pop-in oring cap). No covered lug cap option!
2856652	20x8.5	5.0 in	+6mm	6 x 135mm	CS-153 (pop-in oring cap). No covered lug cap option!
2856655	20x8.5	5.0 in	+6mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); No covered lug option!
2856750	20x8.5	5.0 in	+6mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); No covered lug option!
2856865	20x8.5	5.0 in	+6mm	8 x 6.5"	CS-210 (short); CS-211 (regular); CS-213 (open). No cvrd lug!
2856870	20x8.5	5.0 in	+6mm	8 x 170mm	CS-210 (short); CS-211 (regular); CS-213 (open). No cvrd lug!
2858512	20x8.5	6.0 in	+32mm	5 x 120mm	CS-153 (pop-in oring cap). No covered lug cap option!
2858515	20x8.5	6.0 in	+32mm	5 x 150mm (toyota 07-newer)	tbd
2858550	20x8.5	6.0 in	+32mm	5 x 5.0"	CS-153 (pop-in oring cap). No covered lug cap option!
2858645	20x8.5	6.0 in	+32mm	6 x 4.5"	CS-153 (pop-in oring cap). No covered lug cap option!
2858652	20x8.5	6.0 in	+32mm	6 x 135mm	CS-153 (pop-in oring cap). No covered lug cap option!
2858655	20x8.5	6.0 in	+32mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); No covered lug option!
2858750	20x8.5	6.0 in	+32mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); No covered lug option!
2858865	20x8.5	6.0 in	+32mm	8 x 6.5"	CS-210 (short); CS-211 (regular); CS-213 (open). No cvrd lug!
2858870	20x8.5	6.0 in	+32mm	8 x 170mm	CS-210 (short); CS-211 (regular); CS-213 (open). No cvrd lug!
2105545	20x10	4.5 in	-25mm	5 x 4.5"	CS-70 (push-thru, exposed lug); CS-105 (covered lug)
2105552	20x10	4.5 in	-25mm	5 x 135mm	CS-21 (push-thru, exposed lug); CS-105 (covered lug)
2105555	20x10	4.5 in	-25mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
2105652	20x10	4.5 in	-25mm	6 x 135mm	CS-21 (push-thru, exposed lug); CS-105 (covered lug)
2105655	20x10	4.5 in	-25mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
2105750	20x10	4.5 in	-25mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
2105865	20x10	4.5 in	-25mm	8 x 6.5"	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
2105870	20x10	4.5 in	-25mm	8 x 170mm	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
2125545	20x12	4.5 in	-51mm	5 x 4.5"	CS-153 (pop-in cap, exposed lug); CS-105 (covered lug)
2125552	20x12	4.5 in	-51mm	5 x 135mm	CS-153 (pop-in cap, exposed lug); CS-105 (covered lug)
2125555	20x12	4.5 in	-51mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
2125652	20x12	4.5 in	-51mm	6 x 135mm	CS-153 (pop-in cap, exposed lug); CS-105 (covered lug)
2125655	20x12	4.5 in	-51mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
2125750	20x12	4.5 in	-51mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
2125865	20x12	4.5 in	-51mm	8 x 6.5"	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
2125870	20x12	4.5 in	-51mm	8 x 170mm	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
2127545	20x12	5.5 in	-25mm	5 x 4.5"	CS-153 (pop-in cap, exposed lug); CS-105 (covered lug)
2127552	20x12	5.5 in	-25mm	5 x 135mm	CS-153 (pop-in cap, exposed lug); CS-105 (covered lug)
2127555	20x12	5.5 in	-25mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
2127652	20x12	5.5 in	-25mm	6 x 135mm	CS-153 (pop-in cap, exposed lug); CS-105 (covered lug)
2127655	20x12	5.5 in	-25mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
2127750	20x12	5.5 in	-25mm	7 x 150mm (7-lug ford)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
2127865	20x12	5.5 in	-25mm	8 x 6.5"	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
2127870	20x12	5.5 in	-25mm	8 x 170mm	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
2297552	22x9	5.5 in	+12mm	5 x 135mm	CS-21 (push-thru, exposed lug); CS-105 (covered lug)
2297555	22x9	5.5 in	+12mm	5 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
2297652	22x9	5.5 in	+12mm	6 x 135mm	CS-21 (push-thru, exposed lug); CS-105 (covered lug)
2297655	22x9	5.5 in	+12mm	6 x 5.5" (large 4.25" hub)	CS-102 (push-thru, exposed lug); CS-105 (covered lug)
2297865	22x9	5.5 in	+12mm	8 x 6.5"	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)
2297870	22x9	5.5 in	+12mm	8 x 170mm	CS-211 push thru (CS-213 if open). CS-107/108 (covered lug)

# MONSOON SERIES - SPORT COMPACT CARS - AVAILABLE HI-POLISH, CHROME

### TECHNICAL SPECS

- > 1-piece rotary forged
- > 1200 lb. load rating
- > 26" max tire size
- > Available 4 & 5-lug
- > 60° acorn lug nuts
- > Air sensor compatible

### WHEEL FEATURES

- > 3-year polish & structural warranty
- > Free curb damage repair & inspection
- > 1-year chrome warranty
- > Center cap included
- > Hubrings suggested

Size	WD Polish	+Chrome*	Weight
15x7*	<b>\$330</b>	<b>\$100</b>	13.5 lbs
17x7	<b>\$415</b>	<b>\$100</b>	15 lbs
18x7	<b>\$445</b>	<b>\$100</b>	17 lbs
19x7.5	<b>\$475</b>	<b>\$100</b>	18 lbs

\*add chrome surcharge to your polish price after discount.

### Viking 4&5-lug

341 Hi-polish. 342 Chrome



### Piranha 4&5-lug

343 Hi-polish. 344 Chrome



### Neutron 4&5-lug

345 Hi-polish. 346 Chrome



### Storm 4&5-lug

347 Hi-polish. 348 Chrome



### RPM II 4&5-lug

349 Hi-polish. 350 Chrome  
available 17" & larger



### Excel II 4&5-lug

353 Hi-polish. 354 Chrome  
available 17" & larger

**Last 7 digits of part number are listed below. Add 3 digit style # to beginning of part #.**

Part #	Size	Offset	Bolt Circle	Centerbore	Cap	RPM/Excel
5707439	15x7	+42mm	4 x 100mm	72.62mm	CS-152	--
5707442	15x7	+42mm	4 x 4.25" (same as 4 x 108mm)	72.62mm	CS-152	--
5707445	15x7	+42mm	4 x 4.5" (same as 4 x 114.3mm)	72.62mm	CS-152	--
5707539	15x7	+42mm	5 x 100mm	72.62mm	CS-152	--
5707542	15x7	+42mm	5 x 4.25" (same as 5 x 108mm)	72.62mm	CS-152	--
5707543	15x7	+42mm	5 x 110mm	72.62mm	CS-152	--
5707545	15x7	+42mm	5 x 4.5" (same as 5 x 114.3mm)	72.62mm	CS-152	--
7707439	17x7	+42mm	4 x 100mm	72.62mm	CS-152	CS-150
7707442	17x7	+42mm	4 x 4.25" (same as 4 x 108mm)	72.62mm	CS-152	CS-150
7707445	17x7	+42mm	4 x 4.5" (same as 4 x 114.3mm)	72.62mm	CS-152	CS-150
7707539	17x7	+42mm	5 x 100mm	72.62mm	CS-152	CS-151
7707542	17x7	+42mm	5 x 4.25" (same as 5 x 108mm)	72.62mm	CS-152	CS-151
7707543	17x7	+42mm	5 x 110mm	72.62mm	CS-152	CS-151
7707544	17x7	+42mm	5 x 112mm	72.62mm	CS-152	CS-151
7707545	17x7	+42mm	5 x 4.5" (same as 5 x 114.3mm)	72.62mm	CS-152	CS-151
7707546	17x7	+42mm	5 x 115mm	72.62mm	CS-152	CS-151
8708439	18x7	+42mm	4 x 100mm	72.62mm	CS-152	CS-150
8708442	18x7	+42mm	4 x 4.25" (same as 4 x 108mm)	72.62mm	CS-152	CS-150
8708445	18x7	+42mm	4 x 4.5" (same as 4 x 114.3mm)	72.62mm	CS-152	CS-150
8708539	18x7	+42mm	5 x 100mm	72.62mm	CS-152	CS-151
8708542	18x7	+42mm	5 x 4.25" (same as 5 x 108mm)	72.62mm	CS-152	CS-151
8708543	18x7	+42mm	5 x 110mm	72.62mm	CS-152	CS-151
8708544	18x7	+42mm	5 x 112mm	72.62mm	CS-152	CS-151
8708545	18x7	+42mm	5 x 4.5" (same as 5 x 114.3mm)	72.62mm	CS-152	CS-151
8708546	18x7	+42mm	5 x 115mm	72.62mm	CS-152	CS-151
9758439	19x7.5	+42mm	4 x 100mm	72.62mm	CS-152	CS-150
9758442	19x7.5	+42mm	4 x 4.25" (same as 4 x 108mm)	72.62mm	CS-152	CS-150
9758445	19x7.5	+42mm	4 x 4.5" (same as 4 x 114.3mm)	72.62mm	CS-152	CS-150
9758539	19x7.5	+42mm	5 x 100mm	72.62mm	CS-152	CS-151
9758542	19x7.5	+42mm	5 x 4.25" (same as 5 x 108mm)	72.62mm	CS-152	CS-151
9758543	19x7.5	+42mm	5 x 110mm	72.62mm	CS-152	CS-151
9758544	19x7.5	+42mm	5 x 112mm	72.62mm	CS-152	CS-151
9758545	19x7.5	+42mm	5 x 4.5" (same as 5 x 114.3mm)	72.62mm	CS-152	CS-151
9758546	19x7.5	+42mm	5 x 115mm	72.62mm	CS-152	CS-151

# LEGEND SERIES - CUSTOM BUILT 2-PIECE WHEELS - AVAILABLE HI-POLISH

Featuring classic designs available in a range of sizes.  
This is a ROTARY FORGED billet aluminum wheel manufactured by welding the center section into an outer rim enabling you to customize the rearspace & width.

**New size: 20x15 NOW AVAILABLE in various styles!!**

### TECHNICAL SPECS

- > 2-piece rotary forged
- > 1625 lb. load rating
- > 32" max tire size
- > Available in 5-lug only
- > 60° acorn lug nuts
- > Air sensor compatible

### WHEEL FEATURES

- > 3-year polish & structural warranty
- > Wheel specs can be customized
- > Center cap included (see individual wheel descriptions for center cap part numbers)

**16"-20"  
NEW  
SIZES**

Size	WD Polish	Weight	Rearspace Range	
			Min	Max
15x4	\$360	11 lbs	1-5/8 in	1-5/8 in
15x6	\$370	12 lbs	3.5 in	4.0 in
15x7	\$395	13 lbs	3.5 in	5.0 in
15x8	\$425	15 lbs	3.5 in	5.5 in
15x10	\$450	16 lbs	3.5 in	7.0 in
16x7	\$460	17 lbs	3.5 in	5.0 in
16x8	\$465	18 lbs	3.5 in	5.5 in
16x9.5	\$495	20 lbs	4.0 in	7.0 in
17x7	\$495	19 lbs	3.5 in	5.0 in
17x8	\$505	20 lbs	3.5 in	5.75 in
17x9.5	\$550	21 lbs	4.0 in	7.0 in
18x8	\$670	21 lbs	3.5 in	5.75 in
18x9.5	\$695	22 lbs	4.0 in	7.0 in
20x8	\$770	26 lbs	3.5 in	5.75 in
20x9.5	\$795	28 lbs	4.0 in	7.0 in
20x15	\$1,280	call	4.5 in	6.0 in

Rearspace available in 1/2" increments.



**Telstar 5-lug**  
13 Hi-polish finish  
Available 15", 16", 17", 18", 20"  
Chrome steel cap p/n CS-70  
(except 5-5.0" bolt = CS-21)



**Champ 506 5-lug**  
19 Hi-polish finish  
Available 17", 18"  
3-bar spinner cap p/n CS-35



**Saber II 5-lug**  
21 Hi-polish finish  
Available 17", 18"  
Chrome steel cap p/n CS-70  
(except 5-5.0" bolt = CS-21)



**Auto Drag III 5-lug**  
17 Hi-polish finish. 18 Brushed satin  
Available 15", 16", 17", 18", 20"  
Chrome steel cap p/n CS-70  
(except 5-5.0" bolt = CS-21)



**Lazer 5-lug**  
919 Hi-polish finish  
Available 17", 18", 20"  
Billet engraved cap p/n CS-153



**Retro 5-lug**  
915 Hi-polish finish  
Available 15", 16", 17", 18", 20"  
Billet engraved cap p/n CS-153



**Retro 5-lug, 20x15**  
915 Hi-polish finish  
Actual photo of 20x15 wheel with 4.5" rearspace

**NEW: 20x15**

These are the most common part numbers. Add'l configurations as long as they fall within the rearspace & width ranges listed in the chart above  
**Last 7 digits of part number are listed below. Add 2-3 digit style # to beginning of part #.**

Part #	Size	Rearspace	Offset	Bolt Circle	Part #	Size	Rearspace	Offset	Bolt Circle
5401545	15x4	1-5/8	na	5 x 4.5"	5803550	15x8	3.5 in	-25mm	5 x 5.0"
5401547	15x4	1-5/8	na	5 x 4.75"	5804545	15x8	4.0 in	-12mm	5 x 4.5"
5603545	15x6	3.5 in	0mm	5 x 4.5"	5804547	15x8	4.0 in	-12mm	5 x 4.75"
5603547	15x6	3.5 in	0mm	5 x 4.75"	5804550	15x8	4.0 in	-12mm	5 x 5.0"
5603550	15x6	3.5 in	0mm	5 x 5.0"	5805545	15x8	4.5 in	0mm	5 x 4.5"
5604545	15x6	4.0 in	+12mm	5 x 4.5"	5805547	15x8	4.5 in	0mm	5 x 4.75"
5604547	15x6	4.0 in	+12mm	5 x 4.75"	5805550	15x8	4.5 in	0mm	5 x 5.0"
5703545	15x7	3.5 in	-12mm	5 x 4.5"	5806547	15x8	5.0 in	+12mm	5 x 4.75"
5703547	15x7	3.5 in	-12mm	5 x 4.75"	5806550	15x8	5.0 in	+12mm	5 x 5.0"
5704545	15x7	4.0 in	0mm	5 x 4.5"	5807547	15x8	5.5 in	+25mm	5 x 4.75"
5704547	15x7	4.0 in	0mm	5 x 4.75"	5807550	15x8	5.5 in	+25mm	5 x 5.0"
5704550	15x7	4.0 in	0mm	5 x 5.0"	5103545	15x10	3.5 in	-51mm	5 x 4.5"
5705547	15x7	4.5 in	+12mm	5 x 4.75"	5103550	15x10	3.5 in	-51mm	5 x 5.0"
5706545	15x7	5.0 in	+25mm	5 x 4.5"	5104545	15x10	4.0 in	-38mm	5 x 4.5"
5706547	15x7	5.0 in	+25mm	5 x 4.75"	5104547	15x10	4.0 in	-38mm	5 x 4.75"
5803545	15x8	3.5 in	-25mm	5 x 4.5"	5104550	15x10	4.0 in	-38mm	5 x 5.0"
5803547	15x8	3.5 in	-25mm	5 x 4.75"	5105545	15x10	4.5 in	-25mm	5 x 4.5"

# LEGEND SERIES - CUSTOM BUILT 2-PIECE WHEELS - AVAILABLE HI-POLISH

*Last 7 digits of part number are listed below. Add 2-3 digit style # to beginning of part #.*

Part #	Size	Rearspace	Offset	Bolt Circle	Part #	Size	Rearspace	Offset	Bolt Circle
5105547	15x10	4.5 in	-25mm	5 x 4.75"	7954545	17x9.5	4.0 in	-32mm	5 x 4.5"
5105550	15x10	4.5 in	-25mm	5 x 5.0"	7954547	17x9.5	4.0 in	-32mm	5 x 4.75"
5106545	15x10	5.0 in	-12mm	5 x 4.5"	7955545	17x9.5	4.5 in	-19mm	5 x 4.5"
5106547	15x10	5.0 in	-12mm	5 x 4.75"	7955547	17x9.5	4.5 in	-19mm	5 x 4.75"
5106550	15x10	5.0 in	-12mm	5 x 5.0"	7955550	17x9.5	4.5 in	-19mm	5 x 5.0"
5107545	15x10	5.5 in	0mm	5 x 4.5"	7956545	17x9.5	5.0 in	-6mm	5 x 4.5"
5107547	15x10	5.5 in	0mm	5 x 4.75"	7956547	17x9.5	5.0 in	-6mm	5 x 4.75"
5107550	15x10	5.5 in	0mm	5 x 5.0"	7956550	17x9.5	5.0 in	-6mm	5 x 5.0"
5108545	15x10	6.0 in	+12mm	5 x 4.5"	7957545	17x9.5	5.5 in	+6mm	5 x 4.5"
5108547	15x10	6.0 in	+12mm	5 x 4.75"	7957547	17x9.5	5.5 in	+6mm	5 x 4.75"
5108550	15x10	6.0 in	+12mm	5 x 5.0"	7957550	17x9.5	5.5 in	+6mm	5 x 5.0"
5109545	15x10	6.5 in	+12mm	5 x 4.5"	7958545	17x9.5	6.0 in	+19mm	5 x 4.5"
5109547	15x10	6.5 in	+12mm	5 x 4.75"	7958547	17x9.5	6.0 in	+19mm	5 x 4.75"
5109550	15x10	6.5 in	+12mm	5 x 5.0"	7958550	17x9.5	6.0 in	+19mm	5 x 5.0"
6703545	16x7	3.5 in	-12mm	5 x 4.5"	7959547	17x9.5	6.5 in	+19mm	5 x 4.75"
6703547	16x7	3.5 in	-12mm	5 x 4.75"	7959545	17x9.5	6.5 in	+19mm	5 x 4.5"
6703550	16x7	3.5 in	-12mm	5 x 5.0"	7951547	17x9.5	7.0 in	na	5 x 4.75"
6704545	16x7	4.0 in	0mm	5 x 4.5"	7951545	17x9.5	7.0 in	na	5 x 4.5"
6704547	16x7	4.0 in	0mm	5 x 4.75"	8803545	18x8	3.5 in	-25mm	5 x 4.5"
6704550	16x7	4.0 in	0mm	5 x 5.0"	8803547	18x8	3.5 in	-25mm	5 x 4.75"
6705545	16x7	4.5 in	+12mm	5 x 4.5"	8803550	18x8	3.5 in	-25mm	5 x 5.0"
6705547	16x7	4.5 in	+12mm	5 x 4.75"	8804545	18x8	4.0 in	-12mm	5 x 4.5"
6705550	16x7	4.5 in	+12mm	5 x 5.0"	8804547	18x8	4.0 in	-12mm	5 x 4.75"
6706547	16x7	5.0 in	+25mm	5 x 4.75"	8804550	18x8	4.0 in	-12mm	5 x 5.0"
6706545	16x7	5.0 in	+25mm	5 x 4.5"	8805545	18x8	4.5 in	0mm	5 x 4.5"
6803545	16x8	3.5 in	-25mm	5 x 4.5"	8805547	18x8	4.5 in	0mm	5 x 4.75"
6803547	16x8	3.5 in	-25mm	5 x 4.75"	8805550	18x8	4.5 in	0mm	5 x 5.0"
6803550	16x8	3.5 in	-25mm	5 x 5.0"	8806545	18x8	5.0 in	+12mm	5 x 4.5"
6804545	16x8	4.0 in	-12mm	5 x 4.5"	8806547	18x8	5.0 in	+12mm	5 x 4.75"
6804547	16x8	4.0 in	-12mm	5 x 4.75"	8807545	18x8	5.5 in	+25mm	5 x 4.5"
6804550	16x8	4.0 in	-12mm	5 x 5.0"	8807547	18x8	5.5 in	+25mm	5 x 4.75"
6805545	16x8	4.5 in	0mm	5 x 4.5"	8801545	18x8	5.75 in	+32mm	5 x 4.5"
6805547	16x8	4.5 in	0mm	5 x 4.75"	8954545	18x9.5	4.0 in	-32mm	5 x 4.5"
6805550	16x8	4.5 in	0mm	5 x 5.0"	8954547	18x9.5	4.0 in	-32mm	5 x 4.75"
6806545	16x8	5.0 in	+12mm	5 x 4.5"	8955545	18x9.5	4.5 in	-19mm	5 x 4.5"
6806547	16x8	5.0 in	+12mm	5 x 4.75"	8955547	18x9.5	4.5 in	-19mm	5 x 4.75"
6807545	16x8	5.5 in	+25mm	5 x 4.5"	8955550	18x9.5	4.5 in	-19mm	5 x 5.0"
6807547	16x8	5.5 in	+25mm	5 x 4.75"	8956545	18x9.5	5.0 in	-6mm	5 x 4.5"
6954545	16x9.5	4.0 in	-32mm	5 x 4.5"	8956547	18x9.5	5.0 in	-6mm	5 x 4.75"
6954547	16x9.5	4.0 in	-32mm	5 x 4.75"	8956550	18x9.5	5.0 in	-6mm	5 x 5.0"
6955545	16x9.5	4.5 in	-19mm	5 x 4.5"	8957545	18x9.5	5.5 in	+6mm	5 x 4.5"
6955547	16x9.5	4.5 in	-19mm	5 x 4.75"	8957547	18x9.5	5.5 in	+6mm	5 x 4.75"
6955550	16x9.5	4.5 in	-19mm	5 x 5.0"	8957550	18x9.5	5.5 in	+6mm	5 x 5.0"
6956545	16x9.5	5.0 in	-6mm	5 x 4.5"	8958545	18x9.5	6.0 in	+19mm	5 x 4.5"
6956547	16x9.5	5.0 in	-6mm	5 x 4.75"	8958547	18x9.5	6.0 in	+19mm	5 x 4.75"
6956550	16x9.5	5.0 in	-6mm	5 x 5.0"	8958550	18x9.5	6.0 in	+19mm	5 x 5.0"
6957545	16x9.5	5.5 in	+6mm	5 x 4.5"	8959547	18x9.5	6.5 in	+19mm	5 x 4.75"
6957547	16x9.5	5.5 in	+6mm	5 x 4.75"	8959545	18x9.5	6.5 in	+19mm	5 x 4.5"
6957550	16x9.5	5.5 in	+6mm	5 x 5.0"	8951547	18x9.5	7.0 in	na	5 x 4.75"
6958545	16x9.5	6.0 in	+19mm	5 x 4.5"	8951545	18x9.5	7.0 in	na	5 x 4.5"
6958547	16x9.5	6.0 in	+19mm	5 x 4.75"	2803545	20x8	3.5 in	-25mm	5 x 4.5"
6958550	16x9.5	6.0 in	+19mm	5 x 5.0"	2803547	20x8	3.5 in	-25mm	5 x 4.75"
6959547	16x9.5	6.5 in	+19mm	5 x 4.75"	2803550	20x8	3.5 in	-25mm	5 x 5.0"
6959545	16x9.5	6.5 in	+19mm	5 x 4.5"	2804545	20x8	4.0 in	-12mm	5 x 4.5"
6951547	16x9.5	7.0 in	na	5 x 4.75"	2804547	20x8	4.0 in	-12mm	5 x 4.75"
6951545	16x9.5	7.0 in	na	5 x 4.5"	2804550	20x8	4.0 in	-12mm	5 x 5.0"
7703545	17x7	3.5 in	-12mm	5 x 4.5"	2805545	20x8	4.5 in	0mm	5 x 4.5"
7703547	17x7	3.5 in	-12mm	5 x 4.75"	2805547	20x8	4.5 in	0mm	5 x 4.75"
7703550	17x7	3.5 in	-12mm	5 x 5.0"	2805550	20x8	4.5 in	0mm	5 x 5.0"
7704545	17x7	4.0 in	0mm	5 x 4.5"	2806545	20x8	5.0 in	+12mm	5 x 4.5"
7704547	17x7	4.0 in	0mm	5 x 4.75"	2806547	20x8	5.0 in	+12mm	5 x 4.75"
7704550	17x7	4.0 in	0mm	5 x 5.0"	2807545	20x8	5.5 in	+25mm	5 x 4.5"
7705545	17x7	4.5 in	+12mm	5 x 4.5"	2807547	20x8	5.5 in	+25mm	5 x 4.75"
7705547	17x7	4.5 in	+12mm	5 x 4.75"	2801545	20x8	5.75 in	+32mm	5 x 4.5"
7705550	17x7	4.5 in	+12mm	5 x 5.0"	2954545	20x9.5	4.0 in	-32mm	5 x 4.5"
7706547	17x7	5.0 in	+25mm	5 x 4.75"	2954547	20x9.5	4.0 in	-32mm	5 x 4.75"
7706545	17x7	5.0 in	+25mm	5 x 4.5"	2955545	20x9.5	4.5 in	-19mm	5 x 4.5"
7803545	17x8	3.5 in	-25mm	5 x 4.5"	2955547	20x9.5	4.5 in	-19mm	5 x 4.75"
7803547	17x8	3.5 in	-25mm	5 x 4.75"	2955550	20x9.5	4.5 in	-19mm	5 x 5.0"
7803550	17x8	3.5 in	-25mm	5 x 5.0"	2956545	20x9.5	5.0 in	-6mm	5 x 4.5"
7804545	17x8	4.0 in	-12mm	5 x 4.5"	2956547	20x9.5	5.0 in	-6mm	5 x 4.75"
7804550	17x8	4.0 in	-12mm	5 x 5.0"	2957545	20x9.5	5.5 in	+6mm	5 x 4.5"
7805545	17x8	4.5 in	0mm	5 x 4.5"	2957547	20x9.5	5.5 in	+6mm	5 x 4.75"
7805547	17x8	4.5 in	0mm	5 x 4.75"	2957550	20x9.5	5.5 in	+6mm	5 x 5.0"
7805550	17x8	4.5 in	0mm	5 x 5.0"	2958545	20x9.5	6.0 in	+19mm	5 x 4.5"
7806545	17x8	5.0 in	+12mm	5 x 4.5"	2958547	20x9.5	6.0 in	+19mm	5 x 4.75"
7806547	17x8	5.0 in	+12mm	5 x 4.75"	2958550	20x9.5	6.0 in	+19mm	5 x 5.0"
7807545	17x8	5.5 in	+25mm	5 x 4.5"	2959547	20x9.5	6.5 in	+19mm	5 x 4.75"
7807547	17x8	5.5 in	+25mm	5 x 4.75"	2959545	20x9.5	6.5 in	+19mm	5 x 4.5"
7801545	17x8	5.75 in	+32mm	5 x 4.5"	2951547	20x9.5	7.0 in	na	5 x 4.75"
					2951545	20x9.5	7.0 in	na	5 x 4.5"
					2154545	20x15	4.0 in	deep dish	5 x 4.5"
					2154547	20x15	4.0 in	deep dish	5 x 4.75"
					2154550	20x15	4.0 in	deep dish	5 x 5.0"

## BILLET SERIES - CUSTOM BUILT 2-PIECE WHEELS - AVAILABLE HI-POLISH

This is a ROTARY FORGED billet aluminum wheel manufactured by welding the center section into an outer rim enabling you to customize the rearspace & width.

### TECHNICAL SPECS

- > 2-piece rotary forged
- > 1625 lb. load rating
- > 32" max tire size
- > 4, 5 & 6-lug versions
- > 60° acorn lug nuts
- > Air sensor compatible

### WHEEL FEATURES

- > 3-year polish & structural warranty
- > Wheel specs can be customized
- > Billet engraved covered-lug center cap included:
  - 2-screw cap is part # CS-123 (open version is CS-27)
  - 1-screw cap is part # CS-136 (open version is CS-135)

Size	WD Polish	Weight	Rearspace Range	
			Min	Max
15x6	<b>\$400</b>	14 lbs	3.5 in	4.0 in
15x7	<b>\$420</b>	15 lbs	3.5 in	5.0 in
15x8	<b>\$435</b>	16 lbs	3.5 in	5.5 in
15x10	<b>\$450</b>	18 lbs	3.5 in	7.0 in
16x7	<b>\$460</b>	17 lbs	3.5 in	5.0 in
16x8	<b>\$465</b>	18 lbs	3.5 in	5.5 in
16x9.5	<b>\$495</b>	20 lbs	4.0 in	7.0 in
17x7	<b>\$495</b>	19 lbs	3.5 in	5.0 in
17x8	<b>\$505</b>	20 lbs	3.5 in	5.75 in
17x9.5	<b>\$550</b>	21 lbs	4.0 in	7.0 in
18x8	<b>\$670</b>	21 lbs	3.5 in	5.75 in
18x9.5	<b>\$695</b>	22 lbs	4.0 in	7.0 in
20x8	<b>\$770</b>	26 lbs	3.5 in	5.75 in
20x9.5	<b>\$795</b>	28 lbs	4.0 in	7.0 in

Rearspace available in 1/2" increments.



**Mojave**  
817 Hi-polish finish  
Available 15", 16", 17", 18", 20"



**Ventura**  
880 Hi-polish finish  
Available 15", 16", 17", 18"



**Corona**  
813 Hi-polish finish  
Available 15", 16", 17", 18", 20"



**Thruster**  
806 Hi-polish finish  
Available 15", 16", 17", 18"



**Trigon**  
802 Hi-polish finish  
Available 15", 16", 17", 18"



**Razor**  
814 Hi-polish finish  
Available 15", 16", 17", 18"



**Fluted Hawk**  
192 Hi-polish finish  
Available 15", 16", 17"



**Scorpion**  
91 Hi-polish finish  
Available 15", 16", 17"



**Star**  
74 Hi-polish finish  
Available 15", 16", 17"



**Hammer**  
78 Hi-polish finish  
Available 15", 16", 17"



**Billet GN**  
89 Hi-polish finish  
Available 15", 16", 17"



**Stealth**  
77 Hi-polish finish  
Available 15", 16", 17"

## BILLET SERIES - CUSTOM BUILT 2-PIECE WHEELS - AVAILABLE HI-POLISH

These are the most common part numbers. It is possible to build add'l configurations as long as they fall within the rearspace & width ranges listed in the pricing chart on the previous page. Can build almost any 4-lug, 5-lug or 6-lug pattern in these wheels.

**Last 7 digits of part number are listed below. Add 2 or 3 digit style # to beginning of part #.**

Part #	Size	Rearspace	Offset	Bolt Circle	Part #	Size	Rearspace	Offset	Bolt Circle
5603507	15x6	3.5 in	0mm	5 x 4.5", 4.75"	7704507	17x7	4.0 in	0mm	5 x 4.5", 4.75"
5604507	15x6	4.0 in	+12mm	5 x 4.5", 4.75"	7705425	17x7	4.5 in	+12mm	4 x 4.25", 4.5"
5603505	15x6	3.5 in	0mm	5 x 5.0", 5.5"	7705507	17x7	4.5 in	+12mm	5 x 4.5", 4.75"
5703507	15x7	3.5 in	-12mm	5 x 4.5", 4.75"	7705505	17x7	4.5 in	+12mm	5 x 5.0", 5.5"
5703505	15x7	3.5 in	-12mm	5 x 5.0", 5.5"	7706655	17x7	5.0 in	+25mm	6 x 5.5"
5704507	15x7	4.0 in	0mm	5 x 4.5", 4.75"	7804507	17x8	4.0 in	-12mm	5 x 4.5", 4.75"
5704505	15x7	4.0 in	0mm	5 x 5.0", 5.5"	7804505	17x8	4.0 in	-12mm	5 x 5.0", 5.5"
5705425	15x7	4.5 in	+12mm	4 x 4.25", 4.5"	7805507	17x8	4.5 in	0mm	5 x 4.5", 4.75"
5705507	15x7	4.5 in	+12mm	5 x 4.5", 4.75"	7805505	17x8	4.5 in	0mm	5 x 5.0", 5.5"
5705655	15x7	4.5 in	+12mm	6 x 5.5"	7805552	17x8	4.5 in	0mm	5 x 135mm h.c.
5706507	15x7	5.0 in	+25mm	5 x 4.5", 4.75"	7805655	17x8	4.5 in	0mm	6 x 5.5"
5706655	15x7	5.0 in	+25mm	6 x 5.5"	7805656	17x8	4.5 in	0mm	6 x 5.5" h.c.
5803507	15x8	3.5 in	-25mm	5 x 4.5", 4.75"	7806425	17x8	5.0 in	+12mm	4 x 4.25", 4.5"
5803505	15x8	3.5 in	-25mm	5 x 5.0", 5.5"	7806507	17x8	5.0 in	+12mm	5 x 4.5", 4.75"
5803555	15x8	3.5 in	-25mm	5 x 5.5"	7806505	17x8	5.0 in	+12mm	5 x 5.0", 5.5"
5803655	15x8	3.5 in	-25mm	6 x 5.5"	7806552	17x8	5.0 in	+12mm	5 x 135mm h.c.
5804507	15x8	4.0 in	-12mm	5 x 4.5", 4.75"	7806655	17x8	5.0 in	+12mm	6 x 5.5"
5804505	15x8	4.0 in	-12mm	5 x 5.0", 5.5"	7806656	17x8	5.0 in	+12mm	6 x 5.5" h.c.
5804655	15x8	4.0 in	-12mm	6 x 5.5"	7807507	17x8	5.5 in	+25mm	5 x 4.5", 4.75"
5805507	15x8	4.5 in	0mm	5 x 4.5", 4.75"	7807645	17x8	5.5 in	+25mm	6 x 4.5"
5805505	15x8	4.5 in	0mm	5 x 5.0", 5.5"	7956507	17x9.5	5.0 in	-6mm	5 x 4.5", 4.75"
5806425	15x8	5.0 in	+12mm	4 x 4.25", 4.5"	7956505	17x9.5	5.0 in	-6mm	5 x 5.0", 5.5"
5806507	15x8	5.0 in	+12mm	5 x 4.5", 4.75"	7956552	17x9.5	5.0 in	-6mm	5 x 135mm h.c.
5806505	15x8	5.0 in	+12mm	5 x 5.0", 5.5"	7956656	17x9.5	5.0 in	-6mm	6 x 5.5" h.c.
5807507	15x8	5.5 in	+25mm	5 x 4.5", 4.75"	7957507	17x9.5	5.5 in	+6mm	5 x 4.5", 4.75"
5807645	15x8	5.5 in	+25mm	6 x 4.5"	7957505	17x9.5	5.5 in	+6mm	5 x 5.0", 5.5"
5103507	15x10	3.5 in	-51mm	5 x 4.5", 4.75"	7957656	17x9.5	5.5 in	+6mm	6 x 5.5" h.c.
5103505	15x10	3.5 in	-51mm	5 x 5.0", 5.5"	7958507	17x9.5	6.0 in	+19mm	5 x 4.5", 4.75"
5103555	15x10	3.5 in	-51mm	5 x 5.5"	7958505	17x9.5	6.0 in	+19mm	5 x 5.0", 5.5"
5103655	15x10	3.5 in	-51mm	6 x 5.5"	7951507	17x9.5	7.0 in	na	5 x 4.5", 4.75"
5104507	15x10	4.0 in	-38mm	5 x 4.5", 4.75"	8804507	18x8	4.0 in	-12mm	5 x 4.5", 4.75"
5104505	15x10	4.0 in	-38mm	5 x 5.0", 5.5"	8805507	18x8	4.5 in	0mm	5 x 4.5", 4.75"
5104655	15x10	4.0 in	-38mm	6 x 5.5"	8805505	18x8	4.5 in	0mm	5 x 5.0", 5.5"
5105507	15x10	4.5 in	-25mm	5 x 4.5", 4.75"	8805656	18x8	4.5 in	0mm	6 x 5.5" h.c.
5105505	15x10	4.5 in	-25mm	5 x 5.0", 5.5"	8806507	18x8	5.0 in	+12mm	5 x 4.5", 4.75"
5106507	15x10	5.0 in	-12mm	5 x 4.5", 4.75"	8806505	18x8	5.0 in	+12mm	5 x 5.0", 5.5"
5106505	15x10	5.0 in	-12mm	5 x 5.0", 5.5"	8806552	18x8	5.0 in	+12mm	5 x 135mm h.c.
5108505	15x10	6.0 in	+12mm	5 x 5.0", 5.5"	8806656	18x8	5.0 in	+12mm	6 x 5.5" h.c.
6704507	16x7	4.0 in	0mm	5 x 4.5", 4.75"	8807507	18x8	5.5 in	+25mm	5 x 4.5", 4.75"
6704505	16x7	4.0 in	0mm	5 x 5.0", 5.5"	8807645	18x8	5.5 in	+25mm	6 x 4.5"
6705425	16x7	4.5 in	+12mm	4 x 4.25", 4.5"	8956507	18x9.5	5.0 in	-6mm	5 x 4.5", 4.75"
6705507	16x7	4.5 in	+12mm	5 x 4.5", 4.75"	8956505	18x9.5	5.0 in	-6mm	5 x 5.0", 5.5"
6705505	16x7	4.5 in	+12mm	5 x 5.0", 5.5"	8956552	18x9.5	5.0 in	-6mm	5 x 135mm h.c.
6706507	16x7	5.0 in	+25mm	5 x 4.5", 4.75"	8956656	18x9.5	5.0 in	-6mm	6 x 5.5" h.c.
6706655	16x7	5.0 in	+25mm	6 x 5.5"	8957507	18x9.5	5.5 in	+6mm	5 x 4.5", 4.75"
6804507	16x8	4.0 in	-12mm	5 x 4.5", 4.75"	8957505	18x9.5	5.5 in	+6mm	5 x 5.0", 5.5"
6804505	16x8	4.0 in	-12mm	5 x 5.0", 5.5"	8958507	18x9.5	6.0 in	+19mm	5 x 4.5", 4.75"
6804655	16x8	4.0 in	-12mm	6 x 5.5"	8958505	18x9.5	6.0 in	+19mm	5 x 5.0", 5.5"
6804656	16x8	4.0 in	-12mm	6 x 5.5" h.c.	8958656	18x9.5	6.0 in	+19mm	6 x 5.5" h.c.
6805507	16x8	4.5 in	0mm	5 x 4.5", 4.75"	8951507	18x9.5	7.0 in	na	5 x 4.5", 4.75"
6805505	16x8	4.5 in	0mm	5 x 5.0", 5.5"	2805507	20x8	4.5 in	0mm	5 x 4.5", 4.75"
6805552	16x8	4.5 in	0mm	5 x 135mm h.c.	2805505	20x8	4.5 in	0mm	5 x 5.0", 5.5"
6805655	16x8	4.5 in	0mm	6 x 5.5"	2805656	20x8	4.5 in	0mm	6 x 5.5" h.c.
6805656	16x8	4.5 in	0mm	6 x 5.5" h.c.	2806507	20x8	5.0 in	+12mm	5 x 4.5", 4.75"
6806425	16x8	5.0 in	+12mm	4 x 4.25", 4.5"	2806505	20x8	5.0 in	+12mm	5 x 5.0", 5.5"
6806507	16x8	5.0 in	+12mm	5 x 4.5", 4.75"	2806552	20x8	5.0 in	+12mm	5 x 135mm h.c.
6806505	16x8	5.0 in	+12mm	5 x 5.0", 5.5"	2806656	20x8	5.0 in	+12mm	6 x 5.5" h.c.
6806655	16x8	5.0 in	+12mm	6 x 5.5"	2807507	20x8	5.5 in	+25mm	5 x 4.5", 4.75"
6806656	16x8	5.0 in	+12mm	6 x 5.5" h.c.	2807645	20x8	5.5 in	+25mm	6 x 4.5"
6807507	16x8	5.5 in	+25mm	5 x 4.5", 4.75"	2956505	20x9.5	5.0 in	-6mm	5 x 5.0", 5.5"
6807645	16x8	5.5 in	+25mm	6 x 4.5"	2956552	20x9.5	5.0 in	-6mm	5 x 135mm h.c.
6955656	16x9.5	4.5 in	-19mm	6 x 5.5" h.c.	2956656	20x9.5	5.0 in	-6mm	6 x 5.5" h.c.
6956507	16x9.5	5.0 in	-6mm	5 x 4.5", 4.75"	2957507	20x9.5	5.5 in	+6mm	5 x 4.5", 4.75"
6956505	16x9.5	5.0 in	-6mm	5 x 5.0", 5.5"	2957505	20x9.5	5.5 in	+6mm	5 x 5.0", 5.5"
6956655	16x9.5	5.0 in	-6mm	6 x 5.5"	2957656	20x9.5	5.5 in	+6mm	6 x 5.5" h.c.
6956656	16x9.5	5.0 in	-6mm	6 x 5.5" h.c.	2958507	20x9.5	6.0 in	+19mm	5 x 4.5", 4.75"
6957505	16x9.5	5.5 in	+6mm	5 x 5.0", 5.5"	2958505	20x9.5	6.0 in	+19mm	5 x 5.0", 5.5"
6958505	16x9.5	6.0 in	+19mm	5 x 5.0", 5.5"	2958656	20x9.5	6.0 in	+19mm	6 x 5.5" h.c.
6958507	16x9.5	6.0 in	+19mm	5 x 4.5", 4.75"					
6959507	16x9.5	6.5 in	+19mm	5 x 4.5", 4.75"					
6951507	16x9.5	7.0 in	na	5 x 4.5", 4.75"					

## SUNDANCE SERIES - CUSTOM BUILT 2-PIECE WHEELS - AVAILABLE HI-POLISH\*

This is a ROTARY FORGED billet aluminum wheel manufactured by welding the center section into an outer rim enabling you to customize the rearspace & width.

**New size: 20x15 NOW AVAILABLE in various styles!!**

### TECHNICAL SPECS

- > 2-piece rotary forged
- > 1625 lb. load rating
- > 32" max tire size
- > Available 5 & 6-lug
- > 60° acorn lug nuts
- > Air sensor compatible

### WHEEL FEATURES

- > 3-year polish & structural warranty
- > Wheel specs can be customized
- > Billet engraved center cap included - part # CS-153
- > \*All styles come hi-polish, except Boulevard which has a brush satin finish

Size	WD Polish	Weight	Rearspace Range	
			Min	Max
16x7	<b>\$460</b>	17 lbs	3.5 in	5.0 in
16x8	<b>\$465</b>	18 lbs	3.5 in	5.5 in
16x9.5	<b>\$495</b>	20 lbs	4.0 in	7.0 in
17x7	<b>\$495</b>	19 lbs	3.5 in	5.0 in
17x8	<b>\$505</b>	20 lbs	3.5 in	5.75 in
17x9.5	<b>\$550</b>	21 lbs	4.0 in	7.0 in
18x8	<b>\$670</b>	21 lbs	3.5 in	5.75 in
18x9.5	<b>\$695</b>	22 lbs	4.0 in	7.0 in
20x8	<b>\$770</b>	26 lbs	3.5 in	5.75 in
20x9.5	<b>\$795</b>	28 lbs	4.0 in	7.0 in
20x15	<b>\$1,280</b>	call	4.5 in	6.0 in

Rearspace available in 1/2" increments.

**Galaxy 5-lug**  
901 Hi-polish finish  
Available 16", 17", 18", 20"

**Meteor 5-lug**  
905 Hi-polish finish  
Available 16", 17", 18"

**Sunray 5-lug**  
907 Hi-polish finish  
Available 16", 17", 18"

**Matrix 5-lug**  
911 Hi-polish finish  
Available 16", 17", 18", 20"

---

**New 20x15 siz:** available in  
Galaxy, Martix, Dagger, Blvd,  
Soft Tail

**Dagger 5-lug**  
912 Hi-polish finish  
Available 16", 17", 18", 20"

**Boulevard 5-lug**  
918 Brushed satin finish  
Available 17", 18", 20"

**Soft Tail 5-lug**  
925 Hi-polish finish  
Available 17", 18", 20"

---

**Galaxy II 6-lug**  
906 Hi-polish finish  
Available 16", 17", 18", 20"

**Meteor II 6-lug**  
908 Hi-polish finish  
Available 16", 17", 18"

**Dagger II 6-lug**  
914 Hi-polish finish  
Available 16", 17", 18", 20"

**Last 7 digits of part number are listed below. Add 3 digit style # to beginning of part #.**

6-lug Part #	Size	Rearspace	Offset	Bolt Circle	6-lug Part #	Size	Rearspace	Offset	Bolt Circle
6804656	16x8	4.0 in	-12mm	6 x 5.5" h.c.	8805656	18x8	4.5 in	0mm	6 x 5.5" h.c.
6805656	16x8	4.5 in	0mm	6 x 5.5" h.c.	8806656	18x8	5.0 in	+12mm	6 x 5.5" h.c.
6807645	16x8	5.5 in	+25mm	6 x 4.5"	8956656	18x9.5	5.0 in	-6mm	6 x 5.5" h.c.
6956656	16x9.5	5.0 in	-6mm	6 x 5.5" h.c.	8957656	18x9.5	5.5 in	+6mm	6 x 5.5" h.c.
7805656	17x8	4.5 in	0mm	6 x 5.5" h.c.	2805656	20x8	4.5 in	0mm	6 x 5.5" h.c.
7806656	17x8	5.0 in	+12mm	6 x 5.5" h.c.	2806656	20x8	5.0 in	+12mm	6 x 5.5" h.c.
7807645	17x8	5.5 in	+25mm	6 x 4.5"	2807645	20x8	5.5 in	+25mm	6 x 4.5"
7957656	17x9.5	5.5 in	+6mm	6 x 5.5" h.c.	2957656	20x9.5	5.5 in	+6mm	6 x 5.5" h.c.
7958656	17x9.5	6.0 in	+19mm	6 x 5.5" h.c.	2958656	20x9.5	6.0 in	+19mm	6 x 5.5" h.c.

5-lug part numbers continued on next page...

page 15

# SUNDANCE SERIES - CUSTOM BUILT 2-PIECE WHEELS - AVAILABLE HI-POLISH\*

*Last 7 digits of part number are listed below. Add 3 digit style # to beginning of part #.*

5-lug Part #	Size	Rearspace	Offset	Bolt Circle	5-lug Part #	Size	Rearspace	Offset	Bolt Circle
6703545	16x7	3.5 in	-12mm	5 x 4.5"	7957552	17x9.5	5.5 in	+6mm	5 x 135mm h.c.
6703547	16x7	3.5 in	-12mm	5 x 4.75"	7958545	17x9.5	6.0 in	+19mm	5 x 4.5"
6703550	16x7	3.5 in	-12mm	5 x 5.0"	7958547	17x9.5	6.0 in	+19mm	5 x 4.75"
6704545	16x7	4.0 in	0mm	5 x 4.5"	7958550	17x9.5	6.0 in	+19mm	5 x 5.0"
6704547	16x7	4.0 in	0mm	5 x 4.75"	7959547	17x9.5	6.5 in	+19mm	5 x 4.75"
6704550	16x7	4.0 in	0mm	5 x 5.0"	7959545	17x9.5	6.5 in	+19mm	5 x 4.5"
6705545	16x7	4.5 in	+12mm	5 x 4.5"	7951547	17x9.5	7.0 in	na	5 x 4.75"
6705547	16x7	4.5 in	+12mm	5 x 4.75"	7951545	17x9.5	7.0 in	na	5 x 4.5"
6705550	16x7	4.5 in	+12mm	5 x 5.0"	8803545	18x8	3.5 in	-25mm	5 x 4.5"
6706547	16x7	5.0 in	+25mm	5 x 4.75"	8803547	18x8	3.5 in	-25mm	5 x 4.75"
6706545	16x7	5.0 in	+25mm	5 x 4.5"	8803550	18x8	3.5 in	-25mm	5 x 5.0"
6803545	16x8	3.5 in	-25mm	5 x 4.5"	8804545	18x8	4.0 in	-12mm	5 x 4.5"
6803547	16x8	3.5 in	-25mm	5 x 4.75"	8804547	18x8	4.0 in	-12mm	5 x 4.75"
6803550	16x8	3.5 in	-25mm	5 x 5.0"	8804550	18x8	4.0 in	-12mm	5 x 5.0"
6804545	16x8	4.0 in	-12mm	5 x 4.5"	8805545	18x8	4.5 in	0mm	5 x 4.5"
6804547	16x8	4.0 in	-12mm	5 x 4.75"	8805547	18x8	4.5 in	0mm	5 x 4.75"
6804550	16x8	4.0 in	-12mm	5 x 5.0"	8805550	18x8	4.5 in	0mm	5 x 5.0"
6805545	16x8	4.5 in	0mm	5 x 4.5"	8805552	18x8	4.5 in	0mm	5 x 135mm h.c.
6805547	16x8	4.5 in	0mm	5 x 4.75"	8805557	18x8	4.5 in	0mm	5 x 5.5" h.c.
6805550	16x8	4.5 in	0mm	5 x 5.0"	8806545	18x8	5.0 in	+12mm	5 x 4.5"
6805552	16x8	4.5 in	0mm	5 x 135mm h.c.	8806547	18x8	5.0 in	+12mm	5 x 4.75"
6805557	16x8	4.5 in	0mm	5 x 5.5" h.c.	8806557	18x8	5.0 in	+12mm	5 x 5.5" h.c.
6806545	16x8	5.0 in	+12mm	5 x 4.5"	8807545	18x8	5.5 in	+25mm	5 x 4.5"
6806547	16x8	5.0 in	+12mm	5 x 4.75"	8807547	18x8	5.5 in	+25mm	5 x 4.75"
6806557	16x8	5.0 in	+12mm	5 x 5.5" h.c.	8801545	18x8	5.8 in	+32mm	5 x 4.5"
6807545	16x8	5.5 in	+25mm	5 x 4.5"	8954545	18x9.5	4.0 in	-32mm	5 x 4.5"
6807547	16x8	5.5 in	+25mm	5 x 4.75"	8954547	18x9.5	4.0 in	-32mm	5 x 4.75"
6954545	16x9.5	4.0 in	-32mm	5 x 4.5"	8955545	18x9.5	4.5 in	-19mm	5 x 4.5"
6954547	16x9.5	4.0 in	-32mm	5 x 4.75"	8955547	18x9.5	4.5 in	-19mm	5 x 4.75"
6955545	16x9.5	4.5 in	-19mm	5 x 4.5"	8955550	18x9.5	4.5 in	-19mm	5 x 5.0"
6955547	16x9.5	4.5 in	-19mm	5 x 4.75"	8956545	18x9.5	5.0 in	-6mm	5 x 4.5"
6955550	16x9.5	4.5 in	-19mm	5 x 5.0"	8956547	18x9.5	5.0 in	-6mm	5 x 4.75"
6956545	16x9.5	5.0 in	-6mm	5 x 4.5"	8956550	18x9.5	5.0 in	-6mm	5 x 5.0"
6956547	16x9.5	5.0 in	-6mm	5 x 4.75"	8956552	18x9.5	5.0 in	-6mm	5 x 135mm h.c.
6956550	16x9.5	5.0 in	-6mm	5 x 5.0"	8957545	18x9.5	5.5 in	+6mm	5 x 4.5"
6957545	16x9.5	5.5 in	+6mm	5 x 4.5"	8957547	18x9.5	5.5 in	+6mm	5 x 4.75"
6957547	16x9.5	5.5 in	+6mm	5 x 4.75"	8957550	18x9.5	5.5 in	+6mm	5 x 5.0"
6957550	16x9.5	5.5 in	+6mm	5 x 5.0"	8957552	18x9.5	5.5 in	+6mm	5 x 135mm h.c.
6958545	16x9.5	6.0 in	+19mm	5 x 4.5"	8958545	18x9.5	6.0 in	+19mm	5 x 4.5"
6958547	16x9.5	6.0 in	+19mm	5 x 4.75"	8958547	18x9.5	6.0 in	+19mm	5 x 4.75"
6958550	16x9.5	6.0 in	+19mm	5 x 5.0"	8958550	18x9.5	6.0 in	+19mm	5 x 5.0"
6959547	16x9.5	6.5 in	+19mm	5 x 4.75"	8959547	18x9.5	6.5 in	+19mm	5 x 4.75"
6959545	16x9.5	6.5 in	+19mm	5 x 4.5"	8959545	18x9.5	6.5 in	+19mm	5 x 4.5"
6951547	16x9.5	7.0 in	na	5 x 4.75"	8951547	18x9.5	7.0 in	na	5 x 4.75"
6951545	16x9.5	7.0 in	na	5 x 4.5"	8951545	18x9.5	7.0 in	na	5 x 4.5"
7703545	17x7	3.5 in	-12mm	5 x 4.5"	2803545	20x8	3.5 in	-25mm	5 x 4.5"
7703547	17x7	3.5 in	-12mm	5 x 4.75"	2803547	20x8	3.5 in	-25mm	5 x 4.75"
7703550	17x7	3.5 in	-12mm	5 x 5.0"	2803550	20x8	3.5 in	-25mm	5 x 5.0"
7704545	17x7	4.0 in	0mm	5 x 4.5"	2804545	20x8	4.0 in	-12mm	5 x 4.5"
7704547	17x7	4.0 in	0mm	5 x 4.75"	2804547	20x8	4.0 in	-12mm	5 x 4.75"
7704550	17x7	4.0 in	0mm	5 x 5.0"	2804550	20x8	4.0 in	-12mm	5 x 5.0"
7705545	17x7	4.5 in	+12mm	5 x 4.5"	2805545	20x8	4.5 in	0mm	5 x 4.5"
7705547	17x7	4.5 in	+12mm	5 x 4.75"	2805547	20x8	4.5 in	0mm	5 x 4.75"
7705550	17x7	4.5 in	+12mm	5 x 5.0"	2805550	20x8	4.5 in	0mm	5 x 5.0"
7706547	17x7	5.0 in	+25mm	5 x 4.75"	2805552	20x8	4.5 in	0mm	5 x 135mm h.c.
7706545	17x7	5.0 in	+25mm	5 x 4.5"	2805557	20x8	4.5 in	0mm	5 x 5.5" h.c.
7803545	17x8	3.5 in	-25mm	5 x 4.5"	2806545	20x8	5.0 in	+12mm	5 x 4.5"
7803547	17x8	3.5 in	-25mm	5 x 4.75"	2806547	20x8	5.0 in	+12mm	5 x 4.75"
7803550	17x8	3.5 in	-25mm	5 x 5.0"	2806557	20x8	5.0 in	+12mm	5 x 5.5" h.c.
7804545	17x8	4.0 in	-12mm	5 x 4.5"	2807545	20x8	5.5 in	+25mm	5 x 4.5"
7804547	17x8	4.0 in	-12mm	5 x 4.75"	2807547	20x8	5.5 in	+25mm	5 x 4.75"
7804550	17x8	4.0 in	-12mm	5 x 5.0"	2801545	20x8	5.8 in	+32mm	5 x 4.5"
7805545	17x8	4.5 in	0mm	5 x 4.5"	2954545	20x9.5	4.0 in	-32mm	5 x 4.5"
7805547	17x8	4.5 in	0mm	5 x 4.75"	2954547	20x9.5	4.0 in	-32mm	5 x 4.75"
7805550	17x8	4.5 in	0mm	5 x 5.0"	2955545	20x9.5	4.5 in	-19mm	5 x 4.5"
7805552	17x8	4.5 in	0mm	5 x 135mm h.c.	2955547	20x9.5	4.5 in	-19mm	5 x 4.75"
7805557	17x8	4.5 in	0mm	5 x 5.5" h.c.	2955550	20x9.5	4.5 in	-19mm	5 x 5.0"
7806545	17x8	5.0 in	+12mm	5 x 4.5"	2956545	20x9.5	5.0 in	-6mm	5 x 4.5"
7806547	17x8	5.0 in	+12mm	5 x 4.75"	2956547	20x9.5	5.0 in	-6mm	5 x 4.75"
7806557	17x8	5.0 in	+12mm	5 x 5.5" h.c.	2956550	20x9.5	5.0 in	-6mm	5 x 5.0"
7807545	17x8	5.5 in	+25mm	5 x 4.5"	2956552	20x9.5	5.0 in	-6mm	5 x 135mm h.c.
7807547	17x8	5.5 in	+25mm	5 x 4.75"	2957545	20x9.5	5.5 in	+6mm	5 x 4.5"
7801545	17x8	5.8 in	+32mm	5 x 4.5"	2957547	20x9.5	5.5 in	+6mm	5 x 4.75"
7954547	17x9.5	4.0 in	-32mm	5 x 4.75"	2957550	20x9.5	5.5 in	+6mm	5 x 5.0"
7955545	17x9.5	4.5 in	-19mm	5 x 4.5"	2958545	20x9.5	6.0 in	+19mm	5 x 4.5"
7955547	17x9.5	4.5 in	-19mm	5 x 4.75"	2958547	20x9.5	6.0 in	+19mm	5 x 4.75"
7955550	17x9.5	4.5 in	-19mm	5 x 5.0"	2958550	20x9.5	6.0 in	+19mm	5 x 5.0"
7956545	17x9.5	5.0 in	-6mm	5 x 4.5"	2959547	20x9.5	6.5 in	+19mm	5 x 4.75"
7956547	17x9.5	5.0 in	-6mm	5 x 4.75"	2959545	20x9.5	6.5 in	+19mm	5 x 4.5"
7956550	17x9.5	5.0 in	-6mm	5 x 5.0"	2951547	20x9.5	7.0 in	na	5 x 4.75"
7956552	17x9.5	5.0 in	-6mm	5 x 135mm h.c.	2951545	20x9.5	7.0 in	na	5 x 4.5"
7957545	17x9.5	5.5 in	+6mm	5 x 4.5"	2154545	20x15	4.0 in	deep dish	5 x 4.5"
7957547	17x9.5	5.5 in	+6mm	5 x 4.75"	2154547	20x15	4.0 in	deep dish	5 x 4.75"
7957550	17x9.5	5.5 in	+6mm	5 x 5.0"	2154550	20x15	4.0 in	deep dish	5 x 5.0"

# COMPETITION SERIES - FOR STREET & TRACK - AVAILABLE HI-POLISH, BRUSHED SATIN

Center Line's new Competition Series wheels are designed and field tested for the true racer and street performance enthusiast. These wheels are approximately 30% lighter than conventional casting. That's a proven increase in performance, gas mileage, acceleration and cornering.

### TECHNICAL SPECS

- > Modular forged wheel
- > 1625 lb. load rating
- > 30" max tire size. OK to run taller drag slicks.
- > 5-lug only
- > 60° acorn lug nuts
- > Air sensor compatible

### WHEEL FEATURES

- > 3-year structural warranty
- > Styled for muscle cars - look & fit
- > All 3 styles offered in hi-polish or brushed satin
- > Center cap included (chrome steel push-thru cap)
  - p/n CS-70 for 5-4.5" & 5-4.75" bolt patterns
  - p/n CS-21 for 5-5.0" bolt pattern

**NEW SERIES FOR 2008!**

Size	WD Satin	WD Polish	Rearspace Range		Weight
			Min	Max	
15x4	<b>\$200</b>	<b>\$200</b>	1-3/4 in	1-3/4 in	10 lbs
15x6	<b>\$215</b>	<b>\$215</b>	3.5 in	4.0 in	12 lbs
15x7	<b>\$220</b>	<b>\$220</b>	3.5 in	4.5 in	13 lbs
15x8	<b>\$230</b>	<b>\$230</b>	3.5 in	4.5 in	14 lbs
15x10	<b>\$260</b>	<b>\$260</b>	3.5 in	5.0 in	16 lbs

}

approx 30% lighter than conventional casting!

Rearspace available in 1/2" increments.



**Modstar**  
**710** Brushed satin finish (as shown)  
**711** Hi-polish finish



**Sportsman**  
**712** Brushed satin finish  
**713** Hi-polish finish (as shown)



**Elite**  
**714** Brushed satin finish (as shown)  
**715** Hi-polish finish

**Last 7 digits of part number are listed below. Add 3 digit style # from above to beginning of part #.**

Part #	Size	Rearspace	Offset	Bolt Circle	Part #	Size	Rearspace	Offset	Bolt Circle
5401545	15x4	1-3/4	na	5 x 4.5"	5103545	15x10	3.5 in	-51mm	5 x 4.5"
5401547	15x4	1-3/4	na	5 x 4.75"	5103547	15x10	3.5 in	-51mm	5 x 4.75"
5603545	15x6	3.5 in	0mm	5 x 4.5"	5103550	15x10	3.5 in	-51mm	5 x 5.0"
5603547	15x6	3.5 in	0mm	5 x 4.75"	5104545	15x10	4.0 in	-38mm	5 x 4.5"
5603550	15x6	3.5 in	0mm	5 x 5.0"	5104547	15x10	4.0 in	-38mm	5 x 4.75"
5604545	15x6	4.0 in	+12mm	5 x 4.5"	5104550	15x10	4.0 in	-38mm	5 x 5.0"
5604547	15x6	4.0 in	+12mm	5 x 4.75"	5105545	15x10	4.5 in	-25mm	5 x 4.5"
5604550	15x6	4.0 in	+12mm	5 x 5.0"	5105547	15x10	4.5 in	-25mm	5 x 4.75"
5703545	15x7	3.5 in	-12mm	5 x 4.5"	5105550	15x10	4.5 in	-25mm	5 x 5.0"
5703547	15x7	3.5 in	-12mm	5 x 4.75"	5106545	15x10	5.0 in	-12mm	5 x 4.5"
5703550	15x7	3.5 in	-12mm	5 x 5.0"	5106547	15x10	5.0 in	-12mm	5 x 4.75"
5704545	15x7	4.0 in	0mm	5 x 4.5"	5106550	15x10	5.0 in	-12mm	5 x 5.0"
5704547	15x7	4.0 in	0mm	5 x 4.75"					
5704550	15x7	4.0 in	0mm	5 x 5.0"					
5705545	15x7	4.5 in	+12mm	5 x 4.5"					
5705547	15x7	4.5 in	+12mm	5 x 4.75"					
5705550	15x7	4.5 in	+12mm	5 x 5.0"					
5803545	15x8	3.5 in	-25mm	5 x 4.5"					
5803547	15x8	3.5 in	-25mm	5 x 4.75"					
5803550	15x8	3.5 in	-25mm	5 x 5.0"					
5804545	15x8	4.0 in	-12mm	5 x 4.5"					
5804547	15x8	4.0 in	-12mm	5 x 4.75"					
5804550	15x8	4.0 in	-12mm	5 x 5.0"					
5805545	15x8	4.5 in	0mm	5 x 4.5"					
5805547	15x8	4.5 in	0mm	5 x 4.75"					
5805550	15x8	4.5 in	0mm	5 x 5.0"					

# AUTO DRAG - MODULAR WHEELS FOR CARS & DRAG RACING / STEET PERFORMANCE

Featuring Center Line's classic steet & racing wheel w/ the solid face. Comes in hi-polish or satin finish. This is a modular aluminum wheel manufactured by riveting 2 wheel halves together. Wheels are light-weight. Designed for performance on the steet & track.

**TECHNICAL SPECS**

- > 1125 lb. load rating
- > 30" max tire size. OK to run taller drag slicks.
- > 4 & 5-lug versions
- > Uses 3/4" mag shank lugs (15x3.5" requires 1.30" shank length)

**WHEEL FEATURES**

- > 3-year structural warranty
- > Sizes 15x4 thru 15x12 come w/ center cap
- > Sizes 15x14 & larger do not come w/ cap
- > Auto Drag is offered in Satin or Hi-Polish (note: satin is a machine finish; similar to the bottom of a soda can)

Size	WD Satin	WD Polish	Weight
14x6	<b>\$355</b>	<b>\$375</b>	11 lbs
14x7	<b>\$360</b>	<b>\$380</b>	11 lbs
15x3.5	<b>\$340</b>	<b>\$360</b>	11 lbs
15x5.5	<b>\$350</b>	<b>\$370</b>	12 lbs
15x7	<b>\$360</b>	<b>\$380</b>	13 lbs
15x8.5	<b>\$370</b>	<b>\$390</b>	14 lbs
15x9	<b>\$380</b>	<b>\$400</b>	14 lbs
15x10	<b>\$390</b>	<b>\$415</b>	15 lbs
15x11	<b>\$415</b>	<b>\$435</b>	16 lbs
15x12	<b>\$435</b>	<b>\$460</b>	17 lbs
15x14	<b>\$495</b>	<b>\$520</b>	18 lbs
15x15	<b>\$500</b>	<b>\$525</b>	19 lbs



**Auto Drag**

- 05** Brushed satin finish
- 06** Hi-polish finish

*Last 7 digits of part number are listed below. Add 2 digit style # to beginning of part #.*

Part #	Size	Rearspc (in)	Bolt Circle	Cap	Part #	Size	Rearspc (in)	Bolt Circle	Cap
4603545	14x6	3-5/16	5 x 4.5"	C-70	5854440	15x8.5	4-7/8	4-4.0"	C-20
4603547	14x6	3-5/16	5 x 4.75"	C-70	5854442	15x8.5	4-7/8	4 x 4.25"	C-20
4703545	14x7	3-5/16	5 x 4.5"	C-70	5854445	15x8.5	4-7/8	4 x 4.5"	C-70
4703547	14x7	3-5/16	5 x 4.75"	C-70	5854451	15x8.5	4-7/8	4 x 130mm	C-70
5351440	15x3.5	1-5/8	4-4.0"	C-20	5854540	15x8.5	4-7/8	5 x 4"	C-20
5351442	15x3.5	1-5/8	4 x 4.25"	C-20	5854507	15x8.5	4-7/8	5 x 4.5", 4.75"	C-70
5351445	15x3.5	1-5/8	4 x 4.5"	C-70	5854545	15x8.5	4-7/8	5 x 4.5"	C-70
5351451	15x3.5	1-5/8	4 x 130mm	C-70	5854547	15x8.5	4-7/8	5 x 4.75"	C-70
5351540	15x3.5	1-5/8	5 x 4"	C-20	5907507	15x9	7-1/4	5 x 4.5", 4.75"	C-70
5351507	15x3.5	1-5/8	5 x 4.5", 4.75"	C-70	5907545	15x9	7-1/4	5 x 4.5"	C-70
5351545	15x3.5	1-5/8	5 x 4.5"	C-70	5907547	15x9	7-1/4	5 x 4.75"	C-70
5351547	15x3.5	1-5/8	5 x 4.75"	C-70	5103507	15x10	3-5/16	5 x 4.5", 4.75"	C-70
5553440	15x5.5	3-5/16	4-4.0"	C-20	5103545	15x10	3-5/16	5 x 4.5"	C-70
5553442	15x5.5	3-5/16	4 x 4.25"	C-20	5103547	15x10	3-5/16	5 x 4.75"	C-70
5553445	15x5.5	3-5/16	4 x 4.5"	C-70	5104507	15x10	4-7/8	5 x 4.5", 4.75"	C-70
5553451	15x5.5	3-5/16	4 x 130mm	C-70	5104545	15x10	4-7/8	5 x 4.5"	C-70
5553540	15x5.5	3-5/16	5 x 4"	C-20	5104547	15x10	4-7/8	5 x 4.75"	C-70
5553507	15x5.5	3-5/16	5 x 4.5", 4.75"	C-70	5117507	15x11	7-1/4	5 x 4.5", 4.75"	C-70
5553545	15x5.5	3-5/16	5 x 4.5"	C-70	5117545	15x11	7-1/4	5 x 4.5"	C-70
5553547	15x5.5	3-5/16	5 x 4.75"	C-70	5117547	15x11	7-1/4	5 x 4.75"	C-70
5703440	15x7	3-5/16	4-4.0"	C-20	5123507	15x12	3-5/16	5 x 4.5", 4.75"	C-70
5703442	15x7	3-5/16	4 x 4.25"	C-20	5123545	15x12	3-5/16	5 x 4.5"	C-70
5703445	15x7	3-5/16	4 x 4.5"	C-70	5123547	15x12	3-5/16	5 x 4.75"	C-70
5703451	15x7	3-5/16	4 x 130mm	C-70	5124507	15x12	4-7/8	5 x 4.5", 4.75"	C-70
5703540	15x7	3-5/16	5 x 4"	C-20	5124545	15x12	4-7/8	5 x 4.5"	C-70
5703507	15x7	3-5/16	5 x 4.5", 4.75"	C-70	5124547	15x12	4-7/8	5 x 4.75"	C-70
5703545	15x7	3-5/16	5 x 4.5"	C-70	5127540	15x12	7-1/4	5 x 4"	C-20
5703547	15x7	3-5/16	5 x 4.75"	C-70	5127507	15x12	7-1/4	5 x 4.5", 4.75"	C-70
5704442	15x7	4-7/8	4 x 4.25"	C-20	5127547	15x12	7-1/4	5 x 4.75"	C-70
5704445	15x7	4-7/8	4 x 4.5"	C-70	5143507	15x14	3-5/16	5 x 4.5", 4.75"	C-70
5704451	15x7	4-7/8	4 x 130mm	C-70	5143547	15x14	3-5/16	5 x 4.75"	C-70
5704507	15x7	4-7/8	5 x 4.5", 4.75"	C-70	5144507	15x14	4-7/8	5 x 4.5", 4.75"	C-70
5704547	15x7	4-7/8	5 x 4.75"	C-70	5144545	15x14	4-7/8	5 x 4.5"	C-70
5853442	15x8.5	3-5/16	4 x 4.25"	C-20	5147507	15x14	7-1/4	5 x 4.5", 4.75"	C-70
5853445	15x8.5	3-5/16	4 x 4.5"	C-70	5154507	15x15	4-7/8	5 x 4.5", 4.75"	C-70
5853451	15x8.5	3-5/16	4 x 130mm	C-70	5154545	15x15	4-7/8	5 x 4.5"	C-70
5853540	15x8.5	3-5/16	5 x 4"	C-20	5154547	15x15	4-7/8	5 x 4.75"	C-70
5853507	15x8.5	3-5/16	5 x 4.5", 4.75"	C-70	5157507	15x15	7-1/4	5 x 4.5", 4.75"	C-70
5853545	15x8.5	3-5/16	5 x 4.5"	C-70	5157545	15x15	7-1/4	5 x 4.5"	C-70
5853547	15x8.5	3-5/16	5 x 4.75"	C-70	5157547	15x15	7-1/4	5 x 4.75"	C-70

# CONVO SERIES - MODULAR WHEELS FOR CARS & DRAG RACING / STREET PERFORMANCE

Featuring Center Line's classic steel & racing wheels

w/ the convoluted outer rim. This is a modular aluminum wheel manufactured by riveting 2 wheel halves together.

Wheels are light-weight. Designed for performance on the street & track.

## TECHNICAL SPECS

- > 1525 lb. load rating
- > 30" max tire size. OK to run taller drag slicks.
- > 4 & 5-lug versions
- > Uses 1/2" mag shank lugs, unless bland nut is required

## WHEEL FEATURES

- > 3-year structural warranty
- > Sizes 15x4 thru 15x12 come w/ center cap
- > Sizes 15x14 & larger do not come w/ cap
- > Convo pro is a satin center w/ polished outer
- > Convo Fuel & Convo ET comes in hi-polish finish -- both face & outer

CONVO PRO COMES IN ALL SIZES LISTED.

CONVO FUEL & CONVO ET NOT OFFERED IN 15x3.5, 16x16, 17x2.5

	Size	WD Price	Weight
<i>tested to 15.2 spec</i>	15x3.5 spindle mount	<b>\$555</b>	12 lbs
	15x4	<b>\$350</b>	9 lbs
	15x6	<b>\$360</b>	10 lbs
	15x7	<b>\$375</b>	11 lbs
	15x7.5	<b>\$380</b>	11 lbs
	15x8	<b>\$385</b>	12 lbs
	15x8.5	<b>\$385</b>	13 lbs
	15x9	<b>\$390</b>	13 lbs
	15x10	<b>\$435</b>	14 lbs
	15x12	<b>\$465</b>	16 lbs
	15x14	<b>\$500</b>	17 lbs
<i>tested to 15.3 spec</i>	15x15	<b>\$530</b>	18 lbs
<i>tested to 15.3 spec</i>	16x16	<b>\$599</b>	19 lbs
<i>tested to 15.3 spec</i>	16x16 beadlock #08	<b>\$1,780</b>	27 lbs
	17x2.5 spindle mount	<b>\$530</b>	12 lbs
	FSPNDL02C	<b>\$125</b>	Spindle
	FSPNDL02S	<b>\$125</b>	Spindle

## NEW FOR '08



**Convo Fuel**

04 Hi-polish finish

**Convo Pro Med Offset**

00 Satin cntr, polish out

**Convo Pro Deep Rear**

00 Satin cntr, polish out

**Convo Pro Racing**

15" spindle mount whl

**Convo ET**

03 Hi-polish finish

Last 7 digits of part number are listed below. Add 2 digit style # to beginning of part #.

Part #	Size	Rearspc (in)	Bolt Circle	Cap	Part #	Size	Rearspc (in)	Bolt Circle	Cap
53500002	15x3.5	na	Anglia Spindle	CS-8301	5755442	15x7.5	5	4 x 4.25"	CS-20
53500001	15x3.5	na	Strng Spindle	CS-8302	5755445	15x7.5	5	4 x 4.5"	CS-70
5401442	15x4	1-3/4	4 x 4.25"	CS-20	5755540	15x7.5	5	5 x 4"	CS-20
5401445	15x4	1-3/4	4 x 4.5"	CS-70	5755542	15x7.5	5	5 x 4.25"	CS-20
5401540	15x4	1-3/4	5 x 4"	CS-20	5755507	15x7.5	5	5 x 4.5", 4.75"	CS-70
5401542	15x4	1-3/4	5 x 4.25"	CS-20	5755545	15x7.5	5	5 x 4.5"	CS-70
5401507	15x4	1-3/4	5 x 4.5", 4.75"	CS-70	5755547	15x7.5	5	5 x 4.75"	CS-70
5401545	15x4	1-3/4	5 x 4.5"	CS-70	5804442	15x8	4-1/2	4 x 4.25"	CS-20
5401547	15x4	1-3/4	5 x 4.75"	CS-70	5804445	15x8	4-1/2	4 x 4.5"	CS-70
5402442	15x4	2-5/16	4 x 4.25"	CS-20	5804540	15x8	4-1/2	5 x 4"	CS-20
5402445	15x4	2-5/16	4 x 4.5"	CS-70	5804542	15x8	4-1/2	5 x 4.25"	CS-20
5402540	15x4	2-5/16	5 x 4"	CS-20	5804507	15x8	4-1/2	5 x 4.5", 4.75"	CS-70
5402542	15x4	2-5/16	5 x 4.25"	CS-20	5804545	15x8	4-1/2	5 x 4.5"	CS-70
5402507	15x4	2-5/16	5 x 4.5", 4.75"	CS-70	5804547	15x8	4-1/2	5 x 4.75"	CS-70
5402545	15x4	2-5/16	5 x 4.5"	CS-70	5804550	15x8	4-1/2	5 x 5.0"	CS-21
5402547	15x4	2-5/16	5 x 4.75"	CS-70	5853442	15x8.5	3-3/8	4 x 4.25"	CS-20
5603442	15x6	3-3/8	4 x 4.25"	CS-20	5853445	15x8.5	3-3/8	4 x 4.5"	CS-70
5603445	15x6	3-3/8	4 x 4.5"	CS-70	5853540	15x8.5	3-3/8	5 x 4"	CS-20
5603540	15x6	3-3/8	5 x 4"	CS-20	5853542	15x8.5	3-3/8	5 x 4.25"	CS-20
5603542	15x6	3-3/8	5 x 4.25"	CS-20	5853507	15x8.5	3-3/8	5 x 4.5", 4.75"	CS-70
5603507	15x6	3-3/8	5 x 4.5", 4.75"	CS-70	5853545	15x8.5	3-3/8	5 x 4.5"	CS-70
5603545	15x6	3-3/8	5 x 4.5"	CS-70	5853547	15x8.5	3-3/8	5 x 4.75"	CS-70
5603547	15x6	3-3/8	5 x 4.75"	CS-70	5853550	15x8.5	3-3/8	5 x 5.0"	CS-21
5703442	15x7	3-3/8	4 x 4.25"	CS-20	5855445	15x8.5	5	4 x 4.5"	CS-70
5703445	15x7	3-3/8	4 x 4.5"	CS-70	5855540	15x8.5	5	5 x 4"	CS-20
5703540	15x7	3-3/8	5 x 4"	CS-20	5855507	15x8.5	5	5 x 4.5", 4.75"	CS-70
5703542	15x7	3-3/8	5 x 4.25"	CS-20	5855545	15x8.5	5	5 x 4.5"	CS-70
5703545	15x7	3-3/8	5 x 4.5"	CS-70	5855547	15x8.5	5	5 x 4.75"	CS-70
5703550	15x7	3-3/8	5 x 5.0"	CS-21	5907540	15x9	6-1/2	5 x 4"	CS-20
					5907542	15x9	6-1/2	5 x 4.25"	CS-20
					5907507	15x9	6-1/2	5 x 4.5", 4.75"	CS-70
					5907545	15x9	6-1/2	5 x 4.5"	CS-70
					5907547	15x9	6-1/2	5 x 4.75"	CS-70
					5907550	15x9	6-1/2	5 x 5.0"	CS-21

5 on 5 bolt pattern is for RACE trucks/cars only.

This is a light-duty wheel. DO NOT run on trucks that carry a load.

Wheel can be built w/ links in the 5 on 5 bolt pattern for add'l strength.

For links, add a "1" to the end of the part number.

# CONVO SERIES - MODULAR WHEELS FOR CARS & DRAG RACING / STREET PERFORMANCE

Last 7 digits of part number are listed below. Add 2 digit style # to beginning of part #.

Part #	Size	Rearspc (in)	Bolt Circle	Cap	Part #	Size	Rearspc (in)	Bolt Circle	Cap
5103540	15x10	3-3/8	5 x 4"	CS-20	5143507	15x14	3-3/8	5 x 4.5", 4.75"	CS-70
5103507	15x10	3-3/8	5 x 4.5", 4.75"	CS-70	5143545	15x14	3-3/8	5 x 4.5"	CS-70
5103545	15x10	3-3/8	5 x 4.5"	CS-70	5143547	15x14	3-3/8	5 x 4.75"	CS-70
5103547	15x10	3-3/8	5 x 4.75"	CS-70	5143550	15x14	3-3/8	5 x 5.0"	CS-21
5103550	15x10	3-3/8	5 x 5.0"	CS-21	5145507	15x14	4-5/8	5 x 4.5", 4.75"	CS-70
5105540	15x10	5	5 x 4"	CS-20	5145545	15x14	4-5/8	5 x 4.5"	CS-70
5105507	15x10	5	5 x 4.5", 4.75"	CS-70	5145547	15x14	4-5/8	5 x 4.75"	CS-70
5105545	15x10	5	5 x 4.5"	CS-70	5145550	15x14	4-5/8	5 x 5.0"	CS-21
5105547	15x10	5	5 x 4.75"	CS-70	5146507	15x14	5-1/4	5 x 4.5", 4.75"	CS-70
5105550	15x10	5	5 x 5.0"	CS-21	5146545	15x14	5-1/4	5 x 4.5"	CS-70
5107540	15x10	6-1/2	5 x 4"	CS-20	5146547	15x14	5-1/4	5 x 4.75"	CS-70
5107507	15x10	6-1/2	5 x 4.5", 4.75"	CS-70	5146550	15x14	5-1/4	5 x 5.0"	CS-21
5107545	15x10	6-1/2	5 x 4.5"	CS-70	5155507	15x15	4-5/8	5 x 4.5", 4.75"	CS-70
5107547	15x10	6-1/2	5 x 4.75"	CS-70	5155545	15x15	4-5/8	5 x 4.5"	CS-70
5107550	15x10	6-1/2	5 x 5.0"	CS-21	5155547	15x15	4-5/8	5 x 4.75"	CS-70
5123507	15x12	3-3/8	5 x 4.5", 4.75"	CS-70	5155550	15x15	4-5/8	5 x 5.0"	CS-21
5123545	15x12	3-3/8	5 x 4.5"	CS-70	5156507	15x15	5-1/4	5 x 4.5", 4.75"	CS-70
5123547	15x12	3-3/8	5 x 4.75"	CS-70	5156545	15x15	5-1/4	5 x 4.5"	CS-70
5123550	15x12	3-3/8	5 x 5.0"	CS-21	5156547	15x15	5-1/4	5 x 4.75"	CS-70
5125507	15x12	5	5 x 4.5", 4.75"	CS-70	5156550	15x15	5-1/4	5 x 5.0"	CS-21
5125545	15x12	5	5 x 4.5"	CS-70	5157507	15x15	6-1/4	5 x 4.5", 4.75"	CS-70
5125547	15x12	5	5 x 4.75"	CS-70	5157545	15x15	6-1/4	5 x 4.5"	CS-70
5125550	15x12	5	5 x 5.0"	CS-21	5157547	15x15	6-1/4	5 x 4.75"	CS-70
5126507	15x12	5-3/8	5 x 4.5", 4.75"	CS-70	5157550	15x15	6-1/4	5 x 5.0"	CS-21
5126547	15x12	5-3/8	5 x 4.75"	CS-70	61655473	16x16	5	5 x 4.75"	na
5126545	15x12	5-3/8	5 x 4.5"	CS-70	61655503	16x16	5	5 x 5.0"	na
5126550	15x12	5-3/8	5 x 5.0"	CS-21	61655553	16x16	5	5 x 5.5"	na
on the above 3 p/n, use style #00 for non-beadlock or style #08 for beadlock.									
7250000	17x2.5	na	na	na					

## G-2 - MODULAR WHEEL FOR CARS & DRAG RACING / STREET RACING

### TECHNICAL SPECS

- > 1125 lb. load rating
- > 30" max tire size. OK to run taller drag slicks.
- > 4 & 5-lug versions
- > Uses 1/2" mag shank lugs, unless bland nut is required
- > For cars or drag racing only

### WHEEL FEATURES

- > 3-year structural warranty
- > Sizes 15x4 thru 15x10 come w/ center cap
- > Other sizes do not come w/ cap
- > G-2 comes in hi-polish finish -- both face & outer
- > 15x15 & 16x16 ARE BEADLOCK ONLY



**G-2**  
09 Hi-polish finish



**G-2** Spindle Mount front  
09 Hi-polish finish

tested to 15.2 spec

tested to 15.3 spec

tested to 15.3 spec

Size	WD Polish	Weight
15x3.5 spindle mount	<b>\$555</b>	12 lbs
15x4	<b>\$350</b>	9 lbs
15x8.5	<b>\$385</b>	12 lbs
15x10	<b>\$435</b>	14 lbs
15x15 beadlock (3)	<b>\$1,049</b>	24 lbs
16x16 beadlock (2, 3)	<b>\$1,780</b>	27 lbs
17x2.5	<b>\$1,059</b>	12 lbs

"2 or 3" at end of p/n represents beadlock wheels.

Last 7 digits of part number are listed below. Add 2 digit style # to beginning of part #.

Part #	Size	Rearspc (in)	Bolt Circle	Cap	Part #	Size	Rearspc (in)	Bolt Circle	Cap
53500002	15x3.5	na	Anglia Spindle	CS-8301	5103507	15x10	3-3/8	5 x 4.5", 4.75"	CS-70
5350001	15x3.5	na	Strng Spindle	CS-8302	5103545	15x10	3-3/8	5 x 4.5"	CS-70
5401442	15x4	1-3/4	4 x 4.25"	CS-20	5103547	15x10	3-3/8	5 x 4.75"	CS-70
5401445	15x4	1-3/4	4 x 4.5"	CS-70	5105507	15x10	5	5 x 4.5", 4.75"	CS-70
5401507	15x4	1-3/4	5 x 4.5", 4.75"	CS-70	5105545	15x10	5	5 x 4.5"	CS-70
5401545	15x4	1-3/4	5 x 4.5"	CS-70	5105547	15x10	5	5 x 4.75"	CS-70
5401547	15x4	1-3/4	5 x 4.75"	CS-70	51555073	15x15	4-5/8	5 x 4.5", 4.75"	na
5853442	15x8.5	3-3/8	4 x 4.25"	CS-20	51555453	15x15	4-5/8	5 x 4.5"	na
5853445	15x8.5	3-3/8	4 x 4.5"	CS-70	51555473	15x15	4-5/8	5 x 4.75"	na
5853507	15x8.5	3-3/8	5 x 4.5", 4.75"	CS-70	51555503	15x15	4-5/8	5 x 5.0"	na
5853545	15x8.5	3-3/8	5 x 4.5"	CS-70	61655502	16x16	5	5 x 5.0"	na
5853547	15x8.5	3-3/8	5 x 4.75"	CS-70	61655553	16x16	5	5 x 5.5"	na
5855442	15x8.5	5	4 x 4.25"	CS-20	7250000	17x2.5	na	na	na
5855445	15x8.5	5	4 x 4.5"	CS-70					
5855507	15x8.5	5	5 x 4.5", 4.75"	CS-70					
5855545	15x8.5	5	5 x 4.5"	CS-70					
5855547	15x8.5	5	5 x 4.75"	CS-70					

# WARRIOR - MODULAR WHEELS FOR CARS & DRAG RACING / STREET PERFORMANCE

Featuring Center Line's classic steet & racing wheels.  
 The Warrior wheel uses a smooth outer, not convoluted.  
 This is a modular aluminum wheel manufactured  
 by riveting 2 wheel halves together.  
 This is the LIGHTEST WEIGHT steet / race wheel CL manufactures.

Size	WD Price	Weight
15x3.5 spindle mount	<b>\$555</b>	12 lbs
15x4	<b>\$350</b>	9 lbs
15x5.5	<b>\$360</b>	10 lbs
15x7	<b>\$375</b>	11 lbs
15x8	<b>\$385</b>	12 lbs
15x8.5	<b>\$385</b>	12 lbs
15x9	<b>\$390</b>	12 lbs
15x10	<b>\$435</b>	13 lbs
15x12	<b>\$465</b>	15 lbs
15x14	<b>\$500</b>	16 lbs
15x15	<b>\$530</b>	17 lbs
15x16	<b>\$599</b>	17 lbs

## TECHNICAL SPECS

- > 1375 lb. load rating
- > 30" max tire size. OK to run taller drag slicks.
- > 4 & 5-lug versions
- > Uses 1/2" mag shank lugs, unless bland nut is required

## WHEEL FEATURES

- > 3-year structural warranty
- > Sizes 15x4 thru 15x12 come w/ center cap
- > Sizes 15x14 & larger do not come w/ cap
- > Warrior comes in hi-polish finish -- both face & outer



**Warrior Med Offset**  
07 Hi-polish finish



**Warrior Deep Rear**  
07 Hi-polish finish

**Last 7 digits of part number are listed below. Add 2 digit style # to beginning of part #.**

Part #	Size	Rearspc (in)	Bolt Circle	Cap	Part #	Size	Rearspc (in)	Bolt Circle	Cap
53500002	15x3.5	na	Anglia Spindle	CS-8301	5904545	15x9	4-1/2	5 x 4.5"	CS-70
53500001	15x3.5	na	Strng Spindle	CS-8302	5904547	15x9	4-1/2	5 x 4.75"	CS-70
5401442	15x4	1-3/4	4 x 4.25"	CS-20	5904507	15x9	4-1/2	5 x 4.5", 4.75"	CS-70
5401507	15x4	1-3/4	5 x 4.5", 4.75"	CS-70	5103507	15x10	3-3/8	5 x 4.5", 4.75"	CS-70
5401545	15x4	1-3/4	5 x 4.5"	CS-70	5103547	15x10	3-3/8	5 x 4.75"	CS-70
5401547	15x4	1-3/4	5 x 4.75"	CS-70	5103545	15x10	3-3/8	5 x 4.5"	CS-70
5402442	15x4	2-5/16	4 x 4.25"	CS-20	5104545	15x10	4-1/2	5 x 4.5"	CS-70
5402545	15x4	2-5/16	5 x 4.5"	CS-70	5104547	15x10	4-1/2	5 x 4.75"	CS-70
5402547	15x4	2-5/16	5 x 4.75"	CS-70	5104507	15x10	4-1/2	5 x 4.5", 4.75"	CS-70
5402507	15x4	2-5/16	5 x 4.5", 4.75"	CS-70	5105545	15x10	5	5 x 4.5"	CS-70
5553545	15x5.5	3-3/8	5 x 4.5"	CS-70	5105547	15x10	5	5 x 4.75"	CS-70
5553547	15x5.5	3-3/8	5 x 4.75"	CS-70	5105507	15x10	5	5 x 4.5", 4.75"	CS-70
5553507	15x5.5	3-3/8	5 x 4.5", 4.75"	CS-70	5106545	15x10	6-1/2	5 x 4.5"	CS-70
5703545	15x7	3-3/8	5 x 4.5"	CS-70	5106547	15x10	6-1/2	5 x 4.75"	CS-70
5703547	15x7	3-3/8	5 x 4.75"	CS-70	5123507	15x12	3-3/8	5 x 4.5", 4.75"	CS-70
5703507	15x7	3-3/8	5 x 4.5", 4.75"	CS-70	5123545	15x12	3-3/8	5 x 4.5"	CS-70
5705442	15x7	5	4 x 4.25"	CS-20	5123547	15x12	3-3/8	5 x 4.75"	CS-70
5705545	15x7	5	5 x 4.5"	CS-70	5143507	15x14	3-3/8	5 x 4.5", 4.75"	CS-70
5705547	15x7	5	5 x 4.75"	CS-70	5143550	15x14	3-3/8	5 x 5.0"	CS-21
5705507	15x7	5	5 x 4.5", 4.75"	CS-70	5145507	15x14	4-5/8	5 x 4.5", 4.75"	CS-70
5804545	15x8	4-1/2	5 x 4.5"	CS-70	5146507	15x14	6-3/8	5 x 4.5", 4.75"	CS-70
5804547	15x8	4-1/2	5 x 4.75"	CS-70	5146550	15x14	6-3/8	5 x 5.0"	CS-21
5804507	15x8	4-1/2	5 x 4.5", 4.75"	CS-70	5155507	15x15	4-5/8	5 x 4.5", 4.75"	CS-70
5853545	15x8.5	3-3/8	5 x 4.5"	CS-70	5155550	15x15	4-5/8	5 x 5.0"	CS-21
5853547	15x8.5	3-3/8	5 x 4.75"	CS-70	5156507	15x15	6-1/4	5 x 4.5", 4.75"	CS-70
5853507	15x8.5	3-3/8	5 x 4.5", 4.75"	CS-70	5161507	15x16	5-1/4	5 x 4.5", 4.75"	CS-70
5855545	15x8.5	5	5 x 4.5"	CS-70	5166507	15x16	6-1/4	5 x 4.5", 4.75"	CS-70
5855547	15x8.5	5	5 x 4.75"	CS-70					
5855507	15x8.5	5	5 x 4.5", 4.75"	CS-70					

## EARLY STYLE VW - MODULAR WHEEL FOR PRE-68 "WIDE 5" VW (5X205MM)

### TECHNICAL SPECS

- > For pre-1968 VW's w/ 5x205mm bolt circle - "wide 5"
- > Ball seat lug nut OEM. Stock bolts

### WHEEL FEATURES

- > 3-year structural warranty
- > Wheels do not come w/ center caps
- > Chrome steel caps (CS-22) available at additional charge
- > Wheels are offered in Hi-Polish or Brushed Satin finish
  - see individual wheel pics for description of finish

Size	WD Satin	WD Polish	Weight
15x3.5	<b>\$315</b>	<b>\$335</b>	11 lbs
15x4	<b>\$325</b>	<b>\$345</b>	11 lbs
15x5	<b>\$330</b>	<b>\$350</b>	12 lbs
15x6	<b>\$335</b>	<b>\$355</b>	12 lbs
15x7	<b>\$340</b>	<b>\$360</b>	13 lbs
15x7.5	<b>\$340</b>	<b>\$360</b>	13 lbs
15x8	<b>\$345</b>	<b>\$365</b>	14 lbs
15x8.5	<b>\$345</b>	<b>\$365</b>	14 lbs
15x10	<b>\$360</b>	<b>\$380</b>	15 lbs
15x12	<b>\$370</b>	<b>\$390</b>	17 lbs
16x4	<b>\$345</b>	<b>\$365</b>	10 lbs

**2 NEW STYLES FOR 2008!**



**Early Style VW Classic**  
 11 Hi-polish finish  
 10 Brushed satin finish



**VW Star**  
 12 Hi-polish finish  
 22 Brushed satin finish



**VW Convo Star**  
 14 Hi-polish finish  
 24 Brushed satin center, polish outer

*Last 7 digits of part number are listed below. Add 2 digit style # to beginning of part #.*

Part #	Size	Rearspc (in)	Bolt Circle	Optional Cap	Part #	Size	Rearspc (in)	Bolt Circle	Optional Cap
5352580	15x3.5	2	5 x 205mm	CS-22	5752580	15x7.5	2	5 x 205mm	CS-22
5353580	15x3.5	3-1/2	5 x 205mm	CS-22	5802580	15x8	2	5 x 205mm	CS-22
5402580	15x4	2	5 x 205mm	CS-22	5853580	15x8.5	3-3/8	5 x 205mm	CS-22
5502580	15x5	2	5 x 205mm	CS-22	5103580	15x10	3-3/8	5 x 205mm	CS-22
5503580	15x5	3-3/8	5 x 205mm	CS-22	5104580	15x10	4-3/8	5 x 205mm	CS-22
5602580	15x6	2	5 x 205mm	CS-22	5123580	15x12	3-3/8	5 x 205mm	CS-22
5603580	15x6	3-3/8	5 x 205mm	CS-22	5124580	15x12	4-3/8	5 x 205mm	CS-22
5604580	15x6	4-3/8	5 x 205mm	CS-22	6402580	16x4	2	5 x 205mm	CS-22
5703580	15x7	3-3/8	5 x 205mm	CS-22					
5704580	15x7	4-3/8	5 x 205mm	CS-22					

## LUG NUTS & ACCESSORIES

Part #	Description	Price	Part #	Description	Price
L-2900	Standard chrome valve stem (card of 4)	\$16	C-47	2 allens & wrench, 2" screws	\$10
L-2902	5/16" Chrome valve stem - billet whls (card of 2)	\$16	C-49	3" Hellcat screw (2 per bag)	\$10
L-5000	Lug nut - closed end (pack of 5) 1/2" RH - .750" shank	\$18	C-62	1/4-20, 2-12" long screw (extreme cap)	\$10
L-5002	Lug nut - closed end (pack of 5) 7/16" RH - .750" shank	\$18	C-20	Chrome plactic pop-in cap for 2.750" hub bore	\$20
L-5005	Lug-nut - closed end (pack 5) 12mm x 1.5 RH - .750"shank	\$18	C-70	Chrome plactic pop-in cap for 3.187" hub bore	\$20
L-5010	Lug nut - open end (pack of 5) 1/2" RH - .750" shank	\$18	CS-20	Chrome steel cap for 2.750" hub bore	\$20
L-5012	Lug nut - open end (pack of 5) 7/16" RH - .750" shank	\$18	CS-21	Chrome steel cap for 3.505" hub bore	\$20
L-5015	Lug-nut - open end (pack 5) 12mm x 1.5 RH - .750"shank	\$18	CS-22	Chrome steel cap for VW - 5x205mm bolt circle	\$35
L-5100	Convo Pro lug nut - closed end (pack of 5) 1/2"RH - .500" shank	\$18	CS-27	Billet cap assembly 2-screw (open end)	\$35
L-5102	Convo Pro lug nut - closed end (pack of 5) 7/16"RH - .500" shank	\$18	CS-35	3-bar spinner with emblem for Champ 506 wheel	\$35
L-5105	Convo Pro lug nut - closed end (pack of 5) 12mm x 1.5 RH - .500"shank	\$18	CS-70	Chrome steel cap for 3.187" hub bore	\$20
L-5110	Convo Pro lug nut - open end (pack of 5) 1/2"RH - .500" shank	\$18	CS-71	Chrome steel cap (open end) for 3.187" hub bore	\$20
L-5112	Convo Pro lug nut - open end (pack of 5) 7/16"RH - .500" shank	\$18	CS-101	Short chrome steel cap for 4.250" hub bore (closed end) -used in Tomahawk, Millennium, California Series	\$20
L-5115	Convo Pro lug nut - open end (pack of 5) 12mm x 1.5 RH - .500"shank	\$18	CS-102	Chrome steel cap for 4.250" hub bore (closed end)	\$20
L-5120	Lug nut - closed end (pack of 5) 1/2" RH - 1.30 shank	\$18	CS-104	Chrome steel cap for 4.250" hub bore (open end)	\$20
L-5122	Lug nut - closed end (pack of 5) 7/16" RH - 1.30 shank	\$18	CS-105	Wilderness Series - 2" tall, closed end for 5&6-lug	\$44
L-5120-0	Lug nut - open end (pack of 5) 1/2" RH - 1.30 shank	\$18	CS-105C	Wilderness Series - 2" tall, closed end for 5&6-lug chrome	\$68
L-5122-0	Lug nut - open end (pack of 5) 7/16" RH - 1.30 shank	\$18	CS-106	Wilderness Series - 2" tall, open end for 5&6-lug	\$44
L-5250	Duplex acorn lug nuts - 1/2" RH - Long (pack of 4)	\$18	CS-106C	Wilderness Series - 2" tall, open end for 5&6-lug chrome	\$68
L-5258	Duplex acorn lug nuts - 9/16" RH - X-Long (pack of 4)	\$18	CS-107	Wilderness Series - 3-1/2" tall, closed end for 8-lug	\$44
L-5264	Duplex acorn lug nuts - 14mm x 1.5 RH - Long (pack 4)	\$18	CS-107C	Wilderness Series - 3-1/2" tall, closed end for 8-lug chrome	\$68
L-5300	Acorn lug nut - closed end (pack 5) 1/2" RH - 60d taper	\$18	CS-108	Wilderness Series - 3-1/2" tall, open end for 8-lug	\$44
L-5302	Acorn lug nut-closed end (pack 5) 7/16" RH - 60d taper	\$18	CS-108C	Wilderness Series - 3-1/2" tall, open end for 8-lug chrome	\$68
CS-8301	Cover for anglia spindle mount	\$20	CS-109	Wilderness Series - 5" tall, closed end for 8-lug	\$44
CS-8302	Cover for strange spindle mount	\$20	CS-109C	Wilderness Series - 5" tall, closed end for 8-lug chrome	\$68
FS-8303	Anglia spindle bearing kit	\$300	CS-123	Billet cap assembly 2-screw (closed end)	\$35
FS-8404	Strange spindle bearing kit	\$300	CS-135	Billet cap assembly 1-screw (open end)	\$35
			CS-136	Billet cap assembly 1-screw (closed end)	\$35
			CS-150	FWD cap & bolts - 4-lug	\$35
			CS-151	FWD cap & bolts - 5-lug	\$35
			CS-152	Monsoon Series plastic pop-in cap	\$20
			CS-153	Millennium, Sundance aluminum cap	\$35
			CS-153C	Millennium, Sundance aluminum cap chrome	\$45
			CS-156	Tomahawk, California aluminum cap large	\$35
			CS-156C	Tomahawk, California aluminum cap large chrome	\$45
			CS-157	Tomahawk, California aluminum cap small	\$35
			CS-157C	Tomahawk, California aluminum cap small chrome	\$45
			CS-210	Wilderness Series short push thru for HI-OFFSET wheels	\$25
			CS-211	Wilderness 3-1/2" tall -std chrome steel push-thru cap	\$25
			CS-212	Wilderness 5" tall - chrome steel push-thru cap	\$25
			CS-213	Wilderness 3-1/2" tall - chrome steel push-thru cap (open)	\$25
			O-Ringkit	O-ring kit to fit all caps (package of 4)	\$20

Price List effective November 1, 2007  
Center Line Wheel Corp.

Office address (for accounting and sales):

13521 Freeway Drive  
Santa Fe Springs, CA 90670

Shipping address (for will call orders or return wheels):

13563 Freeway Drive  
Santa Fe Springs, CA 90670  
Local: 562-921-9637  
Toll Free: 800-345-8671 x4  
Toll Free: 800-345-8671 x4  
Toll Free: 800-345-8671 x4